

**State Expert Appraisal Committee (SEAC)  
Kerala**

**AGENDA FOR 149TH SEAC MEETING TO BE HELD FROM 21ST TO 22ND AUGUST 2023- PART-2**

**AGENDA**

**Venue: THROUGH VIDEO CONFERENCE**

Please Check MoEF&CC Website at [www.parivesh.nic.in](http://www.parivesh.nic.in) for details and updates

**From Date:21 Aug 2023**

**TO Date:22 Aug 2023**

**Date when Agenda was Created:11 Aug 2023**

<b>CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE</b>					
<b>S.No</b>	<b>Proposal</b>				
(1)	Environmental Clearance for the proposed Residential Project by Sri. Basheer Utteri at Re.Sy.Nos.47/4, (47/48), 49/3, (49/39), 47/40 (47/39), 47/48, (47/55), 49/39, (49/45), Olavana Village & Panchayth, Kozhikode Taluk & District.				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
		Kerala	Kozhikode	Kozhikode	Olavana
<b>[SIA/KL/INFRA2/416727/2023 , 2226/EC4/SEIAA/2023 ]</b>					
(2)	Environmental Clearance for the proposed construction of Super Specialty Hospital Block and Mother & Child Hospital Block within the existing campus of Govt. Medical College, Thrissur to be developed by Department of Health & Family Welfare, Govt. of Kerala. <b>(Field inspection report received)</b>				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
		Kerala	Thrissur		
<b>[SIA/KL/INFRA2/416978/2023 , 2230/EC6/2023/SEIAA ]</b>					
(3)	Environmental Clearance for the Proposed Granite Building Stone Quarry of Sri. Muhammed Themeem P C, at Re Survey No. 18/14, 22/11, 18/13 of Vavad Village, Thamarassery Taluk, Kozhikode District, and Kerala for an area of 0.5553 hectares.				

S. No.	State	District	Tehsil	Village	
(1.)	Kerala	Kozhikode	Kozhikode	Vavad	
<b>[SIA/KL/MIN/134774/2020 , 1646/EC4/2020/SEIAA ]</b>					
(4)	Granite Building Stone of Sri. P.K. Unnikrishnan situated at Block No. 20, Sy. No. 75/4 of Pirayiri Village, Palakkad Taluk & District, Kerala.( <b>Field Inspection report received</b> )				
	S. No.	State	District	Tehsil	Village
	(1.)	Kerala	Palakkad	Palakkad	Pirayiri
<b>[SIA/KL/MIN/138486/2020 , 1984/EC1/2022/SEIAA ]</b>					
(5)	Environment Clearance for mining permit of Building Stone Quarry owned by M/s Concrete Aggregates Industries over an extent of 2.7340 Ha Re Sy No: 419/2, 419/3, 419/6- 4, 419/6, 419/6-2, 419/6-3, 420/1-2, 420/1-3-2, 420/3, 420/4, 421/3 Pattimattom Village, Kunnathunadu Taluk, Ernakulam, Kerala				
	S. No.	State	District	Tehsil	Village
	(1.)	Kerala	Ernakulam	Kunnathunad	PATTIMATTOM
<b>[SIA/KL/MIN/140563/2020 , 1818/EC3/2020/SEIAA ]</b>					
(6)	Conversion TOR to EC- Granite Building Stone Quarry of Mr. Sebastian George for an extent of 0.8752 Ha in Re Survey Nos. 599/1A1, 599/1A2 & 599/3 of Belur Village Vellarikund Taluk Kasargode Kerala ( <b>FIR Received</b> )				
	S. No.	State	District	Tehsil	Village
	(1.)	Kerala	Kasaragod	Kasaragod	Belur
<b>[SIA/KL/MIN/159687/2020 , 1853/EC2/2020/SEIAA ]</b>					
(7)	Environmental Clearance for the building stone quarry of Sri,Raphy John Managing Partner, Hilltop Aggregates at SurveyNo.381/6,381/59381/64,381/66, of Kanambra1 Village, Alathur Taluk, Palakkad District, Kerala for an Area of 2.3611 Ha ( <b>Field Inspection report received</b> )				
	S. No.	State	District	Tehsil	Village
	(1.)	Kerala	Palakkad	Alathur	Kanambra 1
<b>[SIA/KL/MIN/274473/2022 , 2075/EC1/2022/SEIAA ]</b>					
(8)	Building Stone Minor Mineral Mining (Quarry) project of Mr. Kurian Jose at Sy. Nos. 340/1AS/75/6/2, 340/1A/S/75/6/3/2, 340/1A/S/75/6/9, 340/1A/S/75/6/10, Kottappady Village, Kothamangalam Taluk, Ernakulam District, Kerala for an area of 4.0425 ha ( <b>Refer back from 129th SEIAA</b> )				
	S. No.	State	District	Tehsil	Village
	(1.)	Kerala	Ernakulam	Kothamangalam	Kottappady Village
<b>[SIA/KL/MIN/291267/2022 , 2116/EC3/2022/SEIAA ]</b>					

(9)	Granite (Building Stone) Quarry of Sri. Udayan K for an area of 2.8869 Ha in Block No. 25, Re-Survey Nos: 64/1, 65/3, 65/4, 66/2, 66/2-1 in Enadimangalam Village, Adoor Taluk, Pathanamthitta <b>(Field Inspection report received)</b>				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
	(1)	Kerala	Pathanamthitta	Adoor	Enadimangalam
<b>[SIA/KL/MIN/401892/2022 , 2126/EC1/2022/SEIAA ]</b>					
(10)	Environmental Clearance for the Granite Building Stone Quarry of Sri. Boby Kuriakose at Re-Sy Block No: 6, Re-Sy. Nos: 124/5-1-3, Kodikkulam Village, Thodupuzha Taluk, Idukki District, Kerala State. <b>(Field Inspection report received)</b>				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
		Kerala	Idukki	Thodupuzha	Kodikkulam
<b>[SIA/KL/MIN/404158/2022 , 2164/EC3/2022/SEIAA ]</b>					
(11)	Granite building stone quarrying for an area of 0.9407 Ha located at Block No: 70, Sy. Nos: 23/1, 23/2, Poonjar Village, Meenachil Taluk, Kottayam, Kerala. <b>(Field Inspection report received)</b>				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
		Kerala	Kottayam	Meenachil	Poonjar
<b>[SIA/KL/MIN/407901/2022 , 1812/EC3/2020/SEIAA ]</b>					
(12)	Granite Building Stone quarry project of Sri. Thomas Varghese for an extent of 0.8970 Ha at Block No. 28, Survey Nos. 496/2, 496/2-1, 496/3, 496/4, 496/14, 497/4-1-1 in Mallappally Village, Mallappally Taluk in Pathanamthitta, Kerala <b>(Field Inspection report received)</b>				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
	(1)	Kerala	Pathanamthitta,	Mallappally	Mallappally
<b>[SIA/KL/MIN/409822/2022 , 2161/EC1/2022/SEIAA ]</b>					
(13)	Granite building stone quarry project, M/s. Nedumon Granites Private Limited at Re-Sy Block No: 19, Re-Sy. Nos: 687, 693/2, 692/6, 692/1 in Ezhamkulam Village, Adoor Taluk, Pathanamthitta, Kerala <b>(Field Inspection report received)</b>				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
	(1)	Kerala	Pathanamthitta	Adoor	Ezhamkulam
<b>[SIA/KL/MIN/409918/2022 , 2188/EC1/2023/SEIAA ]</b>					

14)	Environmental Clearance for the Granite Building Stone Quarry project of M/s. P. J. Associates, (Represented by its Managing Partner, Sri. Pious Antony) at Re-Survey Nos: 93/1, 94/1, 95/1, 95/1- 1, 95/2, 95/2-1, in Lalam Village, Meenachil Taluk, Kottayam( <b>Field Inspection report received</b> )				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
		Kerala	Kottayam	Meenachil	Lalam
<b>[SIA/KL/MIN/410881/2022 , 2186/EC3/2023/SEIAA ]</b>					
15)	Granite Building Stone Quarry of Jose M K, Managing Partner, M/s. Christuraj Granites, over an extend of 0.8189 Ha at Re-Sy No. 35/3,35/3-1,35/3-2 located at Thalappulam Village, Meenachil Taluk, Kottayam District,Kerala ( <b>Field Inspection report received</b> )				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
		Kerala	Kottayam	Meenachil	Thalappulam
<b>[SIA/KL/MIN/413729/2023 , 2235/EC3/2023/SEIAA ]</b>					
16)	M/s. SHREE GANESH CRUSHED MATERIALS & BLOCKS PVT. LTD., has applied for grant of permission for quarrying Granite Building Stone over an extent of 3.1374 Hectares, located in Block No.-09, Re-Survey Nos. 470/2, 470/3-1pt, 470/3-2pt, 471/1pt, 471/2-1pt, 471/2-2pt, 472/2pt, 473/1pt, 473/2pt, 473/3, 473/3-2pt, 467/2-6pt, 467/2-7pt, 467/2-8pt, 473/6-2pt, 473/7pt, 473/9 & 473/9-2, at Neduvathoor Village of Kottarakkara Taluk, Kollam District, Kerala ( <b>FIR Received</b> )				
	<b>State of the project</b>				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
		Kerala	Kollam	Kottarakara	Neduvathoor
<b>[SIA/KL/MIN/428159/2023 , 2295/EC2/2023/SEIAA ]</b>					
17)	Development of General Hospital, Thiruvananthapuram for the proposed Construction of Trauma and OP Block , Laundry and Service Block in Vanchiyoor village, Thiruvananthapuram Taluk, Thiruvananthapuram District. ( <b>Field Inspection report received</b> )				
	<b>S. No.</b>	<b>State</b>	<b>District</b>	<b>Tehsil</b>	<b>Village</b>
	(1.)	Kerala	Thiruvananthapuram	Thiruvananthapuram	Vanchiyoor
	<b>[SIA/KL/MIS/278234/2022 , 2057/EC1/2022/SEIAA ]</b>				

<b>CONSIDERATION OF TOR PROPOSALS</b>	
<b>S.No</b>	<b>Proposal</b>
(1)	Granite Building Stone Quarry of M/s Shah Quarry (Represented by its Managing Partner, K J Thomaskutty) with lease area 4.8894 ha, is located in survey No. 320/1, 320/1-2, 320/1-3, 320/1-4, 320/1-5, 320/1-2-2, 320/2-3,

320/2-4, 320/2-5, 320/2-6, 320/2-8, 320/2-10, 322/2-2, 322/2-3, 322/5, 326/2-2, 325/3, 324/5-1, 324/7, 324/5-1-2, 318/1-6, 320/3, 321/15, 321/28, 321/16, 322/7, 322/4, 318/1-2 at Chadayamangalam Village, Kottarakkara Taluk, Kollam District, Kerala. **(Referred back from 129th SEIAA)**

State of the project				
S. No.	State	District	Tehsil	Village
	Kerala	Kollam	Kottarakkara	Chadayamangalam

[SIA/KL/MIN/428258/2023 , 2264/EC2/2023/SEIAA ]

(2)

Granite Building Stone Quarry of Sri.Syju Lekshman in 322/2-2-1, 322/1, 322/6, 323/3, 324/6, 324/9-2, 324/6-3, 324/5-2, 324/3-2, 324/3-3, 324/4 (Private Land), 325/1, 322/3, 323/2, 323/6, 323/7, 324/3 (Govt. Land) at Chadayamangalam Village, Kottarakkara Taluk, Kollam District, Kerala **(Referred back from 129th SEIAA)**

State of the project				
S. No.	State	District	Tehsil	Village
	Kerala	Kollam	Kottarakkara	Chadayamangalam

[SIA/KL/MIN/427939/2023 , 2273/EC2/2023/SEIAA ]

**Discussion on any other item with permission of the Chair.**

**10.5**

**Important Note:**

**1. The project proponents are requested to send the project details in respect of establishment/identification of violation (by SEIAA/MoEF&CC) in the format as per Annexure-I, Annexure-II, Annexure-III & Annexure-IV.**

- (1) The project proponents should submit the Form-1, Pre-feasibility report for TOR along with other requisite documents, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any including details of the court matters/Orders of the Court pertaining to the project if any, in original, duly signed by the company authorized signatory for Environmental Clearance, well in advance before meeting to Ministry's project section or utmost at the time of presentation, without which the proposal will not be considered.

**Note: Submit a copy of each of above documents - Hard and Soft Copies (CD) to the Member secretary, Violation (Note: Not by Name) by speed post so as to reach well in time.**

- (ii) Compliance Report from Regional Office, MoEF&CC (Applicable for projects already having EC).
- (iii) ***The KML/Shape files should be emailed to mentioned at para No. 7 below at least 5 days prior to the meeting.***

- (iv) The above all documents are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee along with soft copy.
- 2 All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. **In case the members of the Expert Appraisal Committee do not receive the proposals/documents before the meeting, the Committee will not consider the project.**
- 3 The Project Proponent or his or her authorized representative /consultant should avoid delivery of documents by hand and seeking meeting with Chairman/Members. Members are also requested to discourage/ avoid the meeting with the PP/ consultants.
- 4 Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. They may also depute senior officers from the company (preferably not more than two representatives) who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.
- 5 Any changes/modification with respect to the Agenda, Venue etc., would be indicated in Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., [www.envfor.nic.in](http://www.envfor.nic.in) / [www.envclearance.nic.in](http://www.envclearance.nic.in).
- 6 Distribution of writing pads, pens, plastic folders and unnecessary stationery items during the meeting is not permitted. Distribution of colour print out may be avoided unless it is stated specifically.
- 7 No consultant is permitted into the meeting who has no accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) according to the MoEF OM dated 2nd December, 2009