

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 818th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 06-06-2024

The meeting of 818th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 06.06.2024 the Directorate of Environment. The following were present in the meeting:-

1. Smt. Mamta Sanjeev Dubey
2. Shri Paras Nath
3. Shri Sanjeev Kumar Singh

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

General Discussion of SEIAA:

SEIAA opined that projects kept on hold in light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 in its 815th and 816th meeting, must be referred back to SEAC for review.

Minutes of 851st SEAC-1 Meeting Dated 16/05/2024

General Discussion of SEAC.

SEIAA noted the comments of SEAC.

Agenda-A- Minutes of 851st SEAC-1 Meeting Dated 16/05/2024

1. "Sighauti Sand/Morrum Mining Project" at Gata No: 13/1, 13/3, 30/2 & 400/2, Village- Sighauti, Tehsil- Naraini, District- Banda, Shri Jagjeet Singh, Area- 3.55 ha., 8663/SIA/UP/MIN/458123/2024.

SEIAA noted the comments of SEAC.

2. "Ordinary Earth Mine", at Village- Ameerpur, Gata No.- 68 & 86, Tehsil- Rudauli, District- Ayodhya, Mohd. Haseeb Khan, Area- 0.803 Ha., 8673/SIA/UP/MIN/458695/2024.

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the LoI has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

3. **"Charkakhadar Sand/Morrum Mining Project" on the riverbed of Yamuna River, at Gata No.- 21, Khand No.- 04, Village: Charkakhadar, Tehsil: Baberu, District: Banda, Shri Sanjeev Saxena, Area 11.0 Ha., 8703/SIA/UP/MIN/459443/2024.**

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

4. **"Granite Gitti, Khanda / Boulders" Project at Gata No./ Khand No.- 715 / 17, Village- Gonda, Tehsil- Karwi, District- Chitrakoot, Shri Rasmeet Singh Malhotra, Area : 2.024 ha., 8705/SIA/UP/MIN/459539/2024.**

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

5. **"Ordinary Earth mine" at Village- Khwajanagar, Gata No.- 94, Plot Area- 0.928 ha., Tehsil- Haidergarh, District- Barabanki, Uttar Pradesh, Project Proponent- Shri Susheel Kumar., 8783/SIA/UP/MIN/460443/2024**

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
 7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
6. **Group Housing Project "Unihomes" at Plot No.- GH-01, Sector - 113, Noida, District- Gautam Buddha Nagar, Shri Nadeem Khan, M/s Unitech Ltd., 8763/8634/SIA/UP/INFRA2/462118/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.

- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 9- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 10- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 14- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 15- The project proponent shall install organic bio converter.
- 16- Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.
- 17- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 18- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 19- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.

7. Building Stone (Gitti/Boulder/Khanda) Sand Stone mine at Bhukhand No.- 2062 mi, Khand No.-67, Village – Bhatauti, Tehsil- Meja, District- Prayagraj, U.P., M/s Sankalp Infrastructure, Area 2.02 ha., 8829/SIA/UP/MIN/460777/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

8. Building Stone (Gitti, Boulder, Khanda) Sand Stone mine at Bhukhand No.-2062, Khand No.-82, at Village – Bhatauti, Tehsil- Meja, District-Prayagraj, Area 5.26 ha., 8831/SIA/UP/MIN/463117/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

9. Building Stone (Sandstone) Mine at Gata No.- 185 Village-Kanchanpur, Tehsil- Chunar, District-Mirzapur, Uttar Pradesh, Total Area -1.315 Ha., 8833/7972/SIA/UP/MIN/465192/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

10. Building Stone (Sandstone) Mine at Gata no.- 997 Mi Village- Sindhora, Tehsil- Sadar, District-Mirzapur, Uttar Pradesh, Area-1.112 Ha., 8837/7966/SIA/UP/MIN/465253/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

11. Building stone Sand Stone Mine at Gata No.- 03, Sl. No.- 13, Village- Chakjata, Tehsil- Chunar, District- Mirzapur, Area- 2.02 ha., 8839/7932/SIA/UP/MIN/465338/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

12. Building Stone (Gitti, Boulder, Khanda) Sand Stone mine at Bhukhand No.-2062 Mi, KhandNo-85, at Village – Bhatauti, Tehsil- Meja, District- Prayagraj, Area-4.770 ha., 8841/SIA/UP/MIN/460852/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

13. “Sand/Morrum Mining” along riverbed of Yamuna River at Araj No/Gata No. 2 /2, Khand-04, Village – Tir Ghumai Gangu, Tehsil -Rajapur, District- Chitrakoot, M/s S.S. Multi Services, Area – 23.0 ha., 8843/7959/SIA/UP/MIN/465439/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

14. Building Stone Gitti/Boulder (Sand Stone) located at Arazi No.- 282Mi, (Khand-1), Village: Sukrit, Tehsil- Robertsganj, Sonebhadra, Area -1.6187 Ha., 8845/7474/SIA/UP/MIN/465534/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

15. "Sand/Morrum Mine" from Riverbed of Yamuna River at Gata No.- 88/2, 89 & 120/1 (Khand No. 4), Village- Jitamau Diwara, Tehsil- Kalpi District- Jalaun, Area- 15.00 Ha., 8847/SIA/UP/MIN/462066/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

16. Proposed Manufacturing of 1,80,000 MTPA M.S Billets/Ingots by installation of Induction furnace 2x 30 MT capacity and Expansion of Re rolling unit from 18000 MTPA to 1,68,000 MTPA M.S Bar / TMT Bars for at Gata No.- 92, 93, 94, 88, 91, 95, 107, 108, 109, 110, 111, 112, 113, 103, 102, 67ka, 68, 74, 75, 78, 79, 81, 82, 80, 87, 64, 66, 67ga, 96, 69, 72, 70, 71, 73, 128, 129, 99, 77, 83, 84, 85, 90, in Village Godni Basahi, District- Bahraich, U.P., M/s Sudhesh Industries Pvt. Ltd., 8851/6991/SIA/UP/IND1/465852/2024

SEIAA agreed with the recommendation of SEAC to grant EC adding following conditions:-

1. The project proponent shall install 2 induction furnaces as proposed.
2. The project proponent shall install air controlling devices submit for controlling secondary emission from induction furnace.
3. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied with.
4. In any case slag shall not be disposed outside the premises.

17. Extension the validity of EC of Group Housing Project at GH-F2, Jaypee Green Sports City, SEZ, Sector-25, YEIDA Area, District- Gautam Buddh Nagar., 2047/SIA/UP/INFRA2/465632/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and extend the validity EC upto 11/10/2025 as per provision of MoEF&CC Notification dated 12/04/2022 along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.

- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 9- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 10- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 14- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 15- The project proponent shall install organic bio converter.
- 16- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 17- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 18- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 19- The Bio Medical Waste shall be disposed in nearest CBWTF as per the Govt issued guidelines in this regard.

18. Existing Common Bio-Medical Waste Treatment Facility at Subharti Medical College Campus, Subharti Puram, Meerut, Shri Neeraj Aggarwal, M/s Synergy Waste Management Pvt. Ltd., 7761/SIA/UP/INFRA2/424451/2023.

SEIAA noted the comments of SEAC to defer the matter and the matter will be discussed only after submission of online request on prescribed portal.

Agenda-B- Minutes of 852nd SEAC-1 Meeting Dated 17/05/2024

1. Sand Mining at Yamuna River Bed at Khand No-08, Village- Kachara, Mishrapur, Nagarwar, Tehsil- Bara, District- Prayagraj, Area 8.0 Ha., 8853/8240/SIA/UP/MIN/465275/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

2. Building stone (Granite Khanda, Gitty, Boulder, Red Morrum) Sandstone Mining Project at Gata No-715, Khand No-5B, at Village - Gonda, Tehsil- Karwi, Chitrakoot, Shri Surendra Kumar Shukla, Area- 2.0240 ha., 8855/8152/SIA/UP/MIN/465842/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

3. "Ordinary Earth Mine", at Gata No.- 736 mi in Village- PaschimBelaw, Tehsil- Haidergarh, District- Barabanki, Shri Shiva Kant Gupta, Area- 0.60 ha., 8857/SIA/UP/MIN/465919/2024

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the

provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.

4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
 5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
 7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
4. **"Ordinary Earth Excavation Project" at Gata No.- 486, 617, 639, 268 mi, Village- Imadpurthamrai, Tehsil Kaymaganj District- Farrukhabad, Area- 1.2550 ha., 8859/SIA/UP/MIN/465962/2024**

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

5. Construction of New District Jail (Capacity 1026) at 418, 408 मि.द., 406 मि.प., 407 मि., 407 मि.प., 401, 405, 406 मि.द.प., 415, 414, 414, 402, 404, 406 मि.उ.प., 406 मि.उ., 408 मि.उ., 408 मि.उ., 408 मि.उ., 399, 407 मि.प., 414, Village- Akdauli, Tehsil & District- Hapur., 8861/SIA/UP/INFRA2/465733/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 9- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

- 10- Provision for charging of electric vehicles as per the guidelines of Gol /GoUP should be submitted within the next 3 months.
 - 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
 - 13- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 14- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
 - 15- The project proponent shall install organic bio converter.
 - 16- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 - 17- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
 - 18- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
 - 19- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.
6. **"Ordinary Earth Mine" at Gata No. 2248 & 2249, Village- Ibrahimabad, Tehsil Nawabganj, District- Barabanki, Shri Saurabh Yadav, Area- 0.946 Ha., 8863/SIA/UP/MIN/466050/2024**

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or

current lease period whichever is earlier. After this period the EC will become null and void.

3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
 4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
 5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
 7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
7. **" Building Stone (Khanda, Boulder, Ballast&Gitti) Mining" Project at Gata No.-323, Khand No.-03, at Village- Mochipura, Tehsil-Sadar, District- Mahoba, Area-1.214 ha., 8865/6401/SIA/UP/MIN/466109/2024.**

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

8. Sand/Morrum mine from Riverbed of Yamuna River at Gata No.- 88/2, 89, 90 & 91 (Khand No.- 3), Village- Jitamaudiwara, TehsilKalpi, District- Jalaun, Shri Sachin Kumar Singh, M/s Baba Amarnath Trading Company, Area- 13.080 ha., 8867/SIA/UP/MIN/466421/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

9. Revision & Expansion of IT/ITES Park "Galactic City" at Plot No.- 06, Knowledge Park-V, Greater Noida, District- Gautam Buddha Nagar, U.P., M/s Elegant IT Solution Pvt. Ltd., 8869/SIA/UP/INFRA2/465928/2024.

SEIAA agreed with the recommendation of SEAC to issue the ToR to the title proposal for conducting EIA studies. SEIAA also added following points to ToR:-

- 1- At the time of EIA submission the project proponent shall submit plan for compliance of CAQM guidelines.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 4- MOU signed between the project proponent and the consultant should be submitted.
- 5- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 6- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted.
- 7- Along with the EIA-EMP report, PP/consultant will also submit in tabular form as to how they have addressed entire ToR a presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 8- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
- 9- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) proposal for anti- smog guns to reduce dust shall be submitted.
- 10- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be submitted.

10. Bandhichak Soil Mining Project (category B2) from Gata No.- 163, 164, Village Bandhichak, Tehsil - Tilhar, District- Shahjahanpur, Area- 1.8 ha., 8871/SIA/UP/MIN/466302/2024

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the

general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 6 months from the date of issue as the Lol has been issued for a period of 6 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per**

MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.

12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

11. Integrated Township Project "Aditya World City" at Khasra No.- 1619, 1622, 1623, 1625, 1670, 1671/1, 1671/2, 1672, 1673, 2292, 2293, 2294, 2295, 2354, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, Village Shahpur, Bamheta Ghaziabad, M/s Agarwal Associates (Promoters) Ltd., 8873/8330/SIA/UP/INFRA2/466358/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit the details of STP like no. of modules etc.
- 2- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan

- evam Samvardhan Adhinyam, 2023 and submit before the start of work.
- 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 11- Provision for charging of electric vehicles as per the guidelines of Gol / GoUP should be submitted within the next 3 months.
 - 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 13- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
 - 14- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 15- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
 - 16- The project proponent shall install organic bio converter.
 - 17- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 - 18- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
 - 19- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
 - 20- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.
- 12. Riverbed Sand/Morrum Mining from Yamuna River Gata No.-29 Kh, at Village-Gurgaula Khadar, Tehsil-Rajapur, District-Chitrakoot, M/s Shri Jagjeet Singh, Area -9.120 ha., 8875/7987/SIA/UP/MIN/466799/2024.**
- In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.
- 13. "Building Stone Gitty/Boulder, (Granite) Mining Project" at Arazi No.-119 Ka , 212 Ka, Village-Jatajuwa, Tehsil- Duddhi, District- Sonbhadra, Area- 6.603 ha., 8877/SIA/UP/MIN/463695/2024.**
- In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.
- 14. Group Housing Project "Uninav Residena" at Khasra No.- 254, 259, 260, 261, 262, 263, 264, 265, 266, 306, 307, 354, 355, 356, 357, 358, 373, 374 & 377, Village Noor Nagar, Raj Nagar Extension, Ghaziabad, U.P., by M/s Uninav Buildcon Pvt. Ltd. 8879/SIA/UP/INFRA2/466952/2024**
- SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level

Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 9- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 10- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 12- EC is granted with the condition that EC is valid only for the building plan which has

- been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 14- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
 - 15- The project proponent shall install organic bio converter.
 - 16- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 - 17- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
 - 18- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
 - 19- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.
- 15. "Jaypee Greens Greater Noida" located at Surajpur- Kasna Road, Near Pari Chowk, Gautam Budh Nagar, M/s Jaypee Greens, 8881/SIA/UP/INFRA2/467096/2024.**
- SEIAA agreed with the recommendation of SEAC to issue the ToR to the title proposal for conducting EIA studies. SEIAA also added following points to ToR:-
- 1- At the time of EIA the project proponent shall submit certificate from GNIDA, stating that construction is as per previous EC issued to the project.
 - 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
 - 3- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
 - 4- MOU signed between the project proponent and the consultant should be submitted.
 - 5- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
 - 6- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted.
 - 7- Along with the EIA-EMP report, PP/consultant will also submit in tabular form as to how they have addressed entire ToR a presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 8- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
 - 9- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) proposal for anti- smog guns to reduce dust shall be submitted.
 - 10- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be submitted.

16. **"Building Stone (Granite Khanda, Boulder, Bailast (Gitti))" Project at Gata No.- 3017 (KhandNo.- 02 New), Village- Kulpahar, Tehsil- Kulpahar, District- Mahoba, Area : 1.90 ha., 8885/8292/SIA/UP/MIN/467384/2024.**

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

17. **Development of Biotech Park at Plot no.- 01, Sector Techzone-07, Greater Noida, G.B. Nagar., 8887/SIA/UP/INFRA2/466732/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhinyam, 2023 and submit before the start of work.
- 9- If the proposed project is situated in notified area of ground water extraction, where

creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

- 10- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 14- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 15- The project proponent shall install organic bio converter.
- 16- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 17- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 18- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 19- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.

Agenda-C- Letter/Reply

1. **Letter dated 14.05.2024 of Ravi Shankar Shukla regarding- Sand Mining from Yamuna River Bed from Khand No.-3, Village Bhilor, Bara, District- Allahabad, U.P., M/s C. L. Gupta & Sons, (Leased Area-8.00 Ha), File No. 4012/Proposal No. (SIA/UP/ MIN /72241/2018).**

SEIAA gone through the letter of Shri Ravi Shankar Shukla regarding extension of validity of EC further for 273 days. SEIAA noted that:-

1. Original EC to the above lease was issued to Shri S.K. Gupta vide letter no. 54/parya/SEAC/4012/2018 dated 07.05.2018 for 05 years.
2. The above EC was Transferred to Shri Ravi Shankar Shukla vide letter no. 403/parya/SEIAA/4012/2020 dated 15.10.2020 for the remaining period that is 06.05.2023.
3. As per MoEF&CC notification SO221 (E) dated 18.01.2021 which states that:-

9A. Notwithstanding anything contained in this notification, the period from the 1st April, 2020 to the 31st March, 2021 shall not be considered for the purpose of calculation of the period of validity of Prior Environmental Clearances granted under the provisions of this notification in view of outbreak of Corona Virus (COVID-19) and subsequent lockdowns (total or partial) declared for its control, however, all activities

undertaken during this period in respect of the Environmental Clearance granted shall be treated as valid."

4. In view of the above notification Shri Ravi Shankar Shukla applied for extension of validity of EC on 29.12.2023.
 5. According to MoEF&CC notification SO221 (E) dated 18.01.2021 Validity of transfer of EC dated 15.10.2020 was extended according to the original EC date i.e till 06.05.2024. Although the EC was transferred on 15/10/2020 and six months of the grace period allowed due to covid had already elapsed while lease was with previous lease holder. But keeping in line with the spirit of notification extension was given till 6/5/2024.
 6. SEIAA opined that transferred EC cannot be extended further in light of MoEF&CC notification SO221 (E) dated 18.01.2021.
 7. It is also noted that the project proponent has already applied for fresh EC in light of valid mining plan and his proposal is under active consideration.
2. **Compliance of Judgement and order dated 18.03.2024 passed by the Hon'ble High court at Lucknow in Writ-C No. 31463 of 2017 (Chandra Mauli Bhardwaj Vs. UOI. Thru Secy. Ministry of Environment forest and Climate and Ors.).**

SEIAA gone through the letter received from Chandra Mauli Bhardwaj dated 03.04.2024 without any contact details, along with order dated 18.03.2024 passed by the Hon'ble High court at Lucknow in Writ-C No. 31463 of 2017, operative part of which is as under:-

"...6. In view of the submissions made, the petition filed by the petitioner is disposed of in light of the similar directions as given in the case M/s Peethambra Granite Private Ltd. (supra). The petitioner would also be entitled to seek reconsideration of the order dated 06.10.2017 passed by the District Level Environment Impact Assessment Authority as Annexure No. 2 and after disposal thereof, the State Government would consider the case of the petitioner afresh."

SEIAA noted that the proposal for EC can be considered only after submission of online application on parivesh portal.

SEIAA opined that a letter shall be send to DM, Mahoba and DGM, Mahoba informing the above.

3. **Request for physical meeting of the project Group Housing Project at plot no-SC-02/E, Sector-150, Noida, District- Gautam Buddha Nagar, M/s Samridhi Builmart Pvt. Ltd. Proposal No. SIA/UP/MIS/208311/2021 file no. 6221.**

SEIAA agreed with the recommendation of SEAC to amend the environmental clearance letter no. 21-133/2017 dated 10/08/2017 as requested. Rest all the conditions mentioned in Environment clearance letter no. 21-133/2017, dated 10/08/2017 shall remain the same.

4. **Proposed Ordinary Soil Mining Project of M/s Maa Ganga Enterprises, Prop. Shri Ramesh Kumar Singh located at Khasra / Gata No. Gata(s) no. 119mi, 130mi, 136mi,136mi, 135, 131mi,432, 130s, 131s, 131mi, Village – Mohgawan, Tehsil- Rae Bareli, District- Rae Bareli, Uttar Pradesh. Sanctioned Lease Area – 1.7400 ha File no- 8749.**

SEIAA noted the above project was taken in its 810th meeting in which SEIAA found that Khasra/Gata no. 432 is not marked in KML. The project proponent has submitted his reply online. SEIAA noted that as per para 8(ii) of EIA notification2006 -The regulatory

authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-


1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.

9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

**Nodal Officer
SEIAA, UP**

MoM prepared by Secretariat in consultation with
Chairman & Members on the basis of decisions
taken by SEIAA during the meeting.

(Smt. Mamta Sanjeev Dubey)
Chairman
SEIAA


(Sanjeev Kumar Singh)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA