

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA No.110.01	
Proposal No.	SIA/OR/INFRA2/418440/2023
Date of Application	15.02.2023
File No.	418440/507-INFRA2/02-2023
Project Type	EC
Category	B2
Project/Activity including Schedule No.	8(a) Building & Construction Projects
Name of the Project	Proposal for EC for proposed Construction of RBI Greenfield data center and enterprise level Training institute over an area 18.55 Acres at IDCO plot no. S5-H-05, EMC Park, InfoVally II, Mouza-Harapur & Chandihata, Tahasil-Jatni, Dist-Khordha
Name of the company/Organization	Reserve Bank of India Applicant: Sri. Santosh Kumar Behera, Assistant General Manger
Location of Project	At IDCO plot no. S5-H-05, EMC park, InfoVally II, Mouza-Harapur & Chandihata, Tahasil-Jatni, Dist-Khordha

Proposal in brief :

The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEAC/SEIAA, are given as under.

- (i) This is a proposal of Reserve Bank of India(RBI) for environmental clearance of proposed construction of 'RBI Greenfield Data Centre and Enterprise Level Training Institute' over an area 18.55 Acres with Total Builtup area of 95,110Sqmt located at- IDCO, plot no. S5-H-05, EMC park, InfoValley II, Mouza-Harapur & Chandihata, Tahasil-Jatni, District-Khordha filed by Sri Santosh Kumar Behera; Assistant GM.
- (ii) Location and connectivity: The proposed site of RBI, DC and TC is located at IDCO Plot No. S5-H-05, EMC Park, Info Valley II, Mouza-Harapur & Chandihata, Tahasil-Jatni, in Khordha district of Odisha. The geo coordinates of the project is-Latitude 20°14'1.12" to 20°14'6.68" N and Longitude 85°42'24.43" to 85°42'31.43"E and finds place in Toposheet No. 73 H/12.The immediate surroundings of the site have the Infosys campus to the west, Cancer hospital (under construction) to the south. Info valley police station is situated at about 1.5 km North-east and GIS substation is located due west, behind Infosys, at 1.5 km. The site is very well connected by road, road and air communication. Biju Pattnaik airport is located east of the site at a traversing distance of 15 km. NH 16 is at 3 kms Southeast. Bhubaneswar Railway is at 15km.
- (iii) The project proponent has submitted that the project will be constructed over an area of 18.55 acres with total built up area of 95110 Sq.m and the proposed project will be developed over Khata No. 213/332, Plot No, 4/808 (0.18 Acres) in Mouza-Harapur, Khata No: 213/267, Plot No: 5/795 (P), 16/796 (P), 4/778(P), 6(P), 7, 8(P), 9(P), 10 (P),11(P), 12(P), 17 (P) Total (16.635 Acre) in Mouza-Harapur, Khata No: 59/65, Plot No. 23(P), 24(P), 25 (P), Khata No. 59/48, Plot No. 26 (P), 27 (P) Total (0.515 Acre) in Mouza-Chandihata. The Plot No. 10(P) & 11(P), Khata No. 61 in Mouza-Chandihata Rakhita – 1.22 acres (Gramya Jungle). Stage- I

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

Forest clearance has been approved by MoEF & CC,GoI vide letter no 5-ORB550/2023-BHU dated 23.02.2023 for forest land of area 1.22 acres. The kisam is Patita for the rest 17.33 Acres of land out of 18.55acres. The Training and Residential site is accessed via the 45 M main road to the south, gently slopes from the west to the east and is defined by a large land depression to the south-east of the site, along with a tree grove.

- (iv) The 18.55 Acres of land is envisaged to house diverse functions in close proximity. With the primary intent of housing the state-of-art greenfield Data Centre and its allied administrative facility, the other facilities proposed to be provided are a training centre, recreation centre, 135 guest rooms and housing for 100 units of varying sizes (2,3,4 BHKs and Penthouses).The Data Centre Capacity has been planned to meet the Bank's requirement for the next thirty years. RBI also intends to build its world class Enterprise Computing and Cyber Security Training Institute inside the same campus with the facilities envisaged to have best in class infrastructure and amenities.

- (v) The building details of the Project:

Area Statement	
Plot area	75, 069 Sq.m (18.55 acres)
Proposed Built-up area(with basement)	95,110 Sqmt
Proposed Built-up area(without basement)	87,695 Sqmt
Maximum permissible FAR	2
Maximum Permissible area	1,50,138 Sq.m
Proposed FAR	1.097
Proposed FAR area	82,385.76 Sq.m
Maximum permissible ground coverage	40%
Maximum permissible ground coverage area	30,027.6 Sq.m
Proposed Ground coverage	27.6%
Proposed ground coverage area	20,719 Sq.m

Land Use Pattern				
Sl. No.	Particulars of Land use	Area (Sqmt.)	Area (Acres)	Percentage (%)
1	Total Plot Area	75,090.40	18.55	NA
2	Ground Coverage area	20,719.00	5.12	27.59
3	Open Area	13,066.40	3.23	17.40
4	Landscape area	24,780.00	6.12	33.00
5	Paved area	1,250.00	0.31	1.66
6	Road area	15,275.00	3.77	20.34

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

- (vi) Water requirement: The PP has submitted that fresh make up water of 85.60KLD will be required for the project which will be sourced through IDCO water supply. Total Water requirement is 136.10 KLD (fresh water(85.60KLD) + flushing water(50.50KLD)). Out of the total water requirement 37% will be met by recycled water. It is expected that the project will generate 122.49 KLD of wastewater which will be treated in STP of capacity 125 KLD. Treated water of 95KLD (flushing-50KLD, plantation-45KLD) will be fully utilized during non-monsoon period and 25KLD will be discharged to IDCO drain during monsoon period for which permission from the competent authority has already been obtained.
- (vii) Wastewater generation & STP: Total wastewater generation from the apartments will be 122 KLD which will be treated through the sewage treatment plant of 125 KLD capacity.
- (viii) Power requirement: Total power requirement will be 13 MVA and sourced from Orissa Power Transmission Corporation. Backup DG sets required for the project will be 6x1800 KVA + 3 x1500 KVA. Further, there are 1set of 6x1800 KVA DG as it is a Tier IV data center, which requires backup in n+n configuration. The DG sets will be provided with 30m stacks for emission of gases.900 Solar PV panels are proposed to generate about 585 KW of electricity which will be used for outdoor lighting and solar water heating. 900 Solar PV panels are proposed to generate about 585 KW of electricity (5% of the total power consumption). Heat pump based Solar water heater is proposed of capacity 30 KLD which theoretically saves 100KW per day.
- (ix) Rainwater harvesting: For rainwater harvesting there is the proposal for construction of 24 nos of recharge pit with 6.78cu.m capacity. Further there is the proposal for construction of water reservoir of 923 cum capacity for storage of rainwater from open area and green area.
- (x) Parking requirement: Total parking area required is 20819.751sqm and parking area provided is 21,625.00 Sqm/849ECS in the project.
- (xi) Fire-fighting installations: The proposed building classified as Business Building and light hazard as per the recommendations of NBC-2016 for all design basis. It includes wet riser system, external and internal hydrants, automatic sprinkler system (for all buildings in all floors except server rooms, UPS and electrical rooms), gas-based fire suppression system for server rooms, ups and electrical rooms, portable fire extinguisher system (for all buildings as per NBC, IS CODES and Local fire dept requirements). Centralized water reservoir with capacity of 4,00,000 litres shall be provided which includes hydrants and sprinklers, for every 100 nos of hydrant valves, one set of pumps and storage as per nbc-2016, since, the no. of hydrant valves are more than 100 nos, storage to be doubled in capacity as per NBC-2016 and additional Diesel engine and jockey pump to be provided
- (xii) Greenbelt development: Total area allocated for green belt development is 24780 Sq.m (33% of the plot area). Along the boundary, road and open space is 15100 Sq.m (20% of plot area) Intermittent green patches seen near parking, along building side, intermittent space & existing green area is 9680 Sq.m. Number of saplings proposed to be planted is 5910 Nos. Existing plants within the project site is 870 in numbers. Existing plant species are dominated by Anacardium occidentale. Other species present are Acacia, Gambhari, Bel, Arjuna, Achu, Kasi, Jamu, Kurua, Mango etc. Existing plants remaining untouched are 400 in numbers. Number of saplings proposed to be transplanted is 250 in numbers. IDCO has provided possession of the land between boundary of the project and connecting road and the Project proponent has planned to

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

develop a three-tier plantation over the area. 63000 cu.m of soil excavated during construction will be spread along the boundary and green belt will be developed over it.

- (xiii) Solid waste management: Solid waste generated from the project will be 375 Kg/ day. The solid Wastes generated are segregated at its point of generation, collected and stored at a common designated place and Organic solid waste will be composted in Organic waste converter of capacity 500kg/day and it will be used as manure for landscape. The inorganic solid waste is proposed to be safely disposed through authorized agency.

Total no. of employees	1500
Assuming per capita solid waste generation rate as 0.25 kg/capita/day	
Quantity of solid waste generated	375 kg/day
Organic solid waste: 60 % of the total waste	225 kg/day
Inorganic solid waste: 40 % of the total waste	150 kg/day

- (xiv) Project cost: Total project cost is estimated to be 675 crores which includes all the construction and installation cost of the building. For implementation of environment management plan, a capital amount of 305 lakhs and recurring amount of 13.5 lakhs per annum has been proposed by the project proponent.
- (xv) The proponent along with the consultant M/s Kalyani Laboratories Pvt Ltd, Bhubaneswar made a detailed presentation on the proposal on 03.03.2023.
- (xvi) Any deficiencies/omission have been noticed in the above documents- Nil

Whether SEAC recommended the proposal – The proposal was placed in the SEAC meeting held on 03.03.2023 and the SEAC recommended for grant of Environmental Clearance valid for 10 years with stipulated conditions in addition to the following specific conditions.

- i) The Proponent before implementation of the project shall convert the land to Gharabari and shall take the ownership of the land if not already taken.
- ii) The Proponent shall obtain permission/NOC from Executive Engg. (PHD) and / or from the appropriate authority for disposal of excess STP treated water to the nearest drain without which the Proponent will not start construction work. Also, in case of the connecting drain passing through others land (Govt. or Private land), the Proponent shall obtain the permission and possession as the case may be.
- iii) The proponent shall use solar energy atleast to the tune of 5%of total power requirement as proposed.
- iv) Trees located within the project area shall be transplanted to alongside the boundary green development area.
- v) To reduce discharge of treated water to open drain, the proponent shall use more water for increased number of trees proposed to be planted in the green belt area & shall also utilize this treated water for car washing, floor washing to minimize the surplus discharge to drain.
- vi) The proponent shall explore the possibility for connecting of the stacks of all DG sets into one and relocate it in the appropriate direction so that pollution don't come upto buildings.
- vii) Traffic study report shall be vetted by a reputed institute.
- viii) The proponent shall implement the Pollution Control Measures and safeguards as proposed in

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

the Environment Management Plan (EMP) of project report.

- ix) All compliances submitted/ committed by PP(s) shall be strictly adhered to them in addition to all the conditions/ specific conditions of EC

Decision of Authority : After detailed deliberations, the Authority decided to **grant Environmental Clearance** with specific conditions as mentioned below in addition to standard conditions applicable for building and construction project as recommended by SEAC.

- The compliance of the project parameters will be ensured by the SPCB, Odisha before giving consent to operate to this project and by the local urban bodies and the BDA while giving the occupancy certificate to this project.
- The Project Authority (PA) shall submit permission letter from PH Dept./CGWB/Water Resource Dept, as applicable regarding supply of 136 KLD water (Fresh water 85.6 KLD + flushing water 50.5 KLD).
- Certificate from Bhubaneswar Development Authority (BDA) that the PP has established STP of capacity 125 KLD and the same is in operation.
- The Proponent shall obtain permission/NOC from Executive Engg (PHD) and / or from the appropriate authority, as applicable for disposal of excess STP treated water to the nearest drain without which the PP shall not start operation work.
- The PP shall submit document proof that they have installed 585 KW and utilising the power through Solar Cell.
- The PP shall submit document proof that they have installed 6x1800 KVA (2sets)+3x1500KVA of DG set capacities with adequate height as SPCB, Odisha norms.
- The PP shall construct 24 nos. of Rain Water Harvesting pits and recharge the rooftop rain water through recharging pits.
- On-site composting of bio-degradable waste of 225Kg/day will be by OWC and agreement with BMC for collection and disposal of 150 Kg/day of solid waste .
- Green belt development of 24780 sqm (33% of the plot area).
- Parking space 21,625.00m² /849ECS has been provided.
- The structural stability is be vetted by NIT or IIT or any reputed institution of State/Central Govt before construction.

APPROVED BY


Member Secretary, SEIAA


Member, SEIAA


Chairman, SEIAA

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA NO.110.2	
Proposal No.	SIA/OR/MIN/296182/2023
Date of application	23.02.2023
Project Type	Transfer of EC
Category	B2
Project/Activity including Schedule No.	1(a) Mining of minerals
Name of the Project	Proposal for Transfer of EC of Brundabanpur Stone Quarry-3 over an lease area of 2.00 acres or 0.809 ha ata village-Brundabanpur, Tahasil-Nayagarh, Dist-Nayagarh, Odisha
Name of the company/Organization	Sri Purna Chandra Nayak S/o-Janardan Nayak, At/Po-Notar, Ps/Dist-Nayagarh
Location of Project	Odisha
Proposal in brief:	
<p>(i) The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEIAA, are given as under.</p> <p>(ii) This is a proposal Transfer of EC of Brundabanpur Stone Quarry-3 over an lease area of 2.00 acres or 0.809 ha ata village-Brundabanpur, Tahasil-Nayagarh, Dist-Nayagarh, Odisha.</p> <p>(iii) Documents submitted: Application in Form-7, earlier EC copy, Tahasildar forwarding letter, Status of quarry and scrutiny of Rs. 1000/- vide e-Challan Ref. No. 3381D257F9 dated 21.12.2022.</p> <p>(iv) The EC of Brundabanpur Stone Quarry-3 over an lease area of 2.00 acres or 0.809 ha ata village-Brundabanpur, Tahasil-Nayagarh, Dist-Nayagarh, Odisha was in favour of Tahasildar, Nayagarh vide SEIAA letter no./Identification No.1029/SEIAA dated 26.03.2021.</p> <p>(v) Present status of quarry- Operated</p> <p>(vi) Whether submitted KML file-Yes</p> <p>(vii) The project proponent applied proposal for transfer of EC from the name Tahasildar, Nayagarh to Sri Purna Chandra Nayak, (highest bidder/lessee) with attaching Tahasildar forwarding letter vide letter no. 4855 dated 19.12.2022.</p> <p>(viii) The proposal was placed in the 108th SEIAA, Odisha meeting held on 09.02.2023 and the Authority decided that the EC shall be kept in abeyance and the PP shall submit information regarding total project cost incurred upto the date of filling the application and total turnover during the period of quarry operation by Chartered Accountant forwarded by concerned Tahasildar.</p> <p>(ix) Now, the PP has submitted the compliance with mentioned that the total project cost is Rs. 33,74,674/- and total turnover during the period of operation is Rs. 3, 59,640/-</p> <p>(x) Any deficiencies/omission have been noticed in the above documents- Nil</p>	
Whether SEAC recommended the proposal – N/A	
<u>Decision Of Authority:</u>	
<p>(i) The authority observed that this is a violation case as the quarry has been operated without transfer of EC in favour of lessee/successful bidder.</p> <p>(ii) Based on clarification sought by SEIAA, Odisha on 14.02.2023, the PP has submitted their</p>	

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

reply enclosing the certificate of Chartered Accountants stating that the total project cost is **Rs. 3,59,640/-** and the turnover/sale value is **Rs. 33,74,674/-**

- (iii) After detailed discussion, the Authority decided to allow transfer of EC of Brundabanpur Stone Quarry-3 from the name Tahasildar, Nayagarh to Sri Purna Chandra Nayak, (highest bidder/lessee) as per the MoEF & CC, Govt. of India O.M. no. F. No. 22-21/2020-IA.III dated 07.07.2021 regarding Standard Operating Procedure (SOP) for identification and handling of violation cases under EIA Notification 2006 and in accordance with the order of Hon'ble National Green Tribunal.
- (iv) Accordingly, the PP shall deposit a penalty amount of **Rs. 34,645.84/-** i.e. (1% of the total project cost amount of Rs. 33,746.74/- + 0.25% of the total turnover during the period of violation amounting of Rs.899/-) to State Pollution Control Board (SPCB), Odisha.
- (v) Transfer of EC shall be issued on submission of proof regarding the same. No further reference to SEIAA, Odisha meeting is required.

APPROVED BY


Member Secretary, SEIAA


Member, SEIAA


Chairman, SEIAA

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA NO.110.3	
Proposal No.	SIA/OR/MIN/297840/2023
Date of application	23.02.2023
Project Type	Transfer of EC
Category	B2
Project/Activity including Schedule No.	1(a) Mining of minerals
Name of the Project	Proposal for Transfer of EC of Badakharamanga (West) Devi River Sand Bed over an area 12.30 acres or 4.98 Ha at village-Badakharamanga, Tahasil-Kantapada, Dist-Cuttack
Name of the company/Organization	Sri Purna Chandra Patra S/o-Bhikari Patra, At/Po-garasrirampur, Ps-Balianta, Dist-Khordha
Location of Project	Odisha
Proposal in brief:	
(i) The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEIAA, are given as under.	
(ii) This is a proposal Transfer of EC of Badakharamanga Sand Bed over an area 12.30 acres or 4.98 Ha at village-Badakharamanga, Tahasil-Kantapada, Dist-Cuttack.	
(iii) Documents submitted: Application in Form-7, earlier EC copy, Tahasildar forwarding letter, Status of quarry and scrutiny of Rs. 2000/- vide e-Challan Ref. No. 359A1EBB01 dated 18.02.2023.	
(iv) The EC of Badakharamanga Sand Bed over an area 12.30 acres or 4.98 Ha at village-Badakharamanga, Tahasil-Kantapada, Dist-Cuttack was in favour of Tahasildar, Kantapada vide SEIAA letter no./Identification No. 1320/SEIAA dated 19.05.2021.	
(v) Present status of quarry- Non-Working.	
(vi) Whether submitted KML file-Yes	
(vii) The project proponent applied proposal for transfer of EC from the name Tahasildar, Kantapada to Sri Purna Chandra Patra., (highest bidder/lessee) with attaching Tahasildar forwarding letter vide letter no. 488 dated 23.02.2023.	
(viii) Any deficiencies/omission have been noticed in the above documents- Nil	
Whether SEAC recommended the proposal – N/A	
<u>Decision Of Authority:</u>	
The transfer of EC is allowed subject to submission of full compliance report of the stipulated conditions of EC issued earlier with the following additional conditions within 6(six) months:	
a. Boundary Demarcation: - The boundary of the lease area shall be demarcated on ground at the project cost, by erecting 1.20 meter (4 feet approx.) high reinforced concrete pillars above ground, each inscribed with its serial number, distance from pillar to pillar and GPS coordinates by any empanelled agency of ORSAC.	
b. Digital Map: -A digital map (in KML format as well as PDF version) showing GPS coordinates of all boundary pillars duly countersigned by the Tahasildar shall be submitted to SEIAA, Odisha through email at info.seiaaodisha@gmail.com .	
c. Intimation of EC: -The copies of the EC shall be sent to the Sarpanch (s) of the concerned Gram Panchayat (s), Urban Local Bodies and relevant other Offices of the Government with a request to display the same for 30 days from the date of receipt.	

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

- d. **Tree Plantation:** -Compensatory Tree Planting (CTP) shall be carried out with minimum @100 trees per Ha. of lease area as per the approved cost norm for avenue plantations of the State Forest Department. The Project Proponent (lease holder) shall deposit Rs.2,25,000/- with the respective District Environment Society for raising 500 plants of native species within 2 years in a suitable location adjoining to quarry.
- e. **State EMF Fund:** - An amount equal to five percent (5%) of the royalty payable shall be collected from the lessee by the Tahasildar and deposited to the State Environment Management Fund, which will be utilized as per provisions of Rule 49(3) of the OMMC Rule, 2016 preferably, in and around the areas where mining activities are undertaken.

The above compliance shall be uploaded/submitted by PP in the Parivesh Portal of MoEF& CC. and also a copy of the compliance report shall be email to Email-info.seiaaodisha@gmail.com within 06(six) months from date of issue of transfer of EC falling which the EC stands automatically revoked.

APPROVED BY


Member Secretary, SEIAA


Member, SEIAA


Chairman, SEIAA

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA NO.110.4	
Proposal No.	SIA/OR/MIN/293331/2022
Date of application	21.02.2023
Project Type	Transfer of EC
Category	B2
Project/Activity including Schedule No.	1(a) Mining of minerals
Name of the Project	Proposal for Transfer of EC of Olasingh Laterite Stone Quarry-B Over an Area Of 12.35 Acres Or 5.00 Hectares At Village-Olasingh, Tahasil-Tangi, Dist-Khordha, Odisha.
Name of the company/Organization	Sri Biswanath Behera S/o-Hrusikesh Behera At-Maitri Bihar, Po-Chandrasekharapur, Dist-Khordha, Odisha, Pin-752023
Location of Project	Odisha
Proposal in brief:	
<p>(i) The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEIAA, are given as under.</p> <p>(ii) This is a proposal Transfer of EC of Olasingh Laterite Stone Quarry-B Over An Area Of 12.35 Acres Or 5.00 Hectares At Village-Olasingh, Tahasil-Tangi, Dist-Khordha, Odisha.</p> <p>(iii) Documents submitted: Application in Form-7, earlier EC copy, Tahasildar forwarding letter, Status of quarry and scrutiny of Rs. 1000/- vide e-Challan Ref. No. 33700DE4C3 dated 23.09.2022</p> <p>(iv) The EC of Olasingh Laterite Stone Quarry-B Over An Area Of 12.35 Acres Or 5.00 Hectares At Village-Olasingh, Tahasil-Tangi, Dist-Khordha, Odisha was in favour of Tahasildar, Tangi vide SEIAA letter no./Identification No. 1511/SEIAA dated 30.06.2021.</p> <p>(v) Present status of quarry- Non-operating condition</p> <p>(vi) Whether submitted KML file-Yes</p> <p>(vii) The project proponent applied proposal for transfer of EC from the name Tahasildar, Tangi to Sri Biswanath Behera, (highest bidder/lessee) with attaching Tahasildar forwarding letter vide letter no. 2313 dated 13.09.2022.</p> <p>(viii) The proposal was placed in 108th meeting held on 08.02.2023 and the Authority decided that the Tahasildar ask to submit the certificate that no mining operation from the period 30.06.2021 and there is no violation in this project accordingly, letter was issued to Tahasildar Tangi on dated 13.02.2023.</p> <p>(ix) Now, the Tahasildar has submitted clarification vide their letter no. 636 dated 17.02.2023 with mentioned that there is no mining operation from the period 30.06.2021 as per office record and no violation in this project is yet noticed.</p> <p>(x) Any deficiencies/omission have been noticed in the above documents- Nil</p>	
Whether SEAC recommended the proposal – N/A	
Decision Of Authority:	
The Authority observed that the time series google earth image of the KML file for the period January, 2022 reveals that quarrying activity has been done in the lease area whereas, the Tahasildar has mentioned that the quarry is in non-operating condition which is contradictory.	

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

After detail deliberation, the Authority decided that the Sub-Collector, Khordha may be requested to carry out the site inspection and submit a detailed report regarding the quantity of material extracted without transfer of EC and valuation of quantity of extraction carried out in the site. If, extraction of material has already taken place, then it is required to submit the following:

- (a) A certified report from the Chartered Accountant (CA) regarding the total project cost incurred upto the date of filling the application and
- (b) Total turnover during the period of operation of the quarry.

A copy of the ADS letter be endorsed to the Collector, Khordha for information and necessary action.

APPROVED BY


Member Secretary, SEIAA


Member, SEIAA


Chairman, SEIAA

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA NO.110.5	
Proposal No.	SIA/OR/MIN/293491/2022
Date of application	23.02.2023
Project Type	Transfer of EC
Category	B2
Project/Activity including Schedule No.	1(a) Mining of minerals
Name of the Project	Proposal for Transfer of EC of Jampadar Sand Quarry over an area 8.52 acre or 3.44 ha at village-Jampadar, Tahasil-Muribahal, Dist-Balangir.
Name of the company/Organization	Sri Pritam Ku. Patra, S/o-Prafulla Chandra Patra At-Omkarmal Heights Flat No-7, Po- Kantabanji, Balangir, Odisha ,760005
Location of Project	Odisha

Proposal in brief:

- (i) The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEIAA, are given as under.
- (ii) This is a proposal Transfer of EC of Jampadar Sand Quarry over an area 8.52 acre or 3.44 ha at village-Jampadar, Tahasil-Muribahal, Dist-Balangir..
- (iii) Documents submitted: Application in Form-7, earlier EC copy, Tahasildar forwarding letter, Status of quarry and scrutiny of Rs. 2000/- vide e-Challan Ref. No. 337AA98B19 dated 01.11.2022
- (iv) The EC of Jampadar Sand Quarry over an area 8.52 acre or 3.44 ha at village-Jampadar, Tahasil-Muribahal, Dist-Balangir was in favour of Tahasildar, Muribahal vide SEIAA letter no./Identification No 9459/SEIAA dated 03.11.2020.
- (v) Present status of quarry- operating conditions
- (vi) Whether submitted KML file-Yes
- (vii) The project proponent applied proposal for transfer of EC from the name Tahasildar, Muribahal to Sri Pritam Kumar Patra, (highest bidder/lessee) with attaching Tahasildar forwarding letter vide letter no. 1150 dated 09.09.2022.
- (viii) Any deficiencies/omission have been noticed in the above documents- In the KML file it appears that the said quarry is operated from May 2021 but Tahasildar has mentioned vide his letter no.371 dated 23.02.2023 that the quarry has not been operated due to non-transfer of EC.

Whether SEAC recommended the proposal – N/A

Decision Of Authority:

The Authority observed that the time series google earth image of the KML file for the period January, 2022 reveals that quarrying activity has been done in the lease area whereas, the Tahasildar has mentioned that the quarry is in non-operating condition which is contradictory.

After detail deliberation, the Authority decided that the Sub-Collector, Balangir may be requested to carry out the site inspection and submit a detailed report regarding the quantity of material extracted without transfer of EC and valuation of quantity of extraction carried out in the site. If, extraction of material has already taken place, then it is required to submit the following:

- (a) A certified report from the Chartered Accountant (CA) regarding the total project cost incurred upto

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

the date of filling the application and
(b) Total turnover during the period of operation of the quarry.

A copy of the ADS letter be endorsed to the Collector, Balangir for information and necessary action.

APPROVED BY



Member Secretary, SEIAA



Member, SEIAA



Chairman, SEIAA

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA NO.110.6	
Proposal No.	SIA/OR/MIN/295235/2022
Date of application	14.02.2023
Project Type	Transfer of EC
Category	B2
Project/Activity including Schedule No.	1(a) Mining of minerals
Name of the Project	Proposal for Transfer of EC of Chitkamal Stone Quarry over an area of 0.66 Acres or 0.267 Hectares in village Chitkamal under Khaprakhhol tahasil of Balangir district
Name of the company/Organization	Sri Mukesh Kumar Agarwal S/o- Late Roshan Lal Agrawal At/Ps-Padampur, Dist-Baragarh
Location of Project	Odisha

Proposal in brief:

- (i) The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEIAA, are given as under.
- (ii) This is a proposal Transfer of EC of Chitkamal Stone Quarry over an area of 0.66 Acres or 0.267 Hectares in village Chitkamal under Khaprakhhol tahasil of Balangir district.
- (iii) Documents submitted: Application in Form-7, earlier EC copy, Tahasildar forwarding letter, Status of quarry and scrutiny of Rs. 1000/- vide e-Challan Ref. No. 33815561EA dated 13.12.2022
- (iv) The EC of Chitkamal Stone Quarry over an area of 0.66 Acres or 0.267 Hectares in village Chitkamal under Khaprakhhol tahasil of Balangir district was in favour of Tahasildar, Khaprakhhol vide SEIAA letter no./Identification No EC22B001OR174286 dated 18.02.2022.
- (v) Present status of quarry- Non-operating condition
- (vi) Whether submitted KML file-Yes
- (vii) The project proponent applied proposal for transfer of EC from the name Tahasildar, Khaprakhhol to Sri Mukesh Kumar Agarwal, (highest bidder/lessee) with attaching Tahasildar forwarding letter vide letter no. 1943 dated 13.12.2022.
- (viii) Any deficiencies/omission have been noticed in the above documents- Nil

Whether SEAC recommended the proposal – N/A

Decision Of Authority:

The transfer of EC is allowed subject to submission of full compliance report of the stipulated conditions of EC issued earlier with the following additional conditions within 6(six) months:

- a. **Boundary Demarcation:** - The boundary of the lease area shall be demarcated on ground at the project cost, by erecting 1.20 meter (4 feet approx.) high reinforced concrete pillars above ground, each inscribed with its serial number, distance from pillar to pillar and GPS co-ordinates by any empanelled agency of ORSAC.
- b. **Digital Map:** -A digital map (in KML format as well as PDF version) showing GPS coordinates of all boundary pillars duly countersigned by the Tahasildar shall be submitted to SEIAA, Odisha through email at info.seiaaodisha@gmail.com.
- c. **Intimation of EC:** -The copies of the EC shall be sent to the Sarpanch (s) of the concerned Gram Panchayat (s), Urban Local Bodies and relevant other Offices of the Government with a request to display the same for 30 days from the date of receipt.
- d. **Tree Plantation:** -Compensatory Tree Planting (CTP) shall be carried out with minimum @100 trees per Ha. of lease area as per the approved cost norm for avenue plantations of the

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

State Forest Department. The Project Proponent (lease holder) shall deposit Rs.45,000/- with the respective District Environment Society for raising 100 plants of native species within 2 years in a suitable location adjoining to quarry.

- e. **State EMF Fund:** - An amount equal to five percent (5%) of the royalty payable shall be collected from the lessee by the Tahasildar and deposited to the State Environment Management Fund, which will be utilized as per provisions of Rule 49(3) of the OMMC Rule, 2016 preferably, in and around the areas where mining activities are undertaken.

The above compliance shall be uploaded/submitted by PP in the Parivesh Portal of MoEF& CC. and also a copy of the compliance report shall be email to Email-info.seiaaodisha@gmail.com within 06(six) months from date of issue of transfer of EC falling which the EC stands automatically revoked.

APPROVED BY


Member Secretary, SEIAA


Member, SEIAA


Chairman, SEIAA

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA NO.110.7	
Proposal No.	SIA/OR/MIN/293483/2022
Date of application	23.02.2023
Project Type	Transfer of EC
Category	B2
Project/Activity including Schedule No.	1(a) Mining of minerals
Name of the Project	Proposal for Transfer of EC of Godighat Sand Quarry over an area of 9.84 Acres or 3.982 Hectares in village Gudighat under Muribahal tahasil of balangir district
Name of the company/Organization	Sri Pruthwiraj Patra S/o-Panchanan Patra At-Andaladarah, Po-Badasaimara Dist-Balangir
Location of Project	Odisha

Proposal in brief:

- (i) The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEIAA, are given as under.
- (ii) This is a proposal Transfer of EC of Godighat Sand Quarry over an area of 9.84 Acres or 3.982 Hectares in village Gudighat under Muribahal tahasil of balangir district.
- (iii) Documents submitted: Application in Form-7, earlier EC copy, Tahasildar forwarding letter, Status of quarry and scrutiny of Rs. 2000/- vide e-Challan Ref. No. 337AA98CE5 dated 01.11.2022
- (iv) The EC of Godighat Sand Quarry over an area of 9.84 Acres or 3.982 Hectares in village Gudighat under Muribahal tahasil of balangir district was in favour of Tahasildar, Muribahal vide SEIAA letter no./Identification No 2925 dated 28.09.2021.
- (v) Present status of quarry- Non-operating condition
- (vi) Whether submitted KML file-Yes
- (vii) The project proponent applied proposal for transfer of EC from the name Tahasildar, Muribahal to Sri Pruthwiraj Patra, (highest bidder/lessee) with attaching Tahasildar forwarding letter vide letter no. 1150 dated 09.09.2022.
- (viii) Any deficiencies/omission have been noticed in the above documents- Nil

Whether SEAC recommended the proposal – N/A

Decision Of Authority:

The transfer of EC is allowed subject to submission of full compliance report of the stipulated conditions of EC issued earlier with the following additional conditions within 6(six) months:

- f. **Boundary Demarcation:** - The boundary of the lease area shall be demarcated on ground at the project cost, by erecting 1.20 meter (4 feet approx.) high reinforced concrete pillars above ground, each inscribed with its serial number, distance from pillar to pillar and GPS co-ordinates by any empanelled agency of ORSAC.
- g. **Digital Map:** -A digital map (in KML format as well as PDF version) showing GPS coordinates of all boundary pillars duly countersigned by the Tahasildar shall be submitted to SEIAA, Odisha through email at info.seiaaodisha@gmail.com.
- h. **Intimation of EC:** -The copies of the EC shall be sent to the Sarpanch (s) of the concerned Gram Panchayat (s), Urban Local Bodies and relevant other Offices of the Government with a request to display the same for 30 days from the date of receipt.
- i. **Tree Plantation:** -Compensatory Tree Planting (CTP) shall be carried out with minimum @100 trees per Ha. of lease area as per the approved cost norm for avenue plantations of the

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

State Forest Department. The Project Proponent (lease holder) shall deposit Rs.1,80,000/- with the respective District Environment Society for raising 400 plants of native species within 2 years in a suitable location adjoining to quarry.

- j. **State EMF Fund:** - An amount equal to five percent (5%) of the royalty payable shall be collected from the lessee by the Tahasildar and deposited to the State Environment Management Fund, which will be utilized as per provisions of Rule 49(3) of the OMMC Rule, 2016 preferably, in and around the areas where mining activities are undertaken.

The above compliance shall be uploaded/submitted by PP in the Parivesh Portal of MoEF& CC. and also a copy of the compliance report shall be email to Email-info.seiaaodisha@gmail.com within 06(six) months from date of issue of transfer of EC falling which the EC stands automatically revoked.

APPROVED BY


Member Secretary, SEIAA


Member, SEIAA


Chairman, SEIAA

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA NO.110.8	
Proposal No.	SIA/OR/MIN/293478/2022
Date of application	23.02.2023
Project Type	Transfer of EC
Category	B2
Project/Activity including Schedule No.	1(a) Mining of minerals
Name of the Project	Proposal for Transfer of EC of Andardarah Stone Quarry over an area of 2.00 Acres or 0.809 Hectares in village Andaldarah under Muribahal tahasil of Balangir district.
Name of the company/Organization	Sri Pruthwiraj Patra S/o-Panchanan Patra At-Andaladarah, Po-Badasaimara Dist-Balangir
Location of Project	Odisha

Proposal in brief:

- (i) The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEIAA, are given as under.
- (ii) This is a proposal Transfer of EC of Andardarah Stone Quarry over an area of 2.00 Acres or 0.809 Hectares in village Andaldarah under Muribahal tahasil of Balangir district.
- (iii) Documents submitted: Application in Form-7, earlier EC copy, Tahasildar forwarding letter, Status of quarry and scrutiny of Rs.1000/- vide e-Challan Ref. No. 337AA97D2B dated 01.11.2022
- (iv) The EC of Andardarah Stone Quarry over an area of 2.00 Acres or 0.809 Hectares in village Andaldarah under Muribahal tahasil of Balangir district was in favour of Tahasildar, Muribahal vide SEIAA letter no./Identification No 1468 dated 30.06.2021.
- (v) Present status of quarry- Non-operating condition
- (vi) Whether submitted KML file-Yes
- (vii) The project proponent applied proposal for transfer of EC from the name Tahasildar, Muribahal to Sri Pruthwiraj Patra, (highest bidder/lessee) with attaching Tahasildar forwarding letter vide letter no. 1150 dated 09.09.2022.
- (viii) Any deficiencies/omission have been noticed in the above documents- Nil

Whether SEAC recommended the proposal – N/A

Decision Of Authority:

The transfer of EC is allowed subject to submission of full compliance report of the stipulated conditions of EC issued earlier with the following additional conditions within 6(six) months:

- k. **Boundary Demarcation:** - The boundary of the lease area shall be demarcated on ground at the project cost, by erecting 1.20 meter (4 feet approx.) high reinforced concrete pillars above ground, each inscribed with its serial number, distance from pillar to pillar and GPS co-ordinates by any empanelled agency of ORSAC.
- l. **Digital Map:** -A digital map (in KML format as well as PDF version) showing GPS coordinates of all boundary pillars duly countersigned by the Tahasildar shall be submitted to SEIAA, Odisha through email at info.seiaaodisha@gmail.com.
- m. **Intimation of EC:** -The copies of the EC shall be sent to the Sarpanch (s) of the concerned Gram Panchayat (s), Urban Local Bodies and relevant other Offices of the Government with a request to display the same for 30 days from the date of receipt.
- n. **Tree Plantation:** -Compensatory Tree Planting (CTP) shall be carried out with minimum

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

@100 trees per Ha. of lease area as per the approved cost norm for avenue plantations of the State Forest Department. The Project Proponent (lease holder) shall deposit Rs.45,000/- with the respective District Environment Society for raising 100 plants of native species within 2 years in a suitable location adjoining to quarry.

- o. **State EMF Fund:** - An amount equal to five percent (5%) of the royalty payable shall be collected from the lessee by the Tahasildar and deposited to the State Environment Management Fund, which will be utilized as per provisions of Rule 49(3) of the OMMC Rule, 2016 preferably, in and around the areas where mining activities are undertaken.

The above compliance shall be uploaded/submitted by PP in the Parivesh Portal of MoEF& CC. and also a copy of the compliance report shall be email to Email-info.seiaaodisha@gmail.com within 06(six) months from date of issue of transfer of EC falling which the EC stands automatically revoked.

APPROVED BY


Member Secretary, SEIAA


Member, SEIAA


Chairman, SEIAA

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

AGENDA NO.110.9	
Proposal No.	SIA/OR/MIN/295149/2022
Date of application	13.03.2023
Project Type	Transfer of EC
Category	B2
Project/Activity including Schedule No.	1(a) Mining of minerals
Name of the Project	Proposal For Transfer of EC of Raikakachhar Stone Quarry Over an area of 1.29 ha 3.2acres at village Raikakachhar Tahasil Rajgangpur District Sundargarh.
Name of the company/Organization	Sri Jyotin Kumar Sahoo S/o-Sarat Kumar Sahoo Plot No.112/2526A, Lane-3, Cave Road, Khandagiri, Bhubaneswar, Dist-Khordha
Location of Project	Odisha

Proposal in brief :

- (i) The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEAC/SEIAA, are given as under.
- (ii) This is a proposal Transfer of EC of Raikakachhar Stone Quarry Over an area of 1.29 ha 3.2acres at village Raikakachhar Tahasil Rajgangpur District Sundargarh.
- (iii) Documents submitted: Application in Form-7, earlier EC copy, Sub-collector forwarding letter, KML file, Status of quarry, undertaking regarding acceptance of the terms and conditions of EC by transferee in legal stamp paper (Notary), and scrutiny of Rs. 1000/- vide e-Challan Ref. No. 338135F9E9 dated 11.12.2022
- (iv) The EC of Raikakachhar Stone Quarry Over an area of 1.29 ha 3.2acres at village Raikakachhar Tahasil Rajgangpur District Sundargarh was in favour of Tahasildar, Rajgangpur vide SEIAA letter no. 2146/SEIAA dated 10.08.2021.
- (v) Present status of quarry-non-operational.
- (vi) Whether submitted undertaking-Yes, on dated 07.12.2022
- (vii) Whether submitted KML file-Yes
- (viii) Now, the project proponent applied proposal for transfer of EC from the name Tahasildar, Rajgangpur to Sri Jyotin Kumar Sahoo (successful bidder) with attaching Tahasildar, Rajgangpur forwarding letter vide letter no. 5360 dated 22.11.2022.
- (ix) Any deficiencies/omission have been noticed in the above documents- Nil

Whether SEAC recommended the proposal – N/A

Decision Of Authority:

The transfer of EC is allowed subject to submission of full compliance report of the stipulated conditions of EC issued earlier with the following additional conditions within 6(six) months:

- p. **Boundary Demarcation:** - The boundary of the lease area shall be demarcated on ground at the project cost, by erecting 1.20 meter (4 feet approx.) high reinforced concrete pillars above

Minutes of 110th Meeting of SEIAA, Odisha Held on 16.03.2023

ground, each inscribed with its serial number, distance from pillar to pillar and GPS coordinates by any empanelled agency of ORSAC.

- q. **Digital Map:** -A digital map (in KML format as well as PDF version) showing GPS coordinates of all boundary pillars duly countersigned by the Tahasildar shall be submitted to SEIAA, Odisha through email at info.seiaaodisha@gmail.com.
- r. **Intimation of EC:** -The copies of the EC shall be sent to the Sarpanch (s) of the concerned Gram Panchayat (s), Urban Local Bodies and relevant other Offices of the Government with a request to display the same for 30 days from the date of receipt.
- s. **Tree Plantation:** -Compensatory Tree Planting (CTP) shall be carried out with minimum @100 trees per Ha. of lease area as per the approved cost norm for avenue plantations of the State Forest Department. The Project Proponent (lease holder) shall deposit Rs.90,000/- with the respective District Environment Society for raising 200 plants of native species within 2 years in a suitable location adjoining to quarry.
- t. **State EMF Fund:** - An amount equal to five percent (5%) of the royalty payable shall be collected from the lessee by the Tahasildar and deposited to the State Environment Management Fund, which will be utilized as per provisions of Rule 49(3) of the OMMC Rule, 2016 preferably, in and around the areas where mining activities are undertaken.

The above compliance shall be uploaded/submitted by PP in the Parivesh Portal of MoEF& CC. and also a copy of the compliance report shall be email to Email-info.seiaaodisha@gmail.com within 06(six) months from date of issue of transfer of EC falling which the EC stands automatically revoked.

APPROVED BY



Member Secretary, SEIAA



Member, SEIAA



Chairman, SEIAA