

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 736th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 01-06-2023

The meeting of 736th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 01.06.2023 the Directorate of Environment. The following were present in the meeting:-

1. Shri Paras Nath

Member, SEIAA, U.P

2. Shri Ajay Kumar Sharma

Member Secretary, SEIAA, U.P

Agenda –A Reply

1. **IT / ITES at Plot No. 17, Sector–Tech Zone–4, Noida Extension, U.P., M/s S.P. SAI I.T. Pvt. Ltd., File No. 1506/Proposal No. SIA/UP/MIS/245863/2021**

SEIAA noted that the above project was taken in its 572nd SEIAA meeting in which SEIAA opined that project proponent/consultant shall submit certified compliance report from IRO, MoEFCC and present status of the project. The project proponent has submitted his reply vide letter dated 07.04.2023. Hence SEIAA agreed to extend the validity of the Environmental Clearance letter no. 1676/PARYA/SEAC/1506/2013/AD(H) dated 11/10/2013 for the period of 03 years i.e. 11/10/2021 to 10/10/2024. All the contents mentioned in Environmental Clearance letter no. 1676/PARYA/SEAC/1506/2013/AD(H) dated 11/10/2013 shall remain the same.

2. **Sand/Morrum Mining in Ken river at Gata No. 333/7, Khand No. 05, Village-Marauli Khadar, Tehsil- Banda, Banda, U.P., M/s Descon Buildtech Pvt. Ltd., Shri Sanjeev Kumar Gupta, Area 23.0 ha., File No. 7537/ 6959/ Proposal No. SIA/UP/MIN/412261/2022**

SEIAA gone through the letter dated 08.04.2023 of Shri Santram, Banda regarding quantity mentioned in LOI. Hence SEIAA opined to refer the letter to DM, Banda and DGM.

3. **Ordinary Earth Mining Project at Gata No.- 1629, Village: Teergaon, Tehsil: Nawabganj, District- Barabanki, Shri Shailendra Kumar, Area – 0.641 ha., File No. 7552/ Proposal No. SIA/ UP/MIN/414566/2023**

SEIAA gone through the letter of Shri Shailendra Kumar Barabanki requesting to amend Gata no. at point 14 in the table which is mentioned as 272 to 1629. SEIAA gone through file and documents and noted that Gata no. 1629 is correct. Hence Gata no. at point 14 in the table should be read as 1629.

4. **Proposed of "Group Housing" at Plot No.- 4B, Sector- 12, Greater Noida (West), District- Gautam Buddh Naga, Uttar Pradesh, by M/s Grand Realtech Limited File no- 7664-7615**

SEIAA noted that the above project was taken in its 728th meeting in which SEIAA opined that project proponent shall submit detail of STP plan e – management and detail of final discharge of sewage. The project proponent has submitted his reply vide letter dated 25.05.2023. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.



- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.

Agenda- B - Minutes of 744th SEAC-2 Meeting Dated 28/04/2023

1. **"Silica Sand Mining Project" at Araj No's.- at Araj No's.-790, 791, 793, 825, 826, 827, 828, 831, 832, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 848, 849, 850, 851, 852, 853, 855, 857, 858 Mi, 859, 861, 862, 863, 868, 869, 822, 823, 824, Part of 787, Part of 788, Part of 789, Part of 794mi, Part of 795 mi, Part of 829, Part of 830, Part of 833, Part of 834, Part of 864, Part of 865, Part of 866, Part of 867, Part of 785, 792 mi, 796 mi, 847 mi, Part of 797 mi, Part of 799 mi, Part of 870 mi, Part of 800 mi, Part of 767 mi, Part of 798 mi, 835, 854, 856, 860, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, Part of 811, Part of 871, Part of 880, Part of 881, Part of 882, Part of 883, Part of 810, Village – Chhatehara Ghurehatha (Block -2), Tehsil- Bara, District- Prayagraj, Shri Santhosh Mendon, M/s Hari Mandir Mineral Traders, Area-38.151 Ha., File No. 7718/ Proposal No. SIA/UP/MIN/422604/2023**

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission



- should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
- (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
- a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 39,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 195 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 16- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
2. Riverbed Ordinary Sand mining from Riverbed of Ganga River located at Gata No.- 2/4, Village- Nadini, Tehsil- Sadar, District- Mirzapur, ShriSujit Kumar Singh, Area- 5.0 Ha., File No. 7722/ Proposal No. SIA/UP/MIN/422644/2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-



- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved



either by Forest Department or Horticulture Department, for planting at least 5,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.

- 15- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepare a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 25 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

3. "Building Stone Gitti/Boulder (Sand Stone) Mining Project", at Arazi No. – 310/4, (Khand-2), Village– Sukrit, Tehsil- Robertsganj, District– Sonbhadra, Shri Siddharth Singh, Area- 2.8328 Ha., File No. 7727/Proposal No. SIA/UP/MIN/423086/2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.



- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 15 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-



referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

4. Establishment of Grain Based Distillery Of Capacity - 200 Kld Along With 4.5 Mw Co Gen Power Plant at Khasra No. 446, 441/1, 364, 365, 369/2, 369/3, 354/1, 355, 356, 357, 358, 361/1 Min, 361, 362, 363, 431, 362, 364, 365, 364 Min, 443 Mi, 431 Min, 433 Min, 401 Min, 369/2, 369/3, 445 Min, 362/1 Min, 366 Min, 367 Min, 368 Min, 429/Min, 433. Village: Dilra Raipur, Tehsil & Moradabad, M/s Maa Sheetla Ventures Limited., File No. 7737/Proposal No. SIA/UP/IND2/ 423618/2023

SEIAA agreed with the recommendation of the SEAC to issue ToR to the above project.

5. Expansion of IT/ITES Project at Plot No- 7, Sector-Techzone 4, Greater Noida, District- Gautam Buddha Nagar, Shri Chanchal Kumar Sharma, M/s A.L Softweb Pvt. Ltd., File No. 7017/Proposal No. SIA/UP/MIS/299090/2023

SEIAA agreed to amend the Terms of Reference (ToR) dated 08/04/2022 as recommended. All the other contents mentioned in Terms of Reference dated 08/04/2022 shall remain the same.

6. Expansion & Revision in Proposed IT/ITES Park At Plot no. A-37-38, Sector-62, Noida, Shri Manish Gupta, M/s Chambal Tradings Pvt. Ltd., File No. 7309/Proposal No. SIA/UP/MIS/ 299088/2023

SEIAA agreed to amend the Terms of Reference (ToR) dated 04/11/2022 as recommended. All the other contents mentioned in Terms of Reference dated 04/11/2022 shall remain the same.

Minutes of 745th SEAC-2 Meeting Dated 29/04/2023

1. "Building Stone (Khanda, Giiti, Boulder, Ballast) Mining Project" at Arajai No.- 2584, Village: Pahra, Tehsil: Mahoba, District: Mahoba, Smt. Beena Bajpai, Area: 4.0 Ha., File No. 7769/ Proposal No. SIA/UP/MIN/425340/2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall



- be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
 - 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
 - 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
 - 7- KML file for the area and mining lease area should be provided.
 - 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
 - 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
 - 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
 - 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
 - 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
 - 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
 - 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.



- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

2. Building stone (Sand Stone) Mining project at Araji No 428, Village- Dhuriya, Tehsil- Chunar, District-Mirzapur, Shri Sanjay Singh, Area:2.828 Ha., File No. 7343/ Proposal No. SIA/UP/ MIN/405484/2022

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.



- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 15 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.



19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

3. Sand/morrum mining project, river Betwa in Gata No. 1064, khand no.03 at Village – Kahtahamirpur, Tehsil- Kalpi, District- Jalaun, M/s Maa Vaishno Agro Industries, Area- 12.145 ha., File No. 6134/ Proposal No. SIA/UP/MIN/60026/2021

SEIAA noted the comments of SEAC and letter received from the project proponent dated 22.05.2020/2023, hence SEIAA opined that the above letter be send to SEAC for review.

4. “Sand/Morrum Mining Project”, Gata No. 317Mi, Khand No. 05, Village/Ghat- Kurauna, Tehsil- Orai, Distt- Jalaun, Devendra Kumar Gupta, Area-12.12 Ha., File No. 6862/ Proposal No. SIA/UP/MIN/70942/2022

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

**Nodal Officer
SEIAA, UP**

MoM prepared by Secretariat in consultation with
MS& Member on the basis of decisions
taken by SEIAA during the meeting.



**(Ajay Kumar Sharma)
Member-Secretary
SEIAA**

**(Paras Nath)
Member
SEIAA**