

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

The 45th meeting of the State Expert Appraisal Committee (SEAC), was held on 06.07.2022 at 14:00 hr. through both physical and online modes in the Conference Room at the Paribesh Bhawan, Bidhan Nagar. The following members participated:

1)	Dr. Rajesh Kumar, IPS	Secretary, SEAC	Present
2)	Dr. Ashit Kumar Mukherjee	Chairman, SEAC	Present
3)	Dr. Nilangshu Bhusan Basu	Member, SEAC	Present
4)	Prof. (Dr.) Pradip Kumar Sikdar	Member, SEAC	Present
5)	Prof. (Dr.) Anirban Gupta	Member, SEAC	Present
6)	Prof. (Dr.) Aniruddha Mukhopadhyay	Member, SEAC	Present
7)	Prof. (Dr.) Suchandra Bardhan	Member, SEAC	Present
8)	Prof. (Dr.) Sampa Chakrabarti	Member, SEAC	Present
9)	Prof. (Dr.) Mamata Chaudhuri Ray	Member, SEAC	Present through VC
10)	Prof. (Dr.) Goutam Kumar Saha	Member, SEAC	Present
11)	Shri Shubhendu Bandyopadhyay	Member, SEAC	Present

1 TECHNICAL PRESENTATIONS:-

1.1 For Environmental Clearance

1.1.1 Construction Sector

- A. Proposed development of a Residential Complex at 2, Kona Expressway, Borough No. 7, J.L. No. - 110, Mouza - Unsani, P.S. - Jagachha, Howrah Municipal Corporation Ward No. 46, Howrah – 711 112, West Bengal.**

Proposal No.	SIA/WB/MIS/279084/2022
Project Proponent -	M/s. Park Realcon Pvt. Ltd.
Environmental Consultant -	ULTRA-TECH.

Activity:

- This is a proposal for construction of 3 Residential Towers (G+20), 1 Residential Tower (G+19) & Club (G+1). Total plot area of project is 20902.82 sq.m. Total built up area is 59120.78 sq.m. Total no. of flats 632.

Salient Features :

- Salient features of the proposed project as uploaded in the PARIVESH portal may be summed up as below –

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Total Land area	20902.82 sqm.
Pond/ Water body Area	855.03 sqm (4.09%)
Ground Coverage	3715.00 sqm (17.77%)
Road/Paved Area	6373.59 sqm (30.49%)
Exclusive Tree Plantation Area	4182.81 sqm (20.01%)
Open Parking Area	4862.50 sqm (23.26%)
Swimming pool Area	163.04 sqm (0.78%)
Service Area	750.85 sqm (3.59%)
Total Built Up Area	59120.78 sqm
No. of Block & Story	3 Residential Towers (G+XX), 1 Residential Tower (G+XIX) & Club (G+I)
No. of Dwelling units	632 nos.
Source of Water	Ground water supply / Howrah Municipal Corporation
Quantum of Water required	478 kL/d
Quantity of Wastewater Generation	347 kL/d
Treated Wastewater Recycled	142 kL/d
Quantity of Wastewater Discharge	205 kL/d
Quantum of Fresh Water required	336 kL/d (Ground Water – 324 KLD and Balance Potable water from HMC Water)
Quantity of Solid Waste Generation (operational phase)	1650 kg/day
Constructional phase Water Demand	39 kL/d (construction work - 6 kL/d & workers 33 kL/d)
Total Population during Construction	477 persons
Total Population During Operation	3863 persons (fixed: 3480, floating: 348, service: 35)
Electricity Load	2451 KW or 2883 KVA by WBSEDCL
D.G. Sets for Back Up power	2 nos. 500 KVA
Parking Provided	632 nos. [Stilt: 110 nos., Open: 256 nos., Mechanical twin (133 x 2 = 266 nos.), 2-Wheeler: 52].
Total no. of trees	302 Nos.
Total project cost (Rs.)	Rs.11096 lakhs

Chronology of the event:

- The project proponent (PP) applied in prescribed format for Environmental Clearance and uploaded the application in the PARIVESH portal on 21.06.2022.
- The PP presented their proposal in 45th SEAC meeting held on 06.07.2022.

SEAC observation and recommendations:

- Based on the submission and presentation made by the project proponent, the committee recommended that the following submission / clarifications should be uploaded in the PARIVESH portal by the project proponent for further consideration:
 - i. Boundary wall should not be constructed in the existing waterbody.
 - ii. Plan for installation of digital display board for showing environmental parameters and EMP data.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

- iii. Detailed subsurface hydro-geological study of the area including groundwater quality. Periodical groundwater level monitoring (monthly) should be undertaken.
- iv. Landscape plan including embankments protection around all the water-bodies also to be submitted. Maintenance of the waterbody with periodical water analysis should be undertaken.
- v. Water treatment plant should be included in the proposal. Water inlet and outlet quality should be monitored. Detailed process flowsheet to be submitted
- vi. Recharge pits to be located away from the parking area and drive way and the lower screen may be placed at different depths considering the subsurface lithology. Design of each recharge pit to be submitted.
- vii. Water meter with totaliser at the freshwater inlet, and also recycle and discharge lines of wastewater. Water quality should also be analysed at the mentioned points. Detailed plan in this regard to be submitted.
- viii. Nearby canal capacity for discharging quantity of rainwater and wastewater of the project.
- ix. EMP as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020 needs to be submitted. Items like hand washing station, toilet facility with running water, school infrastructure including incinerator for used sanitary napkins in case of girls' schools, provision for sufficient service water supply and treatment of drinking water, training on environmental awareness including MSW segregation etc. in nearby schools may be considered. Computer literacy training for the local youth may also be considered. Evidence of collecting data on the need of the locality should be submitted. Name of the beneficiary of the social part of EMP to be indicated.
- x. Provide all the following documents related to High Rise Building as per MoEF&CC, vide No. 21-270/2008-IA.III dated 07.02.2012:
 - a) Microclimate (sunshine & shadow analysis and its effect on energy consumption).
 - b) Air circulation (effect on natural ventilation and wind speed).
 - c) Day lighting (how dependence on artificial lighting during daytime is affected).

The SEAC will further consider the case on submission of satisfactory reply on the above-mentioned queries only through "PARIVESH" portal.

The PP is also requested to deposit one time processing fee as per Notification No 924/T-II-1/021/2022 dated 23.05.2022 issued by Dept. of Environment, GoWB and upload the paid challan in the PARIVESH Portal. Notification and details can be accessed in the link <http://environmentwb.gov.in/pdf/Notification>.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

1.1.2 Industry Sector

B. Proposed drilling of 20 Shale gas Exploratory Wells in Raniganj (South) CBM Block, West Bengal

Proposal No. SIA/WB/ IND2/278404/2022
Project Proponent - M/s. Great Eastern Energy Corporation Ltd.
Environmental Consultant - M/s. Kadam Environmental Consultants.

Activity:

- This is a proposal for exploration of Shale Gas in Raniganj (South) CBM Block by proposing to carryout exploratory drilling of 20 Shale Wells.

Salient Features :

- Salient features of the proposed project as uploaded in the PARIVESH portal may be summed up as below –

Nature	Exploration of Shale Gas
Land requirement	5 acres for each shale gas well and 5.0 acre for each GGS and CGS
Location	Paschim Bardhman, Bakura, Purulia Districts, West Bengal
Power Requirement	DG sets : 4 x 250 KVA and 2 x 125 KVA
Source of Water	The proposed project is to carry out exploratory work in shale beds present below Raniganj formation. Hence the process involves drilling to target Shale beds and take core samples which will further sent to laboratory for petrophysical, geo-chemical and geo-mechanical analysis.
Total Water Requirement	75 m ³ /day/well
Domestic	5 m ³ /day/well
Industrial	70 m ³ /day/well
Waste Water Generation	
Domestic	4 m ³ /day/well
Industrial	64 m ³ /day/well. The waste drilling fluid will be stored onsite impervious HDPE lined pit for solar evaporation and drying.
Cost of the project	518 crores
Project Completion	3 years from the date of EC Receipt

Chronology of the event:

- The project proponent (PP) applied in prescribed format for EC and uploaded the application in the PARIVESH portal on 16.06.2022.
- The PP presented their proposal in 45th SEAC meeting held on 06.07.2022.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

SEAC observation and recommendations:

- Based on the submission and presentation made by the project proponent, the committee recommended that the following submission / clarifications should be uploaded in the PARIVESH portal by the project proponent for further consideration:
 - i. Status of land acquisition in terms of the Office Memorandum issued by MoEF&CC vide no. 22-76/2014-IA-III dated 07.10.2014.
 - ii. Project Feasibility Report to be uploaded.
 - iii. Details of water requirement and sources of the same.
 - iv. Project summary in a tabular form covering all the salient features with exact geo-coordinates of the wells should be mentioned.
 - v. Disposal plan for solid waste and hazardous waste generated.
 - vi. Impact on ground water and surface water during drilling of wells.
 - vii. Plan to mitigate the impact of waste water from the well on people, animal and vegetation.
 - viii. A baseline study on air pollution [dust (PM10, PM2.5 and Silica), NOx, VOCs] and monitoring of ambient air and workplace air for the same during operational phase.
 - ix. Closure and restoration plan including top soil preservation after completion of exploration study.
 - x. Blow out prevention plan.
 - xi. Noise containment plan during drilling operations. Plan for storage of fuels and pollution due to DG sets to be submitted.
 - xii. EMP as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020 needs to be submitted. Short-term need of the local people should be explored and fulfilled.
 - xiii. Air pollution details from activities like flaring, venting, purging, fugitive gases, etc. and control plan.
 - xiv. Waste drilling fluid (64 cum/day/well) is proposed to be stored in impervious HDPE lined pit for solar evaporation and drying. Capacity of the pit with respect to period of evaporation/drying, configuration (depth, area, covered/uncovered) vis-à-vis strategy during wet monsoon season/rainy days may be indicated.

The SEAC will further consider the case on submission of satisfactory reply on the above-mentioned queries only through “PARIVESH” portal.

The PP is also requested to deposit one time processing fee as per Notification No 924/T-II-1/021/2022 dated 23.05.2022 issued by Dept. of Environment, GoWB and upload the paid challan in the PARIVESH Portal. Notification and details can be accessed in the link <http://environmentwb.gov.in/pdf/Notification>.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

- C. Proposed Onshore Exploratory drilling of 7 wells in Bengal Onshore OALP-III Block BP-ONHP-2018/1 situated in North 24 Parganas district (villages Phulsara, Mondalpara, Uttar Shibpur, Chandipur, Aziznagar, Chatkabaria, Patharghata) and South 24 Parganas district (villages Begampur. Andulgari, Hadiya, Netra), West Bengal.

Proposal No. SIA/WB/IND2/277881/2022

Project Proponent - M/s. Oil & Natural Gas Corporation Limited.

Environmental Consultant - M/s. ABC Techno Labs India Pvt. Ltd.

Activity:

- This is a proposal for Exploratory Drilling of 7 nos. of wells. The exploratory wells will be drilled to explore the reservoirs up to a maximum depth of 2500-6000m.

Salient Features :

- Salient features of the proposed project as uploaded in the PARIVESH portal may be summed up as below –

Area of Block	2468 sq.km
Location	OALP-III Block BP-ONHP-2018/1 situated in North 24 Parganas and South 24 Parganas districts, West Bengal
Average elevation	10 m
No. of wells & type	7 nos. of Exploratory wells
Power requirement	2800 KVA
DG sets	(4 Nos.) DG set of 1430 KVA each
Project Cost	Rs.210 Crore for 7 nos. of exploratory wells

Chronology of the event:

- The project proponent (PP) applied in prescribed format for EC and uploaded the application in the PARIVESH portal on 13.06.2022.
- The PP presented their proposal in 45th SEAC meeting held on 06.07.2022.

SEAC observation and recommendations:

- Based on the submission and presentation made by the project proponent, the committee recommended that the following submission / clarifications should be uploaded in the PARIVESH portal by the project proponent for further consideration:
 - Status of land acquisition in terms of the Office Memorandum issued by MoEF&CC vide no. 22-76/2014-IA-III dated 07.10.2014.
 - Project summary in a tabular form covering all the salient features with exact geo-coordinates of the wells should be mentioned.
 - Details of water requirement and sources of the same.
 - Project summary in a tabular form covering all the salient features with exact geo-coordinates of the wells should be mentioned.
 - Disposal plan for solid waste generated.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

- vi. Impact on ground water during drilling of wells.
- vii. Closure and restoration plan including top soil conservation after completion of exploration study.
- viii. Blow out prevention plan.
- ix. Noise containment plan during drilling operations. Plan for storage of fuels and pollution due to DG sets to be submitted.
- x. EMP as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020 needs to be submitted. Beneficiary for the social part of EMP should be identified and their consent should be submitted.
- xi. Air pollution details from activities like flaring, venting, purging, fugitive gases, etc. and control plan.
- xii. License from competent authority for HSD storage to be obtained.
- xiii. Mobile ETP has been proposed to treat and reuse the wastewater generated during drilling operations. Expected quality of wastewater at inlet and outlet of ETP and capacity of ETP may be furnished with a flow diagram of ETP. Handling of sludge and backwash of ETP may also be mentioned.
- xiv. Waste drilling fluid, if proposed to be stored in impervious HDPE lined pit for solar evaporation and drying, capacity of the pit with respect to period of evaporation/drying, configuration (depth, area, covered/uncovered) vis-à-vis strategy during wet monsoon season/rainy days may be indicated

The SEAC will further consider the case on submission of satisfactory reply on the above-mentioned queries only through “PARIVESH” portal.

The PP is also requested to deposit one time processing fee as per Notification No 924/T-II-1/021/2022 dated 23.05.2022 issued by Dept. of Environment, GoWB and upload the paid challan in the PARIVESH Portal. Notification and details can be accessed in the link <http://environmentwb.gov.in/pdf/Notification>.

D. Proposed expansion of Calcutta Leather Complex (CLC) at Village Bantala, Post Bhojerhat, Tehsil & District South 24 Parganas, West Bengal.

Proposal No. SIA/WB/ NCP/78706/2021

Project Proponent - M/s. Kolkata Metropolitan Development Authority.

Environmental Consultant - M/s. SBA Enviro Systems Private Limited.

Activity:

- This is a proposal for expansion of Calcutta Leather Complex (CLC).

Salient Features :

- Salient features of the proposed project as uploaded in the PARIVESH portal may be summed up as below –

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Expansion area	Abou 40 Ha. (Total project covers an area of 443.75 Ha)
Location	Village – Bantala, Post Bhojerhat, Tehsil & District – South 24 Parganas, West Bengal
Current Leather Processing Capacity	1,000 MTPD
Proposed Leather Processing Capacity	1,600 MTPD (Increase of 600 MTPD from existing capacity)
No. of tanneries for the proposed expansion	228
Manpower Required for Expansion	30,000 direct job opportunities 1,50,000 indirect job opportunities
Electricity Requirement	7.23 MVA supplied received from West Bengal State Electricity Board at 132 KV level through 2 132/33 KV, 50 MVA transformers
Water Requirement for Proposed Expansion	19.2 MLD (1.2 MLD Drinking Water and 18 MLD Process Water)
Wastewater Generation for Proposed Expansion	18.15 MLD (1.05 MLD Drinking Water and 17.1 MLD Process Water)

Chronology of the event:

- i. The PP applied in prescribed format for Terms of Reference and uploaded the application in the PARIVESH portal on 04.12.2021.
- ii. SEIAA issued Auto ToR 22.12.2021.
- iii. Public Hearing was conducted by WBPCB on 18.04.2022.
- iv. The PP applied in prescribed format for EC uploaded final EIA report on 25.06.2022 at PARIVESH Portal.
- v. The PP presented their final EIA report in 45th SEAC meeting held on 06.07.2022.

SEAC observation and recommendations:

- Based on the submission and presentation made by the project proponent, the committee recommended that the following submission / clarifications should be uploaded in the PARIVESH portal by the project proponent for further consideration:
 - i. Detailed layout plan (land use) with area percentage duly signed by the project proponent and the environmental consultant.
 - ii. Final EIA report covering all the points raised during public hearing.
 - iii. Detailed plantation plan of the project to be submitted.
 - iv. Site plan to be superimposed with the EKW boundary.
 - v. All site plans shall have consistent information and representation. Anomalies between the site plans to be removed.
 - vi. Details of pre-treatment for the proposed individual tanneries.
 - vii. permission for the 25 bore wells as proposed to be submitted.
 - viii. Project summary in a tabular form covering all the salient features should be submitted.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

- ix. EMP as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020 should be submitted. EMP should be formulated based on the outcome of public consultation.
- x. Subsurface hydro-geological study of the area including depth to groundwater level and groundwater level elevation contour map with groundwater flow direction, and groundwater quality.
- xi. Details of waste water treatment methodology including chrome recovery in the CETP to be submitted. Treated effluent shall conform to the latest standards issued by CPCB / MoEF&CC.
- xii. All land documents (including summary of land schedule), Sector VI Notification and existing water permission should be uploaded in the PARIVESH portal.
- xiii. Management plan for the high TDS should be included. Presence of arsenic in ground water should be checked regularly.
- xiv. Detailed plan if any, for using of surface water.
- xv. Water meter with totaliser at the freshwater inlet and outlet points to be installed. Detailed plan in this regard to be submitted.
- xvi. Waterbodies and their embankments within the project area should be properly maintained with periodical water analysis. Water conservation initiative/plan may be submitted.
- xvii. Disposal plan for hazardous waste from the complex to be submitted.
- xviii. Details of CETP for the additional effluent load generated due to expansion.
- xix. Plan for water efficiency and conservation of water may be furnished.

The SEAC will further consider the case on submission of satisfactory reply on the above-mentioned queries only through “PARIVESH” portal.

The PP is also requested to deposit one time processing fee as per Notification No 924/T-II-1/021/2022 dated 23.05.2022 issued by Dept. of Environment, GoWB and upload the paid challan in the PARIVESH Portal. Notification and details can be accessed in the link <http://environmentwb.gov.in/pdf/Notification>.

2 FOR CONSIDERATION OF TOR PROPOSALS (EXTENSION / AMENDMENT / CORRIGENDUM)

2.1 Industry Sector

- A. Proposed amendment of Terms of Reference for the Ethanol/Extra Natural Alcohol (ENA) Manufacturing Plant at Industrial Estate, Phase II, Opp. Jubilee Petrol Pump, Vill – Mandilpur, P. O. – Narayanpur, P. S. – Malda, West Bengal, PIN– 732141.**

Proposal No. SIA/WB/IND2/277592/2022

Project Proponent - M/s. Gujarat Ambuja Exports Ltd.

Environmental Consultant – M/s. Ultra-Tech.

Activity:

- This is a proposal for amendment of Terms of Reference for the proposed Ethanol/Extra Natural Alcohol (ENA) Manufacturing Plant at Plot No- 35(P), 42(P), 45(P), 46(P), 47(P), 48(P), 49(P), 50(P), 51, 52, 53, 54(P), 55(P), 56(P), 57(P), 93(P), 128(P), 422(P), 426(P), Industrial Estate, Phase II, Opp. Jubilee Petrol Pump, Vill – Mandilpur, P. O. – Narayanpur, P. S. – Malda, West Bengal, PIN– 732141.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Chronology of the event:

- i. The project proponent had obtained Terms of Reference (ToR) for the above project vide no. 889/EN/T-II-1/019/2022 dated 18.05.2022 issued by SEIAA.
- ii. Now the project proponent (PP) applied in PARIVESH portal on 20.06.2022 for amendment of the ToR for addition of 4.9 MW Captive Power Plant along with the proposed ENA plant.

Existing proposal		Present proposal after amendment	
Name of the Product	Production Capacity		
Major Product		Major Product	
Extra Neutral Alcohol (ENA)/Ethanol	180 KLD	Extra Neutral Alcohol (ENA)/Ethanol	180 KLD
		Power Generation	4.9 MW
By-Products		By-Products	
Dried Distillers Grains with Soluble (DDGS)	110 TPD	Dried Distillers Grains with Soluble (DDGS)	110 TPD
CO ₂	90 TPD	CO ₂	90 TPD

SEAC observation and recommendations:

- SEAC considered the proposal submitted by the PP. After careful consideration and detailed deliberation, it was decided that the above proposal for amendment of ToR may be accepted with the condition that ESP should be provided as emission control device.

2.2 Construction Sector

B. Validity extension of Terms of Reference for the residential complex ‘SANKALPA II’ at Premises No. 36, MAR (Plot No. BF/1, BF/2, BF/3), SANKALPA SITE – II, Action Area – I, New Town, Rajarhat, Kolkata - 700156, West Bengal.

Proposal No. SIA/WB/MIS/278136/2022

Project Proponent - M/s. West Bengal Infrastructure Development Finance Corporation Ltd.

Environmental Consultant – M/s. Superintendence Company of India Private Limited.

Activity:

- This is a proposal for extension of validity period of Terms of Reference for the proposed residential complex ‘SANKALPA II’.

Chronology of the event:

- i. The project proponent had obtained Terms of Reference (ToR) for the above project vide no. 674-2N-100/2010(E) dated 03.12.2018 issued by SEAC.
- ii. Now the project proponent (PP) applied in PARIVESH portal on 22.06.2022 for extension of validity period of the ToR.

SEAC observation and recommendations:

- SEAC considered the proposal submitted by the PP. After careful consideration and detailed deliberation, it was decided that the validity of ToR may be extended up to 02.12.2022 as per the provision of Notification vide No. S.O. 751(E) dated 17.02.2020 issued by MoEF&CC.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

C. Validity extension of Terms of Reference for the residential complex 'SANKALPA III' at Premises No. 23, MAR (Plot No. CA/12 to CA/17), SANKALPA SITE – III, Action Area-I, New Town, Rajarhat, Kolkata - 700156, West Bengal.

Proposal No. SIA/WB/MIS/278503/2022

Project Proponent - M/s. West Bengal Infrastructure Development Finance Corporation Ltd.

Environmental Consultant – M/s. Superintendence Company of India Private Limited.

Activity:

- This is a proposal for extension of validity period of Terms of Reference for the proposed residential complex 'SANKALPA III'.

Chronology of the event:

- The project proponent had obtained Terms of Reference (ToR) for the above project vide no. 715-2N-103/2010(E) dated 10.12.2018 issued by SEAC.
- Now the project proponent (PP) applied in PARIVESH portal on 22.06.2022 for extension of validity period of the ToR.

SEAC observation and recommendations:

- SEAC considered the proposal submitted by the PP. After careful consideration and detailed deliberation, it was decided that the validity of ToR may be extended up to 09.12.2022 as per the provision of Notification vide No. S.O. 751(E) dated 17.02.2020 issued by MoEF&CC.

Table-1 : List of the projects which were placed before the reconstituted SEAC in the forty-fifth meeting held on 06.07.2022 and the Summary Decisions thereof:

Sl. No.	Name of the unit & Project address	Summary Decision
1.	Cases for Technical Presentation	
1.1	Environmental Clearance	
1.1.1	Construction Sector	
A.	M/s. Park Realcon Pvt. Ltd. Proposed development of a Residential Complex at 2, Kona Expressway, Borough No. 7, J.L. No. - 110, Mouza - Unsani, P.S. - Jagachha, Howrah Municipal Corporation Ward No. 46, Howrah – 711 112, West Bengal. (Proposal No. SIA/WB/MIS/279084/2022).	Asked for additional submission
1.1.2	Industry Sector	
B.	M/s. Great Eastern Energy Corporation Ltd. Proposed drilling of 20 Shale gas Exploratory Wells in Raniganj (South) CBM Block, West Bengal. (Proposal No. SIA/WB/ IND2/278404/2022).	Asked for additional submission

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Sl. No.	Name of the unit & Project address	Summary Decision
C.	M/s. Oil & Natural Gas Corporation Limited. Proposed Onshore Exploratory drilling of 7 wells in Bengal Onshore OALP-III Block BP-ONHP-2018/1 situated in North 24 Parganas and South 24 Parganas districts, West Bengal. (Proposal No. SIA/WB/IND2/277881/2022)	Asked for additional submission
D.	M/s. Kolkata Metropolitan Development Authority. Proposed expansion of Calcutta Leather Complex (CLC) at Village Bantala, Post Bhojerhat, Tehsil & District South 24 Parganas, West Bengal. (Proposal No. SIA/WB/ NCP/78706/2021)	Asked for additional submission
2.	For Consideration of Environmental Clearance (Extension / Amendment / Corrigendum)	
2.1	Industry Sector	
1.	M/s. Gujarat Ambuja Exports Ltd. Proposed amendment of Terms of Reference for the Ethanol/Extra Natural Alcohol (ENA) Manufacturing Plant at Industrial Estate, Phase II, Opp. Jubilee Petrol Pump, Vill – Mandilpur, P. O. – Narayanpur, P. S. – Malda, West Bengal, PIN– 732141. (Proposal No. SIA/WB/IND2/277592/2022)	Recommended for amendment in Terms of Reference
2.	M/s. West Bengal Infrastructure Development Finance Corporation Ltd. Validity extension of Terms of Reference for the residential complex 'SANKALPA II' at Premises No. 36, MAR (Plot No. BF/1, BF/2, BF/3), SANKALPA SITE – II, Action Area – I, New Town, Rajarhat, Kolkata - 700156, West Bengal. (Proposal No. SIA/WB/MIS/278136/2022)	Recommended validity extension of Terms of Reference
3.	M/s. West Bengal Infrastructure Development Finance Corporation Ltd. Validity extension of Terms of Reference for the residential complex 'SANKALPA III' at Premises No. 23, MAR (Plot No. CA/12 to CA/17), SANKALPA SITE – III, Action Area-I, New Town, Rajarhat, Kolkata - 700156, West Bengal. (Proposal No. SIA/WB/MIS/278503/2022)	Recommended validity extension of Terms of Reference

The meeting ended with a vote of thanks to and from the Chair.

Minutes of the forty fifth meeting of the State Level Expert Appraisal Committee, West Bengal held on July 06, 2022 at 14:00 hr. at the Conference Room, Paribesh Bhawan, Bidhannagar.

Sd/-

(Dr. Ashit Kumar Mukherjee)
Chairman
State Expert Appraisal Committee, West Bengal

Sd/-

(Dr. Nilangshu Bhusan Basu)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Pradip Kumar Sikdar)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Anirban Gupta)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Aniruddha Mukhopadhyay)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Suchandra Bardhan)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Sampa Chakrabarti)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Mamata Chaudhuri Ray)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Prof. (Dr.) Goutam Kumar Saha)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Shri Shubhendu Bandyopadhyay)
Member
State Expert Appraisal Committee, West Bengal

Sd/-

(Dr. Rajesh Kumar)
Secretary
State Expert Appraisal Committee, West Bengal