

8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting. Proponent shall also provide Water supply and Sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.37. Extraction of Building Stone Project at Chikkanagavalli Village, Chikkaballapura Taluk, Chikkaballapura District (Q.L. No. 296) (1-20 Acres) by Smt. M. Jyothi Shet - Online Proposal No.SIA/KA/MIN/480376/2024 (SEIAA 91 MIN 2024)**

Smt. M. Jyothi Shet have applied for Environmental clearance from SEIAA for Extraction of Building Stone Project at Sy.No.43 of Chikkanagavalli Village, Chikkaballapura Taluk, Chikkaballapura District (Q.L. No. 296) (1-20 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION PROVIDED BY PP
1	Name & Address of the Projects Proponent	Smt. M. Jyothi Shet
2	Name & Location of the Project	Extraction of Building Stone Project at Sy.No.43 of Chikkanagavalli Village, Chikkaballapura Taluk, Chikkaballapura District (Q.L. No. 296) (1-20 Acres)

*[Handwritten signature]*

*[Handwritten signature]*

		N 13° 36' 17.3996"	E 77° 45' 59.8002"												
		N 13° 36' 17.3003"	E 77° 46' 00.9004"												
		N 13° 36' 16.5994"	E 77° 46' 00.8005"												
		N 13° 36' 16.2004"	E 77° 46' 01.4002"												
		N 13° 36' 15.9004"	E 77° 46' 05.1003"												
		N 13° 36' 14.7993"	E 77° 46' 04.8003"												
		N 13° 36' 15.6998"	E 77° 46' 59.4002"												
3	Type Of Mineral	Building Stone Quarry													
4	New/Expansion/Modification/ Renewal	Expansion													
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government													
6	Area in Acres	1-20 Acres													
7	Annual Production (Metric Ton / Cum) Per Annum	2,10,526 Tones/ Annum (including waste)													
8	Project Cost (Rs. In Crores)	Rs. 1.38 Crores (Rs.138 Lakhs)													
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	10,52,632Tones (including waste)													
10	Permitted Quantity Per Annum - Cu.m / Ton	2,00,000 Tones / Annum (excluding waste)													
11	CER Activities: <table><tr><td>Year</td><td>Corporate Environmental Responsibility (CER)</td></tr><tr><td>1st</td><td>Providing solar power panels to GLPS school at Chikkanagavalli Village</td></tr><tr><td>2nd</td><td>Rain water harvesting pits to GLPS at Chikkanagavalli Village</td></tr><tr><td>3rd</td><td>Scientific support and awareness to local farmers to increase yield of crop and fodder</td></tr><tr><td>4th</td><td>Avenue plantation either side of the approach road near Quarry site &amp; Repair of road With drainages</td></tr><tr><td>5th</td><td>Health camp in GLPS school at Chikkanagavalli Village</td></tr></table>			Year	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to GLPS school at Chikkanagavalli Village	2nd	Rain water harvesting pits to GLPS at Chikkanagavalli Village	3rd	Scientific support and awareness to local farmers to increase yield of crop and fodder	4th	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages	5th	Health camp in GLPS school at Chikkanagavalli Village
Year	Corporate Environmental Responsibility (CER)														
1st	Providing solar power panels to GLPS school at Chikkanagavalli Village														
2nd	Rain water harvesting pits to GLPS at Chikkanagavalli Village														
3rd	Scientific support and awareness to local farmers to increase yield of crop and fodder														
4th	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages														
5th	Health camp in GLPS school at Chikkanagavalli Village														
12	EMP Budget	Rs. 16.83 lakhs (Capital Cost) & Rs 8.86 lakhs (Recurring cost)													
13	Forest NOC	14.09.2015													
14	Quarry plan	03.11.2023													
15	Cluster certificate	31.05.2024													

Consultant Name: Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The proposal is for expansion for which EC was issued earlier by SEIAA on 31.05.2023 and lease was granted on 31.05.2023 with Q1. No. 296. The Proponent informed the Committee that after the grant of lease they have not carried out quarrying activities till date and informed that as per DMG audit report dated 31.05.2024, quarry is not operational after the grant of lease till date and justified for not having submitted CCR.*

*There is an existing cart track road to a length of 160meters connecting lease area to the all-weather black topped road. The Committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry & the road connecting the crusher as per IRC standard norms and to grow trees all along the approach road, for which the Proponent agreed.*

*The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan with proved mineable reserve of 10,52,632 tonnes(including waste) and estimated the life of mine to be 10 years.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production 2,10,526 tonnes/annum (including waste), with following consideration,*

- 1. To asphalt the approach road to the quarry as per IRC norms.*
- 2. To grow trees all along the approach road & buffer zone during the first year of operation.*
- 3. To carry out regular health checkup for the workers in the nearby Hospital.*
- 4. To provide metal sheet fencing around the working area.*
- 5. To take necessary measures to arrest noise and vibration from the quarry area.*
- 6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.*

*The Authority perused the proposal and took note of the recommendation of SEAC.*

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.*

*However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).*

*The PP shall abide by the following conditions:*

- 1. If the distance of nearest Protected Area (National Park/Sanctuary/Bio sphere reserve/migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM*

away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.

12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.38. Grey Granite Quarrying Project at Idalahonda Village, Khanapur Taluk, Belagavi District (4-00 Acres) by M/s. N. K. Enterprises, Managing Partner: Shri Vidyadhar V - Online Proposal No.SLA/KA/MIN/481996/2024 (SEIAA 90 MIN 2024)**

M/s. N. K. Enterprises have applied for Environmental clearance from SEIAA for Grey Granite Quarrying Project at Sy.No.89/\* /2 of Idalahonda Village, Khanapur Taluk, Belagavi District (4-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION PROVIDED BY PROPONENT												
1	Name & Address of the Projects Proponent	M/s. N. K. Enterprises												
2	Name & Location of the Project	Grey Granite Quarrying Project at Sy.No.89/* /2 of Idalahonda Village, Khanapur Taluk, Belagavi District (4-00 Acres) <table><tr><td>N15° 42' 77.9214"</td><td>E74° 30' 55.2139"</td></tr><tr><td>N15° 42' 28.0542"</td><td>E74° 30' 55.9597"</td></tr><tr><td>N15° 42' 28.0642"</td><td>E74° 30' 57.2055"</td></tr><tr><td>N15° 42' 35.8029"</td><td>E74° 30' 53.5524"</td></tr><tr><td>N15° 42' 34.6331"</td><td>E74° 30' 52.5153"</td></tr><tr><td>N15° 42' 33.9028"</td><td>E74° 30' 52.4292"</td></tr></table>	N15° 42' 77.9214"	E74° 30' 55.2139"	N15° 42' 28.0542"	E74° 30' 55.9597"	N15° 42' 28.0642"	E74° 30' 57.2055"	N15° 42' 35.8029"	E74° 30' 53.5524"	N15° 42' 34.6331"	E74° 30' 52.5153"	N15° 42' 33.9028"	E74° 30' 52.4292"
N15° 42' 77.9214"	E74° 30' 55.2139"													
N15° 42' 28.0542"	E74° 30' 55.9597"													
N15° 42' 28.0642"	E74° 30' 57.2055"													
N15° 42' 35.8029"	E74° 30' 53.5524"													
N15° 42' 34.6331"	E74° 30' 52.5153"													
N15° 42' 33.9028"	E74° 30' 52.4292"													
3	Type Of Mineral	Grey Granite Quarry Project												
4	New/ Expansion/ Modification/ Renewal	New												
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta												
6	Area in Acres	4-00 Acres												
7	Annual Production (Metric Ton / Cum) Per Annum	8,571 Cum/annum (including waste)												
8	Project Cost (Rs. In Crores)	Rs. 0.45 Crores (Rs.45 Lakhs)												

9	Proved Quantity of mine/ Quarry- Cu.m/ Ton	3,00,294Cum (including waste)
10	Permitted Quantity Per Annum- Cu.m/Ton	3,000Cum / annum(Recovery)
11	CER Activities: Propose take up 400 No. of additional plantation on either side of the approach road from quarry location to Idalahonda Village Road.	
12	EMP Budget	Rs. 15.50 lakhs (Capital Cost) & Rs. 5.18 lakhs (Recurring cost)
13	Quarry plan	14.06.2024
14	Cluster certificate	14.06.2024
15	Forest NoC	05.09.2024
16	Revenue NOC	28.02.2024
17	Notification	28.05.2024

Consultant Name: Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed area is fresh land and no mining has been carried out by Proponent. The Committee noted the clarification and appraised the project.*

*As per the cluster sketch there is no lease in a radius of 500 mtr from the said lease and the total area of the present lease is 4-00 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 1400 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 3,00,294cum(including waste) and estimated the life of mine to be coterminus with lease period.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production 8,571 Cum/annum (including waste), with following consideration,*

- 1. To asphalt the approach road to the quarry as per IRC norms.*
- 2. To grow trees all along the approach road & buffer zone during the first year of operation.*
- 3. To carry out regular health checkup for the workers in the nearby Hospital.*
- 4. To provide metal sheet fencing around the working area.*
- 5. To take necessary measures to arrest noise and vibration from the quarry area.*

6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.
7. To handle waste by obtaining necessary permission.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.

6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.
16. The PP shall handle waste by obtaining necessary permission.

**254.3.39. Dharma Iron Ore Mine Project at (ML No. 0013) Village-Ramgad, Taluk-Sandur, District-Ballari (43.58 Ha) by M/s. JSW Steel Limited - Online Proposal No.SIA/KA/MIN/466066/2024 (SEIAA 307 MIN 2023)**

M/s. JSW STEEL LIMITED have applied for Environmental clearance from SEIAA for DHARMA IRON ORE MINE (ML. NO. 0013) Village Ramgad, Taluka Sandur, District Ballari,

Details of the project are as follows:

S No.	Particulars	Information Provided by PP
1	Name & Address of the Project Proponent	M/s. JSW STEEL LIMITED Vijayanagar Works Mines Division PO- Vidyanagar Ballari- 583275
2	Name & Location of the Project	DHARMA IRON ORE MINE (ML. NO. 0013)



		0013) Village Ramgad, Taluka Sandur, District Ballari,
3	Co-ordinates	Longitude: 15° 08' 21.88953" - 15° 08' 35.58454" Latitude: 76° 27' 12.47119" - 76° 27' 31.93889"
4	Type of Mineral	Iron Ore
5	New/expansion/modification/renewal	Expansion - 0.49 MTPA
6	Type of Land [Forest, Government Revenue, Gomai, Private/Patta, Other]	Forest Land
7	Area in Ha	43.58 Ha.
8	Annual production (metric ton /Cum) per annum	0.18 Million Tonnes Per Annum(Current/Present) (Proposed is 0.49 MTPA Expansion capacity)
9	Project Cost (Rs. In Crores)	Rs. 15.98 Crores
10	Proved quantity of mine/quarry-Cu.m/Tons	10.419 Million Metric Tonnes (Mineable Reserves)
11	Permitted quantity per annum-Cu.m/Ton	0.18 MTPA to 0.49 MTPA (Expansion capacity)
12	Approach Road	5kms from mine to connecting main road (SH-49).
13	Five years plan period	Area 22.46 Ha (Area Under Mining) Top RL- 884 mRL Bottom RL - 831mRL
14	Conceptual stage	Area -28.51Ha (Area Under Mining) Top RL- 961 mRL Bottom RL- 747mRL
15	CER Activities: <ul style="list-style-type: none"> <li>• Landscaping activity &amp; solar electrification at Ramgad Temple</li> <li>• Solar electrification of village</li> <li>• Plantation activity at the village area</li> <li>• Distribution of tree guards</li> </ul>	
16	EMP Budget is Rs.54.4 Lakhs	
18	CCR date	24.05.2023
19	Earlier E.Cby SEIAA/MoEF date	Granted on 26.08.2022 for 0.18 MTPA
20	CFO	Issued on 01.09.2022
21	Forest Clearance Date	03.06.2022 (Transfer of FC as per amended vesting order)
22	IBM Approval Date	Approved on 30.06.2023 for 0.49 MTPA

23	R&R Plan Date	Issued on 28.05.2018
24	Public hearing	Conducted on 10.11.2023.

**Consultant Name:** Ecomen Mining Pvt. Ltd. (formerly known as Ecomen Laboratories Pvt Ltd.), Second Floor Hall, House no. B -1/8, Sector -H, Aliganj, Lucknow - 226024.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The proposal was considered in the 312<sup>th</sup> SEAC meeting and the Committee had deferred the project for want of clarification/reply from the Proponent for the observation made.*

*In the present meeting the Proponent submitted point wise clarification for the observation,  
Observation:1. In Annexure-4 of EDS base line report, Values of station A1 & A2 for all parameters are found to be the same.*

**Reply:** The Proponent informed that the typo error and error in compilation of the reports, correction done in the Baseline reports wrt. AAQM station A1 and A2.

*Observation:2. Clarify regarding PM sampled for 24 hrs continuously at mine site.*

**Reply:** The Proponent informed as per the CPCB/MoEF&CC guidelines and NAAQ standards, one station in Core zone and 6 stations in buffer zone (selected as per the topography and met data) are being monitored.

- The fugitive samples are also monitored as per the MoEF&CC notification, GSR 809 (E), dated 04/10/2010 for 4 stations and the reports are monitored Separately for fugitive dust.

*Observation:3. Signature & Unit of measurement not mentioned in all reports of environmental monitoring.*

**Reply:** The Proponent informed that the baseline reports are mentioned with unit for the respective parameters and are with signatures.

*Observation:4. Details of sustainable ore transportation mechanism not evident in any of the chapters, which is crucial for this project.*

**Reply:** - The Proponent informed that the Dharma Mine falls under the cluster of Mines. CEC has defined the production capacity for each mine falling in the cluster considering the carrying capacity of the Road.

- The vehicles, trucks will be regularly checked for PUC Certificate
- Iron ore will be transported through trucks which are fully covered by tarpaulin sheets

- The regular maintenance of the road and regular dust suppression will be carried out.
- All the major transportation roads used for ore evacuation are black topped & Cement concreted.
- The carriage capacity of trucks has increased with increase in axle load weight which in turn has reduced the vehicular traffic.

The same has been explained in detail in Chapter 4, Para No. 4.2.2.4 of Final EIA report.

*Observation:5. Public hearing Comment 2: CER provisions mentioned at 4 locations as budget of 21,000 lakhs is not clear.*

**Reply:** The Proponent informed that around Rs. 21,000 lakhs (210 Cr.) budget has been proposed towards the construction of Rama Mine DHPC (Adjacent Mine to Dharma Iron Ore Mine owned by JSW).

*Observation:6. CER implementation is generic, No time line for implementation in physical terms with Budgetary provisions.*

**Reply:** The Proponent informed that around Rs. 21,000 lakhs (210 Cr.) budget has been proposed towards the construction of Rama Mine DHPC (Adjacent Mine to Dharma Iron Ore Mine owned by JSW).

- The CER Report with budget :-
  - Solar Electrification :- Rs. 38,68,400
  - Tree Guards :- Rs. 15,00,000

The Total Budget for the CER is Rs. 53,68,400

*Observation:7. EIA: Page 615, The Wildlife Management Plan prepared by ZSI mentioned as "has to be formulated by the Office of the Deputy Conservator Forest (DCF), Ballari and will be submitted to the Chief Conservator of Forests for his comments and onward submission to the office of Chief Wildlife Warden, Karnataka to be submitted. &*

*Observation:8. ToR Compliance point no.18: duly authenticated WLCP, separately for core and buffer zone should be furnished. Such report Not evident.*

**Reply:** The Proponent informed that The Wildlife Management Plan (WMP) prepared by ZSI (GoI) has been submitted to PCCF (Wildlife) & Chief Wildlife Warden Karnataka for its authentication.

- The said Wildlife Management Plan was prepared in compliance with the Stage I clearance, as per the condition stipulated therein, as per the condition,

- i. WMP for the area shall be prepared by State Government and the same shall be implemented by the Forest Department.
  - ii. The cost of implementation and preparation of plan shall be borne by the Lessee
  - iii. The WMP shall be submitted to MoEF&CC further and the cost of the Plan shall be deposited in CAMPA fund prior to the final Approval.
- As per the above terms, the conservation budget of Rs. 75 lakhs has been proposed and will be deposited on its authentication.

*Observation:9. Page 124, Schedule of species as per WLPA -2022 not evaluated.*

**Reply:** The Proponent informed that Schedule of species as per WLPA 2022 is updated.

*Observation:10. Point no.25: Water is withdrawn as per the Karnataka Ground Water Authority (KGWA) approved NOC. No NOC Attached.*

**Reply:** The Proponent informed that,

- There are no Bore wells inside the mine lease area and water will be withdrawn from the Dharma Mine Pit for Dust Suppression.
- We have a common facility close by to the Mine for the withdrawal of water for which NOC was granted by KGWA, dated 12/01/2022.
- An application for the renewal of the said NOC is submitted on 10/06/2024 which is under process.

*Observation:11. Since, it is running plant, environmental monitoring report, environmental compliances for CFO/EC, Form-V etc., not evident.*

**Reply:** -The Proponent informed that as per the EC conditions Half yearly EC compliance is regularly submitted to the Authority. Also all the approvals and permissions under different statutes are obtained. The latest approvals and compliances are detailed herein below,

Sr.No	Statutory Approval/ Returns/ Compliance	Details
1	Certified Compliance Report	<u>18.06.2024</u>
2	Half Yearly EC compliance submitted- Latest	<u>31.05.2024</u>

3	CPO compliance submitted-latest	31.05.2024
4	Environmental Monitoring Report-latest	10.07.2024
5	Environmental Statement in form V	17.07.2023

*Observation:12. Sustainability compliance, Net Zero goals, GHG reporting not spoken.*

**Reply:**The Proponent informed that,

- The Sustainability Assurance Report /Compliance, Net Zero goals and GHG reporting has been done.
- The Net Zero Goals is expected to be reached by 2050.

*Observation:13. Page 24: All proved reserves are mentioned as 10.42 MTPA for both proved & mineable (what about blocked 211 shown in geological sections)*

**Reply:** The Proponent informed that,

- The Mineral Reserve/Mineable Reserve consists of 2 categories:
  - i. Proved Mineral Reserve (111)
  - ii. Probable Mineral Reserve (121 & 122).
- In case of Dharma Mine, since the entire area has been brought under G1 level of exploration, hence, the Mineral Reserve or Mineable Reserve is actually Proved Mineral Reserve (111) which is calculated as 10.42 MMT.
- However, the Blocked Resources which is given as Feasibility Mineral Resource (211) will come under the category of Remaining Resources and that cannot be considered as Proved or Mineable reserves. The Blocked Resources are calculated as 2.17 MMT.
- At page No. 24, under the Table No. 1.2 Salient Features of the Project, only the Proved and Mineable Reserves are mentioned. The details on Mineral Reserves and Resources are given again in Chapter 2, Para No. 2.8.4.1, and Table No. 2.6 wherein Geological Reserves and Resources are explained in detail.

*Observation:14. Inconsistency Data : ELA Page No.37, (72) ESZ IS within 10 km radius, Page 33 mentioned 18.5km, Page 42 mentioned 10.93 km, to be clarified.*

**Reply:**The Proponent informed that,

- The mining lease area is beyond the eco-sensitive zone (ESZ) of Daroji Sloth Bear Sanctuary (DSBS). The aerial distance of nearest mine boundary to the DSBS & ESZ are given below:

1. Daroji Sloth Bear Sanctuary- 10.93 km

2. Eco sensitive zone of Daroji Bear Sanctuary- 9.42 km

*Observation:15. Page 43, mentioned 2.75 Lakh m<sup>3</sup> rain water will be harvested, Engineering plan & structures not evident.*

**Reply:**The Proponent informed that,

- The runoffs are diverted to the open pit. The dimensions of the pit are 150m\*50m\*16m (L\*W\*D) which accommodates approximately 1,20,000m<sup>3</sup> of water, which is further used for Dust Suppression purposes.
- The quantity of 2.75 lakh m<sup>3</sup> may be neglected, as it is typo error. Apologies for the typo error.

*Observation:16. Page 60, SILT CONTROL MEASURES: drawings & plans to be submitted.*

**Reply:**The Proponent informed that,

- The Reclamation & Rehabilitation (R & R) plan was prepared by ICFRE (Indian Council of Forestry Research and Education, Dehradun) and the same has been approved by CEC.
- The R & R structures formulated/proposed by ICFRE and completed on field includes Toe Wall & Garland Drain (4 No's) and Silt Settling Tank (1 No.) are inside the Mine Lease Area.
- These structures are sufficient to sustain the rainfall in the area.

*Observation:17. Page 146: conceptual plan, afforestation 1.72 ha, Page 154: existing green belt: 3.08 Ha, proposed 5.18 Ha, clarification required to the green belt at conceptual stage.*

**Reply:**The Proponent informed that,

- After the commencement of operations, 3.08 Ha has been brought under plantation as on 31.03.2023 and in the Approved Mining Plan Modification an aggregate of 5.18 Ha area has been proposed for plantation for remaining 2 FY's of the Plan Period.
- However, in the Conceptual Plan, the proposal of Afforestation has been given for a total area of 42.04 Ha, of which 28.51 Ha comes under mining, 11.81 Ha comes under dumps and 1.72 Ha comes under the 7.5 m safety zone from the ML Boundary which is also termed Green Belt Area.

*Observation:18. Functional Area Expert details to be submitted.*

**Reply:**The Proponent informed that Details of Functional Area Expert is submitted and attached as part of EIA EMP.

- Prediction of fugitive dust level in the surrounding is carried out with the help of ISCST (Industrial Source Complex-Short Term ISC-3).
- As per the predictions made using ISCST3 Modelling the total incremental increase is within the permissible limits of CPCB.

PM2.5( $\mu\text{g}/\text{m}^3$ )			
Name of Location	Max Conc.	Predicted Incremental Concentration	Post Project Concentration
Mines office (Within Mining Lease)	46.60	0.45	48.05
Ramgad village	33.39	0.33	33.72
Ramgad railway station	33.89	0.27	34.16
Sushilanagar village	34.28	0.1	34.29
Siddapura village	35.17	0.0	35.17
Gunda village	34.96	0.2	34.98
Gunda road railway station	30.76	0.35	31.11
Near petrol pump(daulatpur)	28.98	0.0	28.98

- Prediction of fugitive dust level in the surrounding is carried out with the help of ISCST (Industrial Source Complex-Short Term ISC-3).
- As per the predictions made using ISCST3 Modelling the total incremental increase is within the permissible limits of CPCB.

*Observation: 21. Traffic study not conducted as per IRC guidelines.*

**Reply:** The Proponent informed that,

- Mine is connected to SH-49 in eastern and Northern direction through a mine road which is shared by one mine of M/s VESCO, one Mine of M/s. JSW Steel Ltd., and 2 mines of M/s. ZTC. (Total Distance-2.5Km). The Road is two way, and Kutecha road.
- From Trijunction Point to Hosahalli Transfer Point -Total Distance 9.5Km, Road is two way and Tar Road (Public Transport also exists in addition to Mineral Transportation)
- From Hosahalli Transfer Point to JSW steel Plant (distance 10.7Km, Road two way and Tar road)
- **TRAFFIC DENSITY**
  - With the present production capacity: of 0.18MTPA
  - The no of trips per day :- 30 (18 Tonner Volume Capacity),
  - Total:- 60 trips (considering the two way trip)
  - With the increase in production capacity-0.18MTPA to 0.49MTPA
  - The no of trucks per day:-80 (18 Tonner Volume Capacity)

*Observation:19. Page 163: Max value of PM10 in Mine office shows, 79, whereas in base line data it is (Annexure V of ADS) less than 64 Clarify.*

Reply: The Proponent informed that ,

1. The Baseline reports are verified, there was mistake in compilation which is been corrected.
2. Max Value of PM10 is 79.32, refer Baseline reports

*Observation:20. Page 164: Max GLC in table and in isopleth has no correlation and there is data mismatch.*

Reply: The Proponent informed that,

- As per the CPCB norms/MoEF&CC guidelines, one location in the core zone and 6 locations are selected in the buffer zone for AAQM monitoring.
- The parameters are monitored and analyzed as per the NAAQ standards.
- The location within Mining lease was selected at Mines office.
- The fugitive sampling is also carried out for SPM covering different mining operations, including excavation, loading, unloading, haulage road, etc.
- But these fugitive samples are not considered for AAQM modelling.
- The buffer zone is cluster mining zone as well. The locations have been selected considering the met data as well.
- Being the buffer area, in the cluster area and downhill the Mining areas, the GLC are found comparatively more at these locations.

The Model was run again, considered exploration, drilling and transportation, the results are tabulated as below,s

PM10 $\mu\text{g}/\text{m}^3$			
Name of Location	Max Conc.	Predicted Incremental Concentration	Post Project Concentration
Mines office (Within Mining Lease)	79.32	2.79	82.11
Ramgad village	59.60	0.92	60.52
Ramgad railway station	60.79	1.43	62.22
Sushilanagar village	59.76	0	59.76
Siddapura village	58.19	0.71	58.9
Gunda village	60.13	0.3	60.43
Gunda road railway station	54.15	0.52	54.67
Near petrol pump(daulatpur)	55.6	0.0	55.6

*[Handwritten signatures and initials at the bottom of the page]*



**VI. Total:-160 trips (considering the two ways trip)**

- No of trucks from neighboring Mines:- 300,
- Total 600 trips (Considering the two ways trips)

• Name of the Mine	• Max No of trip per day
• Dharma Iron Ore Mine	• 160
• From Cluster Mines	• 600
• Public Transport	• 300
• Total	• 1060

• **Level of Service:-**

- I. As per the Indian Road Congress guidelines for 'Traffic Predictions on Rural Areas' (IRC:64- 1990), the capacity of the road , considering the hilly terrain is 7000 PCU/day.
- II. Truck Transport Load 1060 trips per day of (truck or bus), PCU factor is 3 (PCU > Passenger Car Unit)=1060 \*3 = 3180 PCU/day.
- III. Road Capacity is 7000 PCU/day if added 300PCU/day for (cars and Motor Bikes) to PCU/day the total is 3480 PCU/day.
- IV. Thus, the utilization of the Road with the added proposed Mine transport load is <60 % of the Road capacity.

Considering the ratio of existing volume of PCU on roads (V) and its Capacity (C) with corresponding level of services (LOS) and its performance is of B category as per the IRC 64:1990 guidelines. The existing Road is capable of handling the incremental load of mineral transportation due to the proposed expansion in mining project.

*Observation:22. Pg 174: proposed impact on environmental has said NIL in all aspects.*

**Reply:** The Proponent informed that,

- The impacts discussed at page no. 174-175 are about the 'Impacts on Socio-economic Aspects'.
- In the present section, potential impacts on the socioeconomic aspects that are likely to arise, as a result of the proposed expansion operations of Dharma Iron Ore Mine by JSW, are discussed under different headings, viz, generation of employment opportunities, cultural aspects, Education., Aesthetics, Medical facilities, Agriculture, Industry and Women.
- The present Mine is already working Mine.
- The Lessee has undertaken CSR activities that are beneficial for the people living in and around the Mine.

- The Lessee intend to upgrade the CSR activities, with budgetary provision of Rs 105.58 Lakhs per annum, all these will certainly lead to positive impact on the social aspects of the area.

*Observation:23. Socio economic benefits of the project needs to be elaborated in detail.*

*Reply:*The Proponent informed that the proposed expansion of the mine in terms of increase in production will have the following benefits to the following stakeholders till the Life of the Mine:

- Direct employment of nearly 90 and indirect 1000.
- The proposed expansion of the mine in terms of increase in production will have the following benefits to the following stakeholders till the Life of the Mine such as State & Central Government, Social Benefits & Implementing Agency.
- Nearly, for 21 years Premium amount of 4200 Cr., Royalty of 672 Cr., DMF of 67.41 Cr., NMET of 13.44 Cr.

*Observation:24. To provide detailed cost benefit analysis.*

*Reply:*The Proponent informed that,

- The product/mineral produced will be in two forms, i.e., lumps and fines.
- The cost of production per Tones of the mineral is Rs. 4408/- and the Market Price of the Mineral, as on date is Rs. 4421, thus the Profit arrived per Tones of the Mineral is Rs. 13.00/-
- Since the present Mine is already existing working mine, the expansion in production is economically viable.

*The Committee noted the clarification and appraised the project.*

*The proposal is for expansion of EC for mining in Iron Ore Mine of JSW from 0.18MTPA to 0.49 MTPA, for which EC was issued earlier by SELAA on 26.08.2022 and ToR was issued by SELAA on 13.07.2023. The Proponent informed the Committee that lease was granted with ML No. 0013. The Proponent informed that they will obtain transfer of FC as per the vesting order dated 03.06.2022. The Proponent has submitted certified compliance to the earlier E.C. conditions from Regional Office, MoEF&CC dated 24.05.2023.*

*Public hearing was conducted on 10.11.2023 and the opinions/request of 34 people have been recorded in PH minutes. The Committee reviewed the statements recorded by the people who attended the public hearing, for which the Proponent made a presentation submitting point wise compliance to all these issues/requirements raised by the public during public hearing. The proponent informed that they would strengthen the approach road as per IRC (Indian Road Congress) standard norms & also to grow trees all along the approach road by obtaining necessary permission. The Proponent informed to adhere to approved Reclamation and Rehabilitation (R&R) Plan.*

The Proponent has collected baseline data for air, water, soil and noise and all parameters are found to be within permissible limits. The Proponent informed that all mitigative measures will be taken up to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 10.419 MT as per the approved Mining plan, the Committee estimated the life of the mine to be 22 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for annual production of 0.49 MTPA, with following consideration,

1. Proponent agreed to comply with the request of public, expressed during public hearing.
2. To comply with the observations in CCR issued by MoEF&CC
3. Proponent agreed to carry out regular health checkup for the workers in the nearby Hospital.
4. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

#### Additional Conditions:

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Where ever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mavu, Sampige, Badam, Sandalwood, Hoanne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall comply with the request of public, expressed during public hearing.
12. The PP shall comply with the observations in CCR issued by MoEF&CC
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.

**254.3.40. Building Stone Quarry Project at Madahalli village in Gundlupete Taluk, ChamaraJanagara District (2-00 Acres) by Sri Nagappa - Online Proposal No.SIA/KA/MIN/485154/2024 (SEIAA 102 MIN 2024)**

Sri Nagappa have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy.No.375 of Madahalli village in Gundlupete Taluk, ChamaraJanagara District (2-00 Acres).

Details of the project are as follows:

SL.No	PARTICULARS	INFORMATION PROVIDED BY PP														
1	Name & Address of the Projects Proponent	Sri Nagappa														
2	Name & Location of the Project	Building Stone Quarry Project at Sy.No.375 of Madahalli village in Gundlupete Taluk, Chamarajanagara District (2-00 Acres) <table><tr><td>N 11° 48' 26.645"</td><td>E 76° 39' 21.100"</td></tr><tr><td>N 11° 48' 26.330"</td><td>E 76° 39' 23.152"</td></tr><tr><td>N 11° 48' 26.100"</td><td>E 76° 39' 23.280"</td></tr><tr><td>N 11° 48' 23.765"</td><td>E 76° 39' 22.763"</td></tr><tr><td>N 11° 48' 23.850"</td><td>E 76° 39' 18.632"</td></tr><tr><td>N 11° 48' 25.322"</td><td>E 76° 39' 18.875"</td></tr><tr><td>N 11° 48' 25.352"</td><td>E 76° 39' 21.101"</td></tr></table>	N 11° 48' 26.645"	E 76° 39' 21.100"	N 11° 48' 26.330"	E 76° 39' 23.152"	N 11° 48' 26.100"	E 76° 39' 23.280"	N 11° 48' 23.765"	E 76° 39' 22.763"	N 11° 48' 23.850"	E 76° 39' 18.632"	N 11° 48' 25.322"	E 76° 39' 18.875"	N 11° 48' 25.352"	E 76° 39' 21.101"
N 11° 48' 26.645"	E 76° 39' 21.100"															
N 11° 48' 26.330"	E 76° 39' 23.152"															
N 11° 48' 26.100"	E 76° 39' 23.280"															
N 11° 48' 23.765"	E 76° 39' 22.763"															
N 11° 48' 23.850"	E 76° 39' 18.632"															
N 11° 48' 25.322"	E 76° 39' 18.875"															
N 11° 48' 25.352"	E 76° 39' 21.101"															
3	Type Of Mineral	Building Stone Quarry														
4	New/Expansion/Modification/Renewal	New														
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta														
6	Area in Acres	2400 Acres														
7	Annual Production (Metric Ton/Cum) Per Annum	51,020 Tones/ Annum (including waste)														
8	Project Cost (Rs. in Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)														
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	8,99,839Tones (including waste)														
10	Permitted Quantity Per Annum - Cu.m / Ton	50,000 Tones / Annum (excluding waste)														
11	CER Activities: Propose take up 200 No. of additional plantation on either side of the approach road from quarry location to Madahalli Village Road															
12	EMP Budget	Rs. 10.95 lakhs (Capital Cost) & Rs. 3.43 lakhs (Recurring cost)														
13	Forest NOC	04.09.2023														
14	Quarry plan	14.03.2024														
15	Cluster certificate	19.03.2024														
16	Notification	01.03.2024														
17	Revenue	12.09.2023														

Consultant Name: Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukathur, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

*[Handwritten signatures and initials]*

The subject was discussed in the SEAC meeting held on 18th & 19th July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by Proponent and justified that the proposed project does not attract violation. The Committee noted the clarification and appraised the project.*

*As per the cluster sketch there are 7 leases in a radius of 500 mtr from the said lease out of which 3 leases are exempted from cluster as leases were granted prior to 09.09.2013 and total area of the remaining leases including the applied lease is 10.22 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 1200 meters connecting the lease area to the all-weather black topped road. The Committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry and road connecting the crusher as per IRC norms and to grow trees all along the approach road during the first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data and informed that all were within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan with proved mineable reserve of 8,99,839 Tons (including waste) and estimated the life of the quarry to be 18 years.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 51,020 Tons/year (including waste), with following consideration,*

- 1. To asphalt the approach road to the quarry as per IRC norms.*
- 2. To grow trees all along the approach road & buffer zone during the first year of operation.*
- 3. To carry out regular health checkup for the workers in the nearby Hospital.*
- 4. To provide metal sheet fencing around the working area.*
- 5. To take necessary measures to arrest noise and vibration from the quarry area.*
- 6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.*

*The Authority perused the proposal and took note of the recommendation of SEAC.*

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.*

*However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).*

*The PP shall abide by the following conditions;*

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.

9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.41. Building Stone Quarrying Project at Parthanahalli Village, Athani Taluk, Belagavi District (7-20 Acres) by M/s. Bhagyashri Stone Crusher - Online Proposal No.SIA/KA/MIN/471692/2024 (SEIAA 103 MIN 2024)**

M/s. Bhagyashri Stone Crusher have applied for Environmental clearance from SEIAA for Building Stone Quarrying Project at Sy. No.153/4 of Parthanahalli Village, Athani Taluk, Belagavi District (7-20 Acres)

Details of the project are as follows:

SLNo	PARTICULARS	INFORMATION PROVIDED BY PP
1	Name & Address of the Projects Proponent	M/s. Bhagyashri Stone Crusher
2	Name & Location of the Project	Building Stone Quarrying Project at Sy. No.153/4 of Parthanahalli Village, Athani Taluk, Belagavi District (7-20 Acres) <div> <div>Latitude</div> <div>Longitude</div> <div>N 16°46'27.4233"</div> <div>E 75°06'24.2335"</div> <div>N 16°46'31.1935"</div> <div>E 75°06'24.0347"</div> <div>N 16°46'28.8097"</div> <div>E 75°06'33.9676"</div> <div>N 16°46'25.8225"</div> <div>E 75°06'34.1996"</div> </div>
3	Type Of Mineral	Building Stone Quarry
4	New/Expansion/Modification/Renewal	New
5	Type of Land [Forest, Government Revenue, Goma, Private / Patta, Other]	Patta
6	Area in Acres	7-20 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	53,158 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 1.75 Crores (Rs. 175 Lakhs)



9	Proved Quantity of mine/ Quarry- Cu.m / Ton	15,94,737 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	50,500 Tones / Annum (excluding waste)
11	CER Activities: Propose take up 250 No. of additional plantation on either side of the approach road from quarry location to Parthanahalli Village Road	
12	EMP Budget	Rs. 31.00 lakhs (Capital Cost) & Rs. 14.15 lakhs (Recurring cost)
13	Forest NOC	23.11.2023
14	Quarry plan	10.06.2024
15	Cluster certificate	10.06.2024
16	Notification	15.04.2024
17	Revenue	15.11.2023

Consultant Name: Sri. Vishal R Khandagale S/o Sri. R. S. Khandagale, R/ At Shri Shakthi Nivas, B.L. Gowda Layout, Kelagote, Chitradurga - 577501.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that as per DMG letter dated 08.05.2024, soil cover is removed for agriculture purpose and trial pit was done to check the availability of mineral and the excavated mineral is stored within the site area and no mining has been carried out by Proponent and justified that the proposed project does not attract violation. The Committee noted the clarification and appraised the project.*

*As per the cluster sketch there is no lease in a radius of 500 mtr from the said lease and the total area of the present lease is 7.20 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 450 meters connecting the lease area to the all-weather black topped road. The Committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry and road connecting the crusher as per IRC norms and to grow trees all along the approach road during the first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data and informed that all were within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan with proved mineable reserve of 15,94,737 Tons (including waste) and estimated the life of the quarry to be 30 years.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 53,158 Tons/year (including waste), with following consideration.*

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.

3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasa, Nettle, Manu, Sampige, Basilam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.

6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adopt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.42. Expansion of Building Stone Quarry Project at Ivagilu village in Ramanagara Taluk & District (QL No. 1127) (3-00 Acres) by M/s. G. H. N. Stone Crusher - Online Proposal No.SIA/KA/MIN/485437/2024 (SEIAA 104 MIN 2024)**

M/s. G. H. N. Stone Crusher have applied for Environmental clearance from SEIAA for Expansion of Building Stone Quarry Project at Sy.No.13 of Ivagilu village in Ramanagara Taluk & District (QL No. 1127) (3-00 Acres)

Details of the project are as follows:

S/N	PARTICULARS	INFORMATION PROVIDED BY PP
1	Name & Address of the Projects Proponent	M/s. G. H. N. Stone Crusher
2	Name & Location of the Project	Expansion of Building Stone Quarry Project at Sy.No.13 of Ivagilu village in Ramanagara Taluk & District (QL No. 1127) (3-00 Acres)

		N12° 45' 25.1045"	E 77° 22' 00.4030"
		N12° 45' 22.6947"	E 77° 22' 00.8960"
		N12° 45' 22.8811"	E 77° 21' 55.9584"
		N12° 45' 21.6950"	E 77° 21' 55.6453"
3	Type Of Mineral	Building Stone Quarry	
4	New/Expansion/Modification/Renewal	Expansion	
5	Type of Land [Forest, Government Revenue, Gornal, Private / Patta, Other]	Government	
6	Area in Acres	3.00 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	2,04,750 Tones/ Annum (including waste)	
8	Project Cost (Rs. In Crores)	Rs.0.30 Crores (Rs.30 Lakhs)	
9	Proved Quantity of mine/ Quarry-Cum / Ton	11,67,712 Tones (including waste)	
10	Permitted Quantity Per Annum - Cum / Ton	2,00,655 Tones/ Annum (excluding waste)	
11	CER Activities:Propose take up 300 No. of additional plantation on either side of the approach road from quarry location to Ivagilu Village Road and Govt. School.		
12	EMP Budget	Rs. 13.45 lakhs (Capital Cost) & Rs. 4.85 lakhs (Recurring cost)	
13	Forest NOC	02.03.2024	
14	Quarry plan	09.05.2024	
15	Cluster certificate	22.05.2024	
16	CCR from MoEF&CC	19.06.2024	
17	Audit Report	23.04.2024	

**Consultant Name:** Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The proposal is for expansion of building stone quarry, for which EC was issued earlier by SEIAA on 14.06.2019 and lease was in effect from 26.10.2004 with QL 1127. The Proponent submitted an audit report till 2023-24 certified by DMG dated 23.04.2024 and CCR from MoEF&CC dated 19.06.2024 informing that quarry was not in operation.*

*There is an existing cart track road to a length of 1000 meters connecting lease area to the all-weather black topped road. The Committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms and to grow trees all along the approach road, for which the Proponent agreed.*

The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan with proved mineable reserve of 11,67,712 Tones (including waste) and estimated the life of mine to be 6 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,04,750 Tones/Annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.

#### Additional Conditions:

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Radam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.43. Building Stone Quarry Project at Kattige Village, Honnali Taluk &Davanagere District (6.00 Acre) (2.429 Ha) by M/s. RevanaSiddeshwara Stone Crusher - Sri C**

**Dhananjaya S/o Ramanagowda - Online Proposal No.SIA/KA/MIN/470820/2024  
(SEIAA 101 MIN 2024)**

M/s. RevanaSiddeshwara Stone Crusher - Sri C Dhananjaya S/o Ramanagowda have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy.Nos.243, 244, 245/1 &245/2 of Kattige Village, Honnali Taluk &Davanagere District (6-00 Acre) (2.429 Ha).

Details of the project are as follows:

SLNo	PARTICULARS	INFORMATION PROVIDED BY PP
1	Name & Address of the Projects Proponent	M/s. RevanaSiddeshwara Stone Crusher - Sri C Dhananjaya S/o Ramanagowda
2	Name & Location of the Project	Building Stone Quarry Project at Sy.Nos.243, 244, 245/1 &245/2 of Kattige Village, Honnali Taluk &Davanagere District (6-00 Acre) (2.429 Ha) N14°14'24.0412" E79°31'49.5383" N14°14'24.3243" E79°31'52.3142" N14°14'28.8055" E79°31'52.8034" N14°14'18.2056" E79°31'53.0034" N14°14'17.7315" E79°31'48.3863" N14°14'22.4467" E79°31'47.8249" N14°14'22.6363" E79°31'49.6567"
3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta
6	Area in Acres	6-00 Acre (2.429 Ha)
7	Annual Production (Metric Ton / Cum) Per Annum	1,77,647 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 1.00 Crores (Rs. 100 Lakhs)
9	Proved Quantity of mine/ Quarry- Cum / Ton	20,58,824Tones (including waste)
10	Permitted Quantity Per Annum - Cum / Ton	1,51,000 Tones / Annum (excluding waste)
11	CER Activities: Propose take up 1,000 No. of additional plantation on either side of the approach road from quarry location to KattigeVillage Road	
12	EMP Budget	Rs. 24.40 lakhs (Capital Cost) & Rs. 14.80 lakhs (Recurring cost)
13	Forest NOC	13.02.2024
14	Quarry plan	18.05.2024
15	Cluster certificate	05.06.2024

16	Notification	22.04.2024
17	Revenue	05.02.2024

**Consultant Name:** Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that earlier old material of adjacent area was stacked in the proposed area and presently it has been removed and no mining has been carried out by Proponent and informed that project does not attract violation. The Committee noted the clarification and appraised the project.*

*As per the cluster sketch there are three leases in a radius of 500 mtrs from the applied lease and the total area of the leases including the applied lease is 10-35 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 700 meters connecting the lease area to the all-weather black topped road. The Committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry and road connecting the crusher as per IRC norms and to grow trees all along the approach road during the first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data and informed that all were within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan with proved mineable reserve of 20,58,824 Tons (including waste) and estimated the life of the quarry to be 12 years.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,77,647 Tons/year (including waste), with following consideration,*

- 1. To asphalt the approach road to the quarry as per IRC norms.*
- 2. To grow trees all along the approach road & buffer zone during the first year of operation.*
- 3. To carry out regular health checkup for the workers in the nearby Hospital.*
- 4. To provide metal sheet fencing around the working area.*
- 5. To take necessary measures to arrest noise and vibration from the quarry area.*
- 6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.*

*The Authority perused the proposal and took note of the recommendation of SEAC.*

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.*



However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.

8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.44. Building Stone Quarry Project at Itnal village, Savadatti Taluk, Belagavi District (3-00 Acres) by Smt. Hema Ningappa Udupudi - Online Proposal No.SIA/KA/MIN/481628/2024 (SEIAA 96 MIN 2024)**

Smt. Hema Ningappa Udupudi have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. Nos.338/2 & 338/3 of Itnal village, Savadatti Taluk, Belagavi District (3-00 Acres)

Details of the project are as follows:

Details of the project are as follows:														
Sl.N o	PARTICULARS	INFORMATION PROVIDED BY PP												
1	Name & Address of the Projects Proponent	Smt. Hema Ningappa Udupudi												
2	Name & Location of the Project	Building Stone Quarry Project at Sy. Nos.338/2 & 338/3 of Itnal village, Savadatti Taluk, Belagavi District (3-00 Acres) <table><tr><th>Latitude</th><th>Longitude</th></tr><tr><td>N 16°04'59.9713"</td><td>E 75°15'01.4399"</td></tr><tr><td>N 16°05'00.7978"</td><td>E 75°14'55.0968"</td></tr><tr><td>N 16°04'58.9600"</td><td>E 75°14'54.6907"</td></tr><tr><td>N 16°04'58.4500"</td><td>E 75°14'57.8910"</td></tr><tr><td>N 16°04'57.6771"</td><td>E 75°15'01.0315"</td></tr></table>	Latitude	Longitude	N 16°04'59.9713"	E 75°15'01.4399"	N 16°05'00.7978"	E 75°14'55.0968"	N 16°04'58.9600"	E 75°14'54.6907"	N 16°04'58.4500"	E 75°14'57.8910"	N 16°04'57.6771"	E 75°15'01.0315"
Latitude	Longitude													
N 16°04'59.9713"	E 75°15'01.4399"													
N 16°05'00.7978"	E 75°14'55.0968"													
N 16°04'58.9600"	E 75°14'54.6907"													
N 16°04'58.4500"	E 75°14'57.8910"													
N 16°04'57.6771"	E 75°15'01.0315"													
3	Type Of Mineral	Building Stone Quarry												
4	New / Expansion / Modification / Renewal	New												

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 8,77,105 ton (including waste) and estimated the life of mine to be 18 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 51,417 ton/ Annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CVLWW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.

#### Additional Conditions:

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.

5	Type of Land (Forest, Government Revenue, Gornal, Private / Patta, Other]	Patta
6	Area in Acres	3-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	51,417 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.35 Crores (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cum / Ton	8,77,105 Tones (including waste)
10	Permitted Quantity Per Annum - Cum / Ton	50,389 Tones / Annum (excluding waste)
11	CER Activities: Propose take up 400 No. of additional plantation on either side of the approach road from quarry location to Inal Village Road	
12	EMP Budget	Rs. 13.35 lakhs (Capital Cost) & Rs. 4.55 lakhs (Recurring cost)
13	Forest NOC	20.06.2022
14	Quarry plan	18.05.2024
15	Cluster certificate	21.05.2024
16	Notification	12.02.2024
17	Revenue	08.06.2022

**Consultant Name:** Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that as per DMG mahajar report dated 28.12.2023, while digging well, soil is removed and top soil rich in iron has been removed and used for agriculture purpose by local farmers and informed that no mining has been carried out by Proponent till date and justified that the proposed project does not attract violation. The Committee noted the clarification and appraised the project.*

*As per the cluster sketch there are another 5 leases in a radius of 500 mtr from the said lease, out of which 4 leases are exempted from cluster as EC was granted prior to 15.01.2016 and the total area of the remaining lease including the applied lease is 5-00 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 340 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry and road connecting the crusher as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data and informed that are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mavu, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. To asphalt the approach road to the quarry as per IRC norms.
12. To grow trees all along the approach road& buffer zone during the first year of operation.
13. To carry out regular health checkup for the workers in the nearby Hospital.
14. To provide metal sheet fencing around the working area.
15. To take necessary measures to arrest noise and vibration from the quarry area.

**254.3.45. Expansion of Bulding Stone Quarry Project at Naganala Village, Kolar Taluk, Kolar District (Q.L.No.1042) (6-00 Acres) by Sri R Prabhakar - Online Proposal No.SIA/KA/MIN/484487/2024 (SEIAA 106 MIN 2024)**

Sri R Prabhakar have applied for Environmental clearance from SEIAA for Expansion of Building Stone Quarry Project at Sy.No.42(P) of Naganala Village, Kolar Taluk, Kolar District (Q.L.No.1042) (6-00 Acres)

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION PROVIDED BY PP																		
1	Name & Address of the Projects Proponent	Sri R Prabhakar																		
2	Name & Location of the Project	Expansion of Building Stone Quarry Project at Sy.No.42(P) of Naganala Village, Kolar Taluk, Kolar District (Q.L.No.1042) (6-00 Acres) <table><tr><td>N 13° 11' 9.8153"</td><td>E 78° 3' 32.1252"</td></tr><tr><td>N 13° 11' 9.4874"</td><td>E 78° 3' 35.9642"</td></tr><tr><td>N 13° 11' 8.8120"</td><td>E 78° 3' 36.0520"</td></tr><tr><td>N 13° 11' 8.5954"</td><td>E 78° 3' 38.6838"</td></tr><tr><td>N 13° 11' 8.8980"</td><td>E 78° 3' 36.8396"</td></tr><tr><td>N 13° 11' 5.8783"</td><td>E 78° 3' 40.4135"</td></tr><tr><td>N 13° 11' 3.1702"</td><td>E 78° 3' 45.4871"</td></tr><tr><td>N 13° 11' 2.8885"</td><td>E 78° 3' 45.2223"</td></tr><tr><td>N 13° 11' 6.8990"</td><td>E 78° 3' 32.5450"</td></tr></table>	N 13° 11' 9.8153"	E 78° 3' 32.1252"	N 13° 11' 9.4874"	E 78° 3' 35.9642"	N 13° 11' 8.8120"	E 78° 3' 36.0520"	N 13° 11' 8.5954"	E 78° 3' 38.6838"	N 13° 11' 8.8980"	E 78° 3' 36.8396"	N 13° 11' 5.8783"	E 78° 3' 40.4135"	N 13° 11' 3.1702"	E 78° 3' 45.4871"	N 13° 11' 2.8885"	E 78° 3' 45.2223"	N 13° 11' 6.8990"	E 78° 3' 32.5450"
N 13° 11' 9.8153"	E 78° 3' 32.1252"																			
N 13° 11' 9.4874"	E 78° 3' 35.9642"																			
N 13° 11' 8.8120"	E 78° 3' 36.0520"																			
N 13° 11' 8.5954"	E 78° 3' 38.6838"																			
N 13° 11' 8.8980"	E 78° 3' 36.8396"																			
N 13° 11' 5.8783"	E 78° 3' 40.4135"																			
N 13° 11' 3.1702"	E 78° 3' 45.4871"																			
N 13° 11' 2.8885"	E 78° 3' 45.2223"																			
N 13° 11' 6.8990"	E 78° 3' 32.5450"																			
3	Type Of Mineral	Building Stone Quarry																		
4	New/Expansion/Modification/Renewal	Expansion																		
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government																		
6	Area in Acres	6-00 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	6,31,579 Tones/ Annum (including waste)																		
8	Project Cost (Rs. In Crores)	Rs. 2.01 Crores (Rs. 201 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cum / Ton	41,51,941 Tones (including waste)																		
10	Permitted Quantity Per Annum - Cum / Ton	6,00,000 Tones/ Annum (excluding waste)																		
11	CER Activities:	<table><tr><th>Year</th><th>Corporate Environmental Responsibility (CER)</th></tr><tr><td>1<sup>st</sup></td><td>The proponent proposes to distribute nursery plants at Naganala village and Strengthening of approach Road</td></tr><tr><td>2<sup>nd</sup></td><td>Rain water harvesting pits to GHPS at Naganala village</td></tr><tr><td>3<sup>rd</sup></td><td>Solar Power Panels in Government Higher primary school at Naganala village</td></tr><tr><td>4<sup>th</sup></td><td>Avenue plantation either side of the approach road near Quarry site &amp; Repair of road with drainages</td></tr><tr><td>5<sup>th</sup></td><td>Health camp in nearby community places</td></tr></table>	Year	Corporate Environmental Responsibility (CER)	1 <sup>st</sup>	The proponent proposes to distribute nursery plants at Naganala village and Strengthening of approach Road	2 <sup>nd</sup>	Rain water harvesting pits to GHPS at Naganala village	3 <sup>rd</sup>	Solar Power Panels in Government Higher primary school at Naganala village	4 <sup>th</sup>	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages	5 <sup>th</sup>	Health camp in nearby community places						
Year	Corporate Environmental Responsibility (CER)																			
1 <sup>st</sup>	The proponent proposes to distribute nursery plants at Naganala village and Strengthening of approach Road																			
2 <sup>nd</sup>	Rain water harvesting pits to GHPS at Naganala village																			
3 <sup>rd</sup>	Solar Power Panels in Government Higher primary school at Naganala village																			
4 <sup>th</sup>	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages																			
5 <sup>th</sup>	Health camp in nearby community places																			
12	EMP Budget	Rs. 69.64 lakhs (Capital Cost) & Rs. 8.86 lakhs (Recurring cost)																		
13	Quarry plan	20.06.2024																		
14	Cluster certificate	21.06.2024																		
15	Audit Report	03.07.2024																		

Consultant Name: Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for expansion, for which EC was issued earlier by SEIAA on 27.06.2023 and lease was granted on 31.03.2023 with QL no. 1042. The Proponent informed the Committee that no quarrying has been carried out since the grant of lease and submitted audit report certified by DMG dated 03.07.2024, showing no production from 2022-23 till date. Hence the Proponent justified for not submitting audit report and CCR.

There is an existing cart track road to a length of 890 meters connecting lease area to the all-weather black topped road. The Committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and the road connecting to the crusher as per IRC standard norms and should grow trees all along the approach road, for which the Proponent agreed.

The Proponent has collected baseline data and informed that all are within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 31,42,444 tons (including waste) and estimated the life of mine to be 7 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 6,31,579 tonn/ Annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the

*proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*

2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.*

**Additional Conditions:**

1. *The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.*
2. *The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.*
3. *The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.*
4. *Dust suppression measures have to be strictly followed.*
5. *The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Marou, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.*
6. *The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harroesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.*
7. *The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.*
8. *The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.*
9. *Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.*
10. *Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.*



11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.46. Building Stone Quarry Project at Shivapura Village, Karkala Taluk, Udupi District (3-00 Acres) by Sri Prasanna Shetty - Online Proposal No.SIA/KA/MIN/469996/2024 (SEIAA 95 MIN 2024)**

Sri Prasanna Shetty have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. No.176/P1 of Shivapura Village, Karkala Taluk, Udupi District (3-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION PROVIDED BY PP								
1	Name & Address of the Projects Proponent	Sri Prasanna Shetty								
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.176/P1 of Shivapura Village, Karkala Taluk, Udupi District (3-00 Acres) <table><tr><td>N 13° 24' 10.9"</td><td>E 74° 58' 05.0"</td></tr><tr><td>N 13° 24' 11.3"</td><td>E 74° 58' 06.9"</td></tr><tr><td>N 13° 24' 07.7"</td><td>E 74° 58' 09.5"</td></tr><tr><td>N 13° 24' 06.2"</td><td>E 74° 58' 06.1"</td></tr></table>	N 13° 24' 10.9"	E 74° 58' 05.0"	N 13° 24' 11.3"	E 74° 58' 06.9"	N 13° 24' 07.7"	E 74° 58' 09.5"	N 13° 24' 06.2"	E 74° 58' 06.1"
N 13° 24' 10.9"	E 74° 58' 05.0"									
N 13° 24' 11.3"	E 74° 58' 06.9"									
N 13° 24' 07.7"	E 74° 58' 09.5"									
N 13° 24' 06.2"	E 74° 58' 06.1"									
3	Type Of Mineral	Building Stone Quarry								
4	New / Expansion / Modification / Renewal	New								
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government								
6	Area in Acres	3-00 Acres								
7	Annual Production (Metric Ton / Cum) Per Annum	52,632 Tones/ Annum (including waste)								
8	Project Cost (Rs. In Crores)	Rs. 1.28 Crores (Rs. 128 Lakhs)								
9	Proved Quantity of mine/ Quarry- Cum / Ton	9,67,265 Tones (including waste)								
10	Permitted Quantity Per Annum - Cum / Ton	50,000 Tones / Annum (excluding waste)								
11	CER Activities:	1								

	Year		Corporate Environmental Responsibility (CER)
	1st		Providing solar power panels to GHPS at Shivapura village.
	2nd		Rain water harvesting pits to the GHPS in Shivapura village.
	3rd		Conducting E-waste drive campaigns in the Shivapura village.
	4th		Scientific support and awareness to local farmers to increase yield of crop and fodder.
	5th		Health camp in the GHPS at Shivapura village.
12	BMP Budget	Rs. 30.38 lakhs (Capital Cost) & Rs. 7.88 lakhs (Recurring cost)	
13	Forest NOC	29.12.2023	
14	Quarry plan	26.03.2024	
15	Cluster certificate	02.04.2024	
16	Notification	16.02.2024	
17	Revenue	02.02.2024	

Consultant Name: Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed area is government land and locals have mined for bonafide use and no mining has been carried out by Proponent till date and justified that the proposed project does not attract violation. The Committee noted the clarification and appraised the project.

As per the cluster sketch there are another 5 leases in a radius of 500 mtr from the said lease, out of which 3 leases are exempted from cluster as EC was granted prior to 15.01.2016 and the total area of the remaining lease including the applied lease is 9.35 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 400 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry and road connecting the crusher as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data and informed that are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 9,67,265 ton (including waste) and estimated the life of mine to be 19 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 52,632tonn/ Annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.

2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.*

*However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).*

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mavu, Sampige, Badam, Sandalwood, Hounne, Beetle, Neem, Honge and other native species in their Project premises.

6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities comitted by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.47. Black Granite Quarry Project at Rechamballi Village, Chamarajanagar Taluk & District (3-30 Acres) by Sri Sangameshwara Babu - Online Proposal No.SIA/KA/MIN/483455/2024 (SEIAA 94 MIN 2024)**

Sri Sangameshwara Babu have applied for Environmental clearance from SEIAA for Black Granite Quarry Project at Sy.Nos.56/7A1, 56/7A2, 56/7A3, 56/7A5 & 56/7B1 of Rechamballi Village, Chamarajanagar Taluk & District (3-30 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION PROVIDED BY PROPONENT
1	Name & Address of the Projects Proponent	Sri Sangameshwara Babu
2	Name & Location of the Project	Black Granite Quarry Project at Sy.Nos.56/7A1, 56/7A2, 56/7A3, 56/7A5 & 56/7B1 of Rechamballi Village, Chamarajanagar Taluk &

		District (3-30 Acres)	
		Latitude	Longitude
		N 11°58'14.5001"	E 77° 01' 59.9053"
		N 11°58'13.8992"	E 77° 01' 03.8036"
		N 11°58'10.2011"	E 77° 01' 03.6042"
		N 11°58'09.8998"	E 77° 01' 59.6051"
3	Type Of Mineral	Black Granite Quarry Project	
4	New/Expansion/Modification/ Renewal	New	
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta	
6	Area in Acres	3-30 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	10,020 Cum / annum(including waste)	
8	Project Cost (Rs. In Crores)	Rs. 0.45 Crores (Rs.45 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	5,08,700Cum (including waste)	
10	Permitted Quantity Per Annum - Cu.m / Ton	2,505Cum/ annum (recovery)	
11	CER Activities: Propose take up 350 No. of additional plantation on either side of the approach road from quarry location to Rechamballi Village Road		
12	EMP Budget	Rs. 14.15 lakhs (Capital Cost) & Rs.4.55 lakhs (Recurring cost)	
13	Quarry plan	24.01.2024	
14	Forest NoC	28.12.2020	
15	Cluster certificate	25.01.2024	
16	Revenue NOC	12.08.2023	
17	Notification	08.12.2023	

Consultant Name: Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 8th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that as per google time line images, workings are prior to 2011 and no mining has been carried out by Proponent till date and justified that the proposed project does not attract violation. The Committee noted the clarification and appraised the project.*

*As per the cluster sketch there are another 3 leases in a radius of 500 mtr from the said lease, out of which 2 leases are exempted from cluster as EC was granted prior to 15.01.2016 and the total area of the remaining lease including the applied lease is 7-19 Acres and hence the project is categorized as B2.*

There is an existing cart track road to a length of 320 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data and informed that are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 5,08,700 cum (including waste) and estimated the life of mine to be coterminous with lease period.

The Committee after discussion decided to recommend the proposal to SELAA for issue of Environmental Clearance for an annual production of 10,020 Cum/annum (including waste), with following consideration.

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Badam, Sandalwood, Honne, Beele, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.

14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.48. Black Granite as Ornamental Stone Quarry Project at Kaggalipura village of Chamarajanagara Taluk and District (2-30 Acres) by Sri N. Srikantamurthy- Online Proposal No.SIA/KA/MIN/485786/2024 (SEIAA 113 MIN 2024)**

Sri N. Srikantamurthy have applied for Environmental clearance from SEIAA for Black Granite as Ornamental Stone Quarry Project at Sy.No.42/1 in Kaggalipura village of Chamarajanagara Taluk and District (2-30 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION PROVIDED BY PROPONENT												
1	Name & Address of the Projects Proponent	Sri N. Srikantamurthy												
2	Name & Location of the Project	Black Granite as Ornamental Stone Quarry Project at Sy.No.42/1 in Kaggalipura village of Chamarajanagara Taluk and District (2-30 Acres) <table><tr><td>N 11° 55' 04.4310"</td><td>E 76° 49' 45.0012"</td></tr><tr><td>N 11° 55' 04.9001"</td><td>E 76° 49' 46.9065"</td></tr><tr><td>N 11° 55' 04.8354"</td><td>E 76° 49' 49.0011"</td></tr><tr><td>N 11° 55' 03.3005"</td><td>E 76° 49' 49.3311"</td></tr><tr><td>N 11° 55' 01.4315"</td><td>E 76° 49' 48.6102"</td></tr><tr><td>N 11° 55' 02.6523"</td><td>E 76° 49' 44.3200"</td></tr></table>	N 11° 55' 04.4310"	E 76° 49' 45.0012"	N 11° 55' 04.9001"	E 76° 49' 46.9065"	N 11° 55' 04.8354"	E 76° 49' 49.0011"	N 11° 55' 03.3005"	E 76° 49' 49.3311"	N 11° 55' 01.4315"	E 76° 49' 48.6102"	N 11° 55' 02.6523"	E 76° 49' 44.3200"
N 11° 55' 04.4310"	E 76° 49' 45.0012"													
N 11° 55' 04.9001"	E 76° 49' 46.9065"													
N 11° 55' 04.8354"	E 76° 49' 49.0011"													
N 11° 55' 03.3005"	E 76° 49' 49.3311"													
N 11° 55' 01.4315"	E 76° 49' 48.6102"													
N 11° 55' 02.6523"	E 76° 49' 44.3200"													
3	Type Of Mineral	Black Granite Quarry Project												
4	New/Expansion/Modification/ Renewal	New												
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta												
6	Area in Acres	2-30 Acres												
7	Annual Production (Metric Ton / Cum) Per Annum	2,903 Cum/ annum (including waste)												
8	Project Cost (Rs. In Crores)	Rs. 1.62 Crores (Rs.162 Lakhs)												
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,45,200Cum (including waste)												
10	Permitted Quantity Per Annum- Cu.m/Ton	871 Cum / annum (Recovery)												
11	CER Activities:													



	Year	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to the GHPS school at Kaggalipura Village.
	2nd	Rain water harvesting pits to Kaggalipura Village.
	3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages
	4th	Conducting E-waste drive campaigns in GHPS at Kaggalipura Village.
	5th	Health camp to the GHPS school at Kaggalipura Village.
12	EMP Budget	Rs. 42.23 lakhs (Capital Cost) & Rs. 9.11 lakhs (Recurring cost)
13	Quarry plan	29.06.2024
14	Forest NoC	23.08.2023
15	Cluster certificate	01.06.2024
16	Revenue NOC	10.10.2023
17	Notification	20.06.2024
18	DTF	20.01.2024

Consultant Name: Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the no mining has being carried out by Proponent till date and informed proposed project does not attract violation. The Committee noted the clarification as per KML.*

*As per the cluster sketch there are another 06 leases in a radius of 500 mtr from the said lease and out of which three leases have expired and two leases areas are idle for more than three years and the total area of the remaining leases including applied lease is 6.01 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 790 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data of air, water, soil and noise and informed that all were within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 1,45,200 cum (including waste) and estimated the life of mine to be coterminous with lease period.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,903 cum/annum (including waste), with following consideration,*

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.
7. To handle waste by obtaining necessary permission.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

#### **Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space

constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mitzu, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.

6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permittes to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road's buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.
16. The PP shall handle waste by obtaining necessary permission.

**254.3.49. Building Stone Quarry Project at Belachalavadi Village, Gundlupete Taluk, ChamaraJanagar District (4-06 Acres) by Sri Manjunath V Hebbar - Online Proposal No.SIA/KA/MTN/485206/2024 (SEIAA 114 MIN 2024).**

Sri Manjunath V Hebbar have applied for Environmental clearance from SEIAA for Building Stone Project at Sy.Nos.204 & 205/2 of Belachalavadi village, Gundlupete Taluk, ChamaraJanagar District (4-06 Acres

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION PROVIDED BY PP																
1	Name & Address of the Projects Proponent	Sri Manjunath V Hebbar																
2	Name & Location of the Project	Building Stone Project at Sy.Nos.204 & 205/2 of Belachalavadi village, Gundlupete Taluk, Chamarajanagar District (4-06 Acres) <table><tr><td>N 11° 57' 43.3026"</td><td>E 76° 39' 52.8089"</td></tr><tr><td>N 11° 57' 01.9025"</td><td>E 76° 39' 51.3054"</td></tr><tr><td>N 11° 56' 59.4078"</td><td>E 76° 39' 56.9024"</td></tr><tr><td>N 11° 56' 57.4069"</td><td>E 76° 39' 56.8048"</td></tr><tr><td>N 11° 56' 57.3049"</td><td>E 76° 39' 56.3034"</td></tr><tr><td>N 11° 56' 59.807"</td><td>E 76° 39' 54.6039"</td></tr><tr><td>N 11° 57' 00.0078"</td><td>E 76° 39' 52.5018"</td></tr><tr><td>N 11° 57' 02.1014"</td><td>E 76° 39' 52.5056"</td></tr></table>	N 11° 57' 43.3026"	E 76° 39' 52.8089"	N 11° 57' 01.9025"	E 76° 39' 51.3054"	N 11° 56' 59.4078"	E 76° 39' 56.9024"	N 11° 56' 57.4069"	E 76° 39' 56.8048"	N 11° 56' 57.3049"	E 76° 39' 56.3034"	N 11° 56' 59.807"	E 76° 39' 54.6039"	N 11° 57' 00.0078"	E 76° 39' 52.5018"	N 11° 57' 02.1014"	E 76° 39' 52.5056"
N 11° 57' 43.3026"	E 76° 39' 52.8089"																	
N 11° 57' 01.9025"	E 76° 39' 51.3054"																	
N 11° 56' 59.4078"	E 76° 39' 56.9024"																	
N 11° 56' 57.4069"	E 76° 39' 56.8048"																	
N 11° 56' 57.3049"	E 76° 39' 56.3034"																	
N 11° 56' 59.807"	E 76° 39' 54.6039"																	
N 11° 57' 00.0078"	E 76° 39' 52.5018"																	
N 11° 57' 02.1014"	E 76° 39' 52.5056"																	
3	Type Of Mineral	Building Stone Quarry																
4	New/ Expansion/Modification/ Renewal	New																
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																
6	Area in Acres	4-06 Acres																
7	Annual Production (Metric Ton / Cum) Per Annum	231,579 Tones/ Annum (including waste)																
8	Project Cost (Rs. In Crores)	Rs. 1.58 Crores (Rs.158 Lakhs)																
9	Proved Quantity of mine/ Quarry- Cum / Ton	21,61,926 Tones (including waste)																
10	Permitted Quantity Per Annum - Cum / Ton	2,20,000 Tones/ Annum (excluding waste)																
11	CER Activities: <table><tr><th>Year</th><th>Corporate Environmental Responsibility (CER)</th></tr><tr><td>1st</td><td>Providing solar power panels to GHPS at Belachalavadi village</td></tr><tr><td>2nd</td><td>Rain water harvesting pits to the GHPS in Belachalavadi village.</td></tr><tr><td>3rd</td><td>Conducting E-waste drive campaigns in the Belaguppe village</td></tr><tr><td>4th</td><td>Scientific support and awareness to local farmers to increase yield of crop and fodder</td></tr><tr><td>5th</td><td>Health camp in the GHPS in Belachalavadi village.</td></tr></table>		Year	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to GHPS at Belachalavadi village	2nd	Rain water harvesting pits to the GHPS in Belachalavadi village.	3rd	Conducting E-waste drive campaigns in the Belaguppe village	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder	5th	Health camp in the GHPS in Belachalavadi village.				
Year	Corporate Environmental Responsibility (CER)																	
1st	Providing solar power panels to GHPS at Belachalavadi village																	
2nd	Rain water harvesting pits to the GHPS in Belachalavadi village.																	
3rd	Conducting E-waste drive campaigns in the Belaguppe village																	
4th	Scientific support and awareness to local farmers to increase yield of crop and fodder																	
5th	Health camp in the GHPS in Belachalavadi village.																	
12	EMP Budget	Rs. 36.54 lakhs (Capital Cost) & Rs. 7.73 lakhs (Recurring cost)																
13	Forest NOC	25.07.2023																
14	Quarry plan	06.07.2024																
15	Cluster certificate	26.06.2024																
16	Revenue NOC	19.06.2023																

17	Notification	04.03.2024
18	JIR	14.09.2023

**Consultant Name:** Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by Proponent till date and informed that the proposed project does not attract violation. The Committee noted the clarification as per KML.*

*As per the cluster sketch there is no lease in a radius of 500 mtr from the said lease and the total area of the present lease is 4.06 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 410 meters connecting the lease area to the all-weather black topped road. The Committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC norms and to grow trees all along the approach road during the first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan with proved mineable reserve of 21,61,926 Tons (including waste) and estimated the life of the quarry to be 10 years.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,31,579 tons/year (including waste), with following consideration,*

- 1. To asphalt the approach road to the quarry as per IRC norms.*
- 2. To grow trees all along the approach road & buffer zone during the first year of operation.*
- 3. To carry out regular health checkup for the workers in the nearby Hospital.*
- 4. To provide metal sheet fencing around the working area.*
- 5. To take necessary measures to arrest noise and vibration from the quarry area.*
- 6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.*

*The Authority perused the proposal and took note of the recommendation of SEAC.*

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.*

*However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).*

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Matru, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall build a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.

8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.50. Ordinary Sand Mining Project at Vasan Village, Naragund Taluka, Gadag District (6-04 Acres) by Sri Imamhusen A Danked S/o Abdul Sattar Danked-Online Proposal No.SIA/KA/MIN/486809/2024 (SEIAA 112 MIN 2024)**

Sri Imamhusen A Danked S/o Abdul Sattar Danked have applied for Environmental clearance from SEIAA for Ordinary Sand Mining Project at Sy.Nos. 5/2C, 5/2D, 5/2E, 5/2F, 5/2G, 5/2H, 5/2I, 5/2J, 5/2K, 5/2L, 5/2M, 5/2N, 5/2O, 5/3, 5/4, 5/5 & 5/6 of Vasan Village, Naragund Taluka, Gadag District (6-04 Acres)

Details of the project are as follows:

SLNo	PARTICULARS	INFORMATION PROVIDED BY PROPONENT
1	Name & Address of the Projects Proponent	Sri Imamhusen A Danked S/o Abdul Sattar Danked
2	Name & Location of the Project	Ordinary Sand Mining Project at Sy.Nos. 5/2C, 5/2D, 5/2E, 5/2F, 5/2G, 5/2H, 5/2I, 5/2J, 5/2K, 5/2L, 5/2M, 5/2N, 5/2O, 5/3, 5/4, 5/5 & 5/6 of Vasan Village, Naragund Taluka, Gadag District (6-04 Acres)

		<table><tr><td>N 15° 52' 23.00"</td><td>E 75° 29' 15.20"</td></tr><tr><td>N 15° 52' 23.30"</td><td>E 75° 29' 13.60"</td></tr><tr><td>N 15° 52' 24.70"</td><td>E 75° 29' 11.70"</td></tr><tr><td>N 15° 52' 27.10"</td><td>E 75° 29' 11.30"</td></tr><tr><td>N 15° 52' 27.70"</td><td>E 75° 29' 11.70"</td></tr><tr><td>N 15° 52' 28.20"</td><td>E 75° 29' 12.00"</td></tr><tr><td>N 15° 52' 28.30"</td><td>E 75° 29' 12.50"</td></tr><tr><td>N 15° 52' 31.90"</td><td>E 75° 29' 13.10"</td></tr><tr><td>N 15° 52' 32.00"</td><td>E 75° 29' 13.60"</td></tr></table>	N 15° 52' 23.00"	E 75° 29' 15.20"	N 15° 52' 23.30"	E 75° 29' 13.60"	N 15° 52' 24.70"	E 75° 29' 11.70"	N 15° 52' 27.10"	E 75° 29' 11.30"	N 15° 52' 27.70"	E 75° 29' 11.70"	N 15° 52' 28.20"	E 75° 29' 12.00"	N 15° 52' 28.30"	E 75° 29' 12.50"	N 15° 52' 31.90"	E 75° 29' 13.10"	N 15° 52' 32.00"	E 75° 29' 13.60"
N 15° 52' 23.00"	E 75° 29' 15.20"																			
N 15° 52' 23.30"	E 75° 29' 13.60"																			
N 15° 52' 24.70"	E 75° 29' 11.70"																			
N 15° 52' 27.10"	E 75° 29' 11.30"																			
N 15° 52' 27.70"	E 75° 29' 11.70"																			
N 15° 52' 28.20"	E 75° 29' 12.00"																			
N 15° 52' 28.30"	E 75° 29' 12.50"																			
N 15° 52' 31.90"	E 75° 29' 13.10"																			
N 15° 52' 32.00"	E 75° 29' 13.60"																			
3	Type Of Mineral	Ordinary Sand Quarry																		
4	New/Expansion/Modification/Renewal	New																		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																		
6	Area in Acres	6-04 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	30,000 Tons/annum for 2 years, 25,000 Tons for 3 <sup>rd</sup> year & 7,551 Tons/annum for 4 <sup>th</sup> & 5 <sup>th</sup> year (including waste)																		
8	Project Cost (Rs. In Crores)	Rs. 1.44 Crores (Rs. 144 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,00,102 Tones (including waste)																		
10	Permitted Quantity Per Annum - Cu.m / Ton	30,000 Tons/annum for 2 years, 25,000 Tons for 3 <sup>rd</sup> year & 7,551 Tons/annum for 4 <sup>th</sup> & 5 <sup>th</sup> year (including waste)																		
11	CER Activities: <table><tr><th>Year</th><th>Corporate Environmental Responsibility (CER)</th></tr><tr><td>1<sup>st</sup></td><td>Providing solar power panels to the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.</td></tr><tr><td>2<sup>nd</sup></td><td></td></tr><tr><td>3<sup>rd</sup></td><td>Rain water harvesting pits to the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.</td></tr><tr><td>4<sup>th</sup></td><td>The proponent proposes to distribute nursery plants at Bhagodi Village &amp; Strengthening of approach road</td></tr><tr><td>5<sup>th</sup></td><td>Health camp in the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.</td></tr></table>		Year	Corporate Environmental Responsibility (CER)	1 <sup>st</sup>	Providing solar power panels to the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.	2 <sup>nd</sup>		3 <sup>rd</sup>	Rain water harvesting pits to the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.	4 <sup>th</sup>	The proponent proposes to distribute nursery plants at Bhagodi Village & Strengthening of approach road	5 <sup>th</sup>	Health camp in the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.						
Year	Corporate Environmental Responsibility (CER)																			
1 <sup>st</sup>	Providing solar power panels to the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.																			
2 <sup>nd</sup>																				
3 <sup>rd</sup>	Rain water harvesting pits to the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.																			
4 <sup>th</sup>	The proponent proposes to distribute nursery plants at Bhagodi Village & Strengthening of approach road																			
5 <sup>th</sup>	Health camp in the GHPS Urdu school at Ivani village, Chittapur Taluk, Kalaburgi District.																			
12	EMP Budget	Rs. 71.66 Lakhs (Capital Cost) & Rs. 8.55 lakhs (Recurring cost)																		
13	Forest NOC	01.09.2023																		
14	Cluster certificate	06.09.2024																		
15	Revenue NOC	19.08.2023																		
16	DTF	24.11.2023																		
17	Approved by Quarry Plan	17.11.2023																		
18	JIR	3 mtr																		



**Consultant Name:** Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed area is fresh land and only trial pit is done in northern side to check the availability of mineral and no mining has been carried out by Proponent. The Committee noted the clarification and considered the sand quarry proposal based on the clarification given by the Proponent.

As per the cluster sketch there is no lease in a radius of 500 mtr from the said lease and the total area of the present lease is 6.04 Acres and hence the project is categorized as B2. As per DMG report there is no river sand mining in a radius of 5 km from the proposed site area.

There is an existing cart track road to a length of 1786 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 1,00,102 Tones (including waste) and estimated the life of mine to be 5 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production 30,000 Tons/annum for the first & second year, 25,000 Tons for 3<sup>rd</sup> year & 7,551 Tons/annum for 4<sup>th</sup> & 5<sup>th</sup> year (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To take necessary measures to arrest noise and air pollution from the quarry area.
5. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.
6. To use top soil for back filling for mine closure

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. The proponent shall furnish a certificate from DMG that there is no sand quarry within 5 KM of project site and undertaking from the PP.
5. The PP shall strictly limit sand extraction activities within in the notified area, any infringement noticed, the Authority will cancel the EC issued

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.

8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach roads buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall take necessary measures to arrest noise and air pollution from the quarry area.
15. The PP shall use top soil for back filling for mine closure.

**254.3.51. Grey Granite Quarry Project at Thylagere Village, Devanahalli Taluk, Bangalore Rural District (4-31 Acres) by Sri S. Mohan Kumar - Online Proposal No.SIA/KA/MIN/486234/2024 (SEIAA 117 MIN 2024)**

Sri S. Mohan Kumar have applied for Environmental clearance from SEIAA for Grey Granite quarry in Sy.No.111/2 of Thylagere Village, Devanahalli Taluk, Bangalore Rural District (4-31 Acres)

Details of the project are as follows:

SLNo.	PARTICULARS	INFORMATION PROVIDED BY PROPONENT								
1	Name & Address of the Projects Proponent	Sri S. Mohan Kumar								
2	Name & Location of the Project	Grey Granite quarry in Sy.No.111/2 of Thylagere Village, Devanahalli Taluk, Bangalore Rural District (4-31 Acres) <table><tr><td>N 1° 18' 41.0002"</td><td>E 77° 40' 32.8981"</td></tr><tr><td>N 0° 18' 40.8313"</td><td>E 77° 40' 35.9857"</td></tr><tr><td>N 0° 18' 38.4964"</td><td>E 77° 40' 32.8618"</td></tr><tr><td>N 1° 18' 31.6000"</td><td>E 77° 40' 31.1900"</td></tr></table>	N 1° 18' 41.0002"	E 77° 40' 32.8981"	N 0° 18' 40.8313"	E 77° 40' 35.9857"	N 0° 18' 38.4964"	E 77° 40' 32.8618"	N 1° 18' 31.6000"	E 77° 40' 31.1900"
N 1° 18' 41.0002"	E 77° 40' 32.8981"									
N 0° 18' 40.8313"	E 77° 40' 35.9857"									
N 0° 18' 38.4964"	E 77° 40' 32.8618"									
N 1° 18' 31.6000"	E 77° 40' 31.1900"									
3	Type Of Mineral	Grey Granite Quarry Project								
4	New/Expansion/Modification/ Renewal	New								
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta,	Patta								

	Other]													
6	Area in Acres	4.31 Acres												
7	Annual Production (Metric Ton / Cum) Per Annum	37,880 Cum/annum (including waste) (18,940 Cum/ annum Recovery, 7,576 Cum/ annum Building Stone, 7,576 Cum/annum for M-Sand & 3,788 Cum/annum												
8	Project Cost (Rs. In Crores)	Rs. 1.87 Crores (Rs.187 Lakhs)												
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	6,07,338 Cum (including waste)												
10	Permitted Quantity Per Annum- Cu.m/Ton	18,940 Cum /annum for Recovery												
11	CER Activities:													
	<table><tr><th>Sl. No.</th><th>Corporate Environmental Responsibility (CER)</th></tr><tr><td>1st</td><td>Providing solar power panels, UPS and Water Filters to GNPS school at Thyagaraya Village, Chikaballapura Taluk and District</td></tr><tr><td>2nd</td><td>The proponent proposes to distribute nursery plants at Thyagaraya Village &amp; Strengthening of approach road</td></tr><tr><td>3rd</td><td>Rain water harvesting pits in GNPS school at Thyagaraya Village, Chikaballapura Taluk and District</td></tr><tr><td>4th</td><td>Avenue plantation either side of the approach road near Quarry site &amp; Repair of road with drainages</td></tr><tr><td>5th</td><td>Health camp in GNPS school at Thyagaraya Village, Chikaballapura Taluk and District</td></tr></table>		Sl. No.	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels, UPS and Water Filters to GNPS school at Thyagaraya Village, Chikaballapura Taluk and District	2nd	The proponent proposes to distribute nursery plants at Thyagaraya Village & Strengthening of approach road	3rd	Rain water harvesting pits in GNPS school at Thyagaraya Village, Chikaballapura Taluk and District	4th	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages	5th	Health camp in GNPS school at Thyagaraya Village, Chikaballapura Taluk and District
Sl. No.	Corporate Environmental Responsibility (CER)													
1st	Providing solar power panels, UPS and Water Filters to GNPS school at Thyagaraya Village, Chikaballapura Taluk and District													
2nd	The proponent proposes to distribute nursery plants at Thyagaraya Village & Strengthening of approach road													
3rd	Rain water harvesting pits in GNPS school at Thyagaraya Village, Chikaballapura Taluk and District													
4th	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages													
5th	Health camp in GNPS school at Thyagaraya Village, Chikaballapura Taluk and District													
12	EMP Budget	Rs. 46.05 lakhs (Capital Cost) & Rs. 9.74 lakhs (Recurring cost)												
13	Quarry plan	02.07.2024												
14	Forest NoC	28.08.2023												
15	Cluster certificate	27.06.2024												
16	Revenue NOC	12.07.2024												
17	Notification	12.07.2024												

Consultant Name: Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramalah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the site area had been worked prior to 2005 by local villagers and justified as per google time line images and informed that as no mining had been carried out after 2005, there is no violation. The Committee noted the clarification given by the Proponent.

As per the cluster sketch there are another 17 leases in a radius of 500 mtr from the said lease out of which 16 leases are of building stone and the total area of the remaining lease including the applied lease is 6.29 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 600 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry as per IRC standard norms and

should grow trees all along the approach road in first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data of air, water, soil and noise and informed that all are within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 6,07,338 cum (including waste) and estimated the life of mine to be 16 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 37,880 Cum/annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.


The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.



**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mavu, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.

254.352 Pink Granite Quarry Project at Udegola Village, Siruguppa Taluk & Ballari District (2.912 Ha) (7.28 Acres) by Sri Ramakrishna Rao - Online Proposal No.SIA/KA/MIN/486884/2024 (SEIAA 111 MIN 2024)

11	CER Activities: To carry out additional 3000 trees along the approach road	
12	EMP Budget	Rs. 40.45 lakhs (Capital Cost) & Rs. 8.55 lakhs (Recurring cost)
13	Quarry plan	02.03.2024
14	Forest NoC	13.12.2022
15	Cluster certificate	24.06.2024
16	Revenue NOC	20.06.2023
17	Notification	19.07.2023
18	DTF	18.05.2023

Consultant Name: Sri. Vishal R Khandagale S/o Sri. R. S. Khandagale, R/ At Shri Shakthi Nivas, B.L. Gowda Layout, Kelagote, Chitradurga - 577501.

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the dump from the adjacent land was stocked in the proposed area and at present it has been removed and no mining has been carried out by Proponent. The Committee noted the clarification given by Proponent.*

*As per the cluster sketch there is one lease in a radius of 500 mtrs from the applied lease, and the total area of the leases including the applied lease is 8.28 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 800 meters connecting the lease area to the all-weather black topped road. The Committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry and road connecting the crusher as per IRC norms and to grow trees all along the approach road during the first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan with proved mineable reserve of 8,84,000 Tons (including waste) and estimated the life of the quarry to be coterminous with lease period.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 17,550 Cum/annum (including waste), with following consideration,*

- 1. To asphalt the approach road to the quarry as per standard norms.*
- 2. To grow trees all along the approach road & buffer zone during the first year of operation.*
- 3. To carry out regular health checkup for the workers in the nearby Hospital.*
- 4. To provide metal sheet fencing around the working area.*
- 5. To take necessary measures to arrest noise and vibration from the quarry area.*
- 6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.*

*The Authority perused the proposal and took note of the recommendation of SEAC.*



*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.*


*However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).*

*The PP shall abide by the following conditions;*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.*
- 4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

**Additional Conditions:**

- 1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.*
- 2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.*
- 3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.*
- 4. Dust suppression measures have to be strictly followed.*
- 5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mavu, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.*
- 6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding*



that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.

7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities comitiled by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per standard norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.53. Building Stone Quarry Project at N. Hosahalli Village, Hosakote Taluk, Bangalore Rural District (2-29 Acres) by M/s. V D B Projects - Online Proposal No.SIA/KA/MIN/487147/2024 (SEIAA 110 MIN 2024)**

M/s. V D B Projects have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. No.17 of N. Hosahalli Village, Hosakote Taluk, Bangalore Rural District (2-29 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION PROVIDED BY PP
1	Name & Address of the Projects Proponent	M/s. V D B Projects
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.17 of N. Hosahalli Village, Hosakote Taluk, Bangalore Rural District (2-29 Acres)

		N 13° 11' 42.5204"	E 77° 56' 19.8717"
		N 13° 11' 42.9247"	E 77° 56' 20.8873"
		N 13° 11' 42.7092"	E 77° 56' 23.1273"
		N 13° 11' 42.5542"	E 77° 56' 22.8296"
		N 13° 11' 39.8466"	E 77° 56' 22.7750"
		N 13° 11' 40.2311"	E 77° 56' 18.3558"
		N 13° 11' 43.7589"	E 77° 56' 18.7988"
3	Type Of Mineral	Building Stone Quarry	
4	New/Expansion/Modification/ Renewal	New	
5	Type of Land (Forest, Government Revenue, Gornal, Private / Patta, Other)	Government	
6	Area in Acres	2.29 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	1,05,263 Tones/ Annum (including waste)	
8	Project Cost (Rs. In Crores)	Rs. 1.40 Crores (Rs.140 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cum / Ton	6,48,164Tones (including waste)	
10	Permitted Quantity Per Annum - Cum / Ton	1,00,000 Tones / Annum (excluding waste)	
11	CER Activities:		
	Year	Corporate Environmental Responsibility (CER)	
	1 <sup>st</sup>	Providing solar power panels to the GHPS school at N. Hosahalli village	
	2 <sup>nd</sup>	Rain water harvesting plan to the GHPS school at N. Hosahalli village	
	3 <sup>rd</sup>	Scientific support and awareness to local farmers to increase yield of crop and fodder	
	4 <sup>th</sup>	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainage	
	5 <sup>th</sup>	Health camp in GHPS school at N. Hosahalli village	
12	EMP Budget	Rs. 43.32 lakhs (Capital Cost) & Rs. 7.87 lakhs (Recurring cost)	
13	Forest NOC	08.07.2024	
14	Quarry plan	14.06.2024	
15	Cluster certificate	14.06.2024	
16	Revenue NOC	07.07.2015	
17	Notification	07.06.2024	

**Consultant Name:** Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed area*

is plain land and no mining has been carried out by Proponent till date and informed that project does not attract violation. The Committee noted the justification of Proponent.

As per the cluster sketch there are another 02 leases in a radius of 500 mtr from the said lease, out of which 1 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and the total area of the remaining leases including the applied lease is 6-27 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 779 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry and the road connecting the crusher as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 6,48,464 tonn(including waste) and estimated the life of mine to be 7 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,05,263 Tones/annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.

3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permiles to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if destred.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over und above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.

12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.54. Building Stone Quarry Project at Mupata village in Chittapur Taluk, Kalaburagi District (7-00 Acres) by Sri Ladle Patel - Online Proposal No.S1A/KA/MIN/484350/2024 (SEIAA 109 MIN 2024)**

Sri Ladle Patel have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy.No.36/\*/3 of Mupata village in Chittapur Taluk, Kalaburagi District (7-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION PROVIDED BY PP										
1	Name & Address of the Projects Proponent	Sri Ladle Patel										
2	Name & Location of the Project	Building Stone Quarry Project at Sy.No.36/*/3 of Mupata village in Chittapur Taluk, Kalaburagi District (7-00 Acres) <table><tr><td>Latitude</td><td>Longitude</td></tr><tr><td>N 17°16'51.0023"</td><td>E 77°02'51.0009"</td></tr><tr><td>N 17°16'46.0001"</td><td>E 77°02'50.7012"</td></tr><tr><td>N 17°16'45.8002"</td><td>E 77°02'50.3002"</td></tr><tr><td>N 17°16'49.9045"</td><td>E 77°02'52.9037"</td></tr></table>	Latitude	Longitude	N 17°16'51.0023"	E 77°02'51.0009"	N 17°16'46.0001"	E 77°02'50.7012"	N 17°16'45.8002"	E 77°02'50.3002"	N 17°16'49.9045"	E 77°02'52.9037"
Latitude	Longitude											
N 17°16'51.0023"	E 77°02'51.0009"											
N 17°16'46.0001"	E 77°02'50.7012"											
N 17°16'45.8002"	E 77°02'50.3002"											
N 17°16'49.9045"	E 77°02'52.9037"											
3	Type Of Mineral	Building Stone Quarry										
4	New/Expansion/Modification/ Renewal	New										
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta										
6	Area in Acres	7-00 Acres										
7	Annual Production (Metric Ton / Cum) Per Annum	91,357 Tones/ Annum (including waste)										
8	Project Cost (Rs. In Crores)	Rs. 0.55 Crores (Rs.55 Lakhs)										
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	21,32,733 Tones (including waste)										
10	Permitted Quantity Per Annum - Cu.m / Ton	89,530 Tones / Annum (excluding waste)										

11	CER Activities: Propose take up 800 No. of additional plantation on either side of the approach road from quarry location to Mupata Village Road	
12	EMP Budget	Rs. 20.40 lakhs (Capital Cost) & Rs. 7.52 lakhs (Recurring cost)
13	Forest NOC	26.09.2023
14	Quarry plan	10.06.2024
15	Cluster certificate	13.06.2024
16	Revenue NOC	07.08.2023
17	Notification	18.12.2023

Consultant Name: Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed area is fresh land and no mining has been carried out by Proponent till date. The Committee noted the clarification given by the Proponent.*

*As per the cluster sketch there is no lease in a radius of 500 mtr from the said lease and the total area of the present lease is 7.00 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 380 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry and road connecting crusher as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 21,32,733 tonn(including waste) and estimated the life of mine to be 24 years.*

*The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 91,357 Tones/ Annum (including waste), with following consideration.*

- 1. To asphalt the approach road to the quarry as per IRC norms.*
- 2. To grow trees all along the approach road & buffer zone during the first year of operation.*
- 3. To carry out regular health checkup for the workers in the nearby Hospital.*
- 4. To provide metal sheet fencing around the working area.*
- 5. To take necessary measures to arrest noise and vibration from the quarry area.*
- 6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.*

The Authority perused the proposal and took note of the recommendation of SEAC.

**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.**

**However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).**

**The PP shall abide by the following conditions;**

1. **If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).**
2. **Safety measures proposed shall be submitted.**
3. **A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.**

**Additional Conditions;**

1. **The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.**
2. **The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.**
3. **The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.**
4. **Dust suppression measures have to be strictly followed.**
5. **The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mavu, Sampige, Radam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.**
6. **The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.**



7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.55. Ornamental Stone (Grey Granite) Quarry Project at Kuknoor Village, Kuknoor Taluk, Koppal District (1-22 Acres) by Smt. Vimala A. Huralikoppi - Online Proposal No.SIA/KA/MIN/485400/2024 (SEIAA 108 MIN 2024)**

Smt. Vimala A. Huralikoppi have applied for Environmental clearance from SEIAA for Ornamental Stone(Grey Granite) Quarry Project at Sy. No. 87/5 of Kuknoor Village, Kuknoor Taluk, Koppal District (1-22 Acres)

Details of the project are as follows:

SLNo.	PARTICULARS	INFORMATION PROVIDED BY PROPONENT
1	Name & Address of the Projects Proponent	Smt. Vimala A. Huralikoppi
2	Name & Location of the Project	Ornamental Stone(Grey Granite) Quarry Project at Sy. No. 87/5 of Kuknoor Village, Kuknoor Taluk, Koppal District (1-22 Acres)

*[Handwritten signatures and initials]*

		N 15° 29' 42.86576"	E 76° 00' 35.35640"												
		N 15° 29' 42.96308"	E 76° 00' 38.43460"												
		N 15° 29' 39.42813"	E 76° 00' 37.69404"												
		N 15° 29' 39.34017"	E 76° 00' 35.86370"												
3	Type Of Mineral	Ornamental Granite Quarry Project													
4	New/Expansion/Modification/ Renewal	New													
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta													
6	Area in Acres	1-22 Acres													
7	Annual Production (Metric Ton / Cum) Per Annum	1,667Cum/annum (including waste) 500 Cum/ annum Recovery, 1167 Tons/ annum waste)													
8	Project Cost (Rs. In Crores)	Rs. 1.27 Crores (Rs.127 Lakhs)													
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	83,417.3Cum (including waste)													
10	Permitted Quantity Per Annum- Cu.m/Ton	500 Cum / annum (Recovery)													
11	CER Activities: <table><tr><th>Year</th><th>Corporate Environmental Responsibility (CER)</th></tr><tr><td>1st</td><td>Providing Solar Power Panels in GHPS school at Kulkarnoor Village.</td></tr><tr><td>2nd</td><td>Rain water harvesting pbs to the GHPS school at Kulkarnoor village.</td></tr><tr><td>3rd</td><td>Health camp at GHPS school at Kulkarnoor Village.</td></tr><tr><td>4th</td><td>Avenue plantation either side of the approach road near Quarry site &amp; Repair of road with drainages</td></tr><tr><td>5th</td><td>Scientific support and awareness to local farmers to increase yield of crop and fodder</td></tr></table>			Year	Corporate Environmental Responsibility (CER)	1st	Providing Solar Power Panels in GHPS school at Kulkarnoor Village.	2nd	Rain water harvesting pbs to the GHPS school at Kulkarnoor village.	3rd	Health camp at GHPS school at Kulkarnoor Village.	4th	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages	5th	Scientific support and awareness to local farmers to increase yield of crop and fodder
Year	Corporate Environmental Responsibility (CER)														
1st	Providing Solar Power Panels in GHPS school at Kulkarnoor Village.														
2nd	Rain water harvesting pbs to the GHPS school at Kulkarnoor village.														
3rd	Health camp at GHPS school at Kulkarnoor Village.														
4th	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages														
5th	Scientific support and awareness to local farmers to increase yield of crop and fodder														
12	EMP Budget	Rs. 22.87 lakhs (Capital Cost) & Rs. 8.09 lakhs (Recurring cost)													
13	Quarry plan	17.05.2024													
14	Forest NoC	18.07.2023													
15	Cluster certificate	25.06.2024													
16	Revenue NOC	20.09.2023													
17	DTF	12.12.2023													

Consultant Name: Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed is a*

fresh land and no mining has been carried out by Proponent till date and informed that proposed project does not attract violation. The Committee noted the clarification given by the Proponent.

As per the cluster sketch there are another 13 leases in a radius of 500 mtr from the said lease, out of which 8 leases are exempted from cluster as leases were granted prior to 09.09.2013 and 03 leases are gr EC was granted prior to 15.01.2016 and the total area of the remaining leases including the applied lease is 11.02 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 268 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 83,417.3cum(including waste) and estimated the life of mine to be coterminous with lease period.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,667Cum/annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the

proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Whenever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Marou, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge ptis elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.

9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**254.3.56. Building Stone Quarry Project at Madalavadi village in Chamarajanagar Taluk & District (6-28 Acres) by Sri Yogesh P - Online Proposal No.SIA/KA/MIN/484065/2024 (SEIAA 107 MIN 2024)**

Sri Yogesh P have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy.Nos.208 & 209 of Madalavadi village in Chamarajanagar Taluk & District (6-28 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION PROVIDED BY PP																
1	Name & Address of the Projects Proponent	Sri Yogesh P																
2	Name & Location of the Project	Building Stone Quarry Project at Sy.Nos.208 & 209 of Madalavadi village in Chamarajanagar Taluk & District (6-28 Acres) <table><tr><td>N 11°44'57.4"</td><td>E 76°49'29.4"</td></tr><tr><td>N 11°44'58.4"</td><td>E 76°49'29.2"</td></tr><tr><td>N 11°44'57.2"</td><td>E 76°49'25.0"</td></tr><tr><td>N 11°44'58.3"</td><td>E 76°49'25.0"</td></tr><tr><td>N 11°45'02.3"</td><td>E 76°49'26.3"</td></tr><tr><td>N 11°45'02.3"</td><td>E 76°49'29.1"</td></tr><tr><td>N 11°45'01.3"</td><td>E 76°49'51.7"</td></tr><tr><td>N 11°44'59.1"</td><td>E 76°49'31.2"</td></tr></table>	N 11°44'57.4"	E 76°49'29.4"	N 11°44'58.4"	E 76°49'29.2"	N 11°44'57.2"	E 76°49'25.0"	N 11°44'58.3"	E 76°49'25.0"	N 11°45'02.3"	E 76°49'26.3"	N 11°45'02.3"	E 76°49'29.1"	N 11°45'01.3"	E 76°49'51.7"	N 11°44'59.1"	E 76°49'31.2"
N 11°44'57.4"	E 76°49'29.4"																	
N 11°44'58.4"	E 76°49'29.2"																	
N 11°44'57.2"	E 76°49'25.0"																	
N 11°44'58.3"	E 76°49'25.0"																	
N 11°45'02.3"	E 76°49'26.3"																	
N 11°45'02.3"	E 76°49'29.1"																	
N 11°45'01.3"	E 76°49'51.7"																	
N 11°44'59.1"	E 76°49'31.2"																	
3	Type Of Mineral	Building Stone Quarry																
4	New/Expansion/Modification/ Renewal	New																
5	Type of Land [Forest, Government Revenue, Gornal, Private / Patta, Other]	Patta																
6	Area in Acres	6-28 Acres																
7	Annual Production (Metric Ton / Cum) Per Annum	51,020 Tones/ Annum (including waste)																

8	Project Cost (Rs. In Crores)	Rs. 0.50 Crores (Rs.50 Lakhs)
9	Proved Quantity of mine/ Quarry- Cum / Ton	13,82,012Tones (including waste)
10	Permitted Quantity Per Annum - Cum / Ton	50,000 Tones / Annum (excluding waste)
11	CER Activities: Propose take up 700 No. of additional plantation on either side of the approach road from quarry location to Modalavadi Village Road	
12	EMP Budget	Rs. 14.45 lakhs (Capital Cost) & Rs. 5.73 lakhs (Recurring cost)
13	Forest NOC	15.06.2023
14	Quarry plan	19.06.2024
15	Cluster certificate	15.06.2024
16	Revenue NOC	24.05.2023
17	Notification	15.03.2024

Consultant Name: Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed area is virgin land and no mining has been carried out by Proponent till date and informed that the proposed project does not attract violation. The Committee noted the clarification of the Proponent.*

*As per the cluster sketch there is no lease in a radius of 500 mtr from the said lease and the total area of the present lease is 6-28 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 1130 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry and road connecting crusher as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.*

*The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.*

*The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 13,82,012 tonnes (including waste) and estimated the life of mine to be 27 years.*

*The Committee after discussion decided to recommend the proposal to SELAA for issue of Environmental Clearance for an annual production of 51,020 Tones/ Annum (including waste), with following consideration,*

- 1. To asphalt the approach road to the quarry as per IRC norms.*
- 2. To grow trees all along the approach road & buffer zone during the first year of operation.*

3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SFAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.*



*However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).*

*The PP shall abide by the following conditions;*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

**Additional Conditions:**

1. *The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.*
2. *The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.*
3. *The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.*
4. *Dust suppression measures have to be strictly followed.*
5. *The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Marm,*



*Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.*

6. *The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.*
7. *The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.*
8. *The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.*
9. *Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.*
10. *Over and above the CFR activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.*
11. *The PP shall asphalt the approach road to the quarry as per IRC norms.*
12. *The PP shall grow trees all along the approach road& buffer zone during the first year of operation.*
13. *The PP shall carry out regular health checkup for the workers in the nearby Hospital.*
14. *The PP shall provide metal sheet fencing around the working area.*
15. *The PP shall take necessary measures to arrest noise and vibration from the quarry area.*

**254.3.57. Grey Granite Quarry Project at Gowrala Village, Kuknoor Taluk, Koppal District (5-30 Acres) by M/s. B B Granites - Online Proposal No.51A/KA/MIN/483802/2024 (SEIAA 134 MIN 2023)**

M/s. B B Granites have applied for Environmental clearance from SEIAA for Grey Granite Quarry Project at Sy.No.31/3 of Gowrala Village, Kuknoor Taluk, Koppal District (5-30 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION PROVIDED BY PROPONENT
1	Name & Address of the Projects Proponent	M/s. B B Granites
2	Name & Location of the Project	Grey Granite Quarry Project at Sy.No.31/3



		of Gowrala Village, Kuknoor Taluk, Koppal District (5-30 Acres)																										
		<table><tr><td>19° 28'52.54"</td><td>76° 01'30.68"</td></tr><tr><td>19° 28'52.61"</td><td>76° 01'27.70"</td></tr><tr><td>19° 28'56.81"</td><td>76° 01'27.93"</td></tr><tr><td>19° 28'56.19"</td><td>76° 01'37.37"</td></tr><tr><td>19° 28'51.90"</td><td>76° 01'36.91"</td></tr><tr><td>19° 28'52.15"</td><td>76° 01'35.60"</td></tr><tr><td>19° 28'52.38"</td><td>76° 01'33.44"</td></tr><tr><td>19° 28'54.11"</td><td>76° 01'33.99"</td></tr><tr><td>19° 28'52.38"</td><td>76° 01'32.02"</td></tr><tr><td>19° 28'52.38"</td><td>76° 01'32.06"</td></tr><tr><td>19° 28'52.38"</td><td>76° 01'28.50"</td></tr><tr><td>19° 28'52.38"</td><td>76° 01'28.17"</td></tr><tr><td>19° 28'52.38"</td><td>76° 01'30.79"</td></tr></table>	19° 28'52.54"	76° 01'30.68"	19° 28'52.61"	76° 01'27.70"	19° 28'56.81"	76° 01'27.93"	19° 28'56.19"	76° 01'37.37"	19° 28'51.90"	76° 01'36.91"	19° 28'52.15"	76° 01'35.60"	19° 28'52.38"	76° 01'33.44"	19° 28'54.11"	76° 01'33.99"	19° 28'52.38"	76° 01'32.02"	19° 28'52.38"	76° 01'32.06"	19° 28'52.38"	76° 01'28.50"	19° 28'52.38"	76° 01'28.17"	19° 28'52.38"	76° 01'30.79"
19° 28'52.54"	76° 01'30.68"																											
19° 28'52.61"	76° 01'27.70"																											
19° 28'56.81"	76° 01'27.93"																											
19° 28'56.19"	76° 01'37.37"																											
19° 28'51.90"	76° 01'36.91"																											
19° 28'52.15"	76° 01'35.60"																											
19° 28'52.38"	76° 01'33.44"																											
19° 28'54.11"	76° 01'33.99"																											
19° 28'52.38"	76° 01'32.02"																											
19° 28'52.38"	76° 01'32.06"																											
19° 28'52.38"	76° 01'28.50"																											
19° 28'52.38"	76° 01'28.17"																											
19° 28'52.38"	76° 01'30.79"																											
3	Type Of Mineral	Grey Granite Quarry Project																										
4	New/Expansion/Modification/ Renewal	New																										
5	Type of Land [Forest, Government Revenue, Gornal, Private/Patta, Other]	Patta																										
6	Area in Acres	5-30 Acres																										
7	Annual Production (Metric Ton / Cum) Per Annum	10,000 Cum/annum (including waste) 3,000 Cum/ annum Recovery, 7,000 Tons/ annum waste)																										
8	Project Cost (Rs. In Crores)	Rs. 0.50 Crores (Rs.50 Lakhs)																										
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,39,542Cum (including waste)																										
10	Permitted Quantity Per Annum- Cu.m/Ton	3,000 Cum / annum (Recovery)																										
11	CER Activities: <table><tr><th>Sr. No.</th><th>Particulars</th><th>Proposed CER Expenses (In Lakhs Rs.)</th></tr><tr><td colspan="3">Activities proposed to be Carried out under CER at Govt. School at Kuknoor</td></tr><tr><td>1.</td><td>Toilet facility</td><td>0.5</td></tr><tr><td>2.</td><td>RO water System with storage containers</td><td>0.3</td></tr><tr><td>4.</td><td>Fruit Garden</td><td>0.2</td></tr><tr><td></td><td>Total</td><td>1.0</td></tr></table>		Sr. No.	Particulars	Proposed CER Expenses (In Lakhs Rs.)	Activities proposed to be Carried out under CER at Govt. School at Kuknoor			1.	Toilet facility	0.5	2.	RO water System with storage containers	0.3	4.	Fruit Garden	0.2		Total	1.0								
Sr. No.	Particulars	Proposed CER Expenses (In Lakhs Rs.)																										
Activities proposed to be Carried out under CER at Govt. School at Kuknoor																												
1.	Toilet facility	0.5																										
2.	RO water System with storage containers	0.3																										
4.	Fruit Garden	0.2																										
	Total	1.0																										
12	EMP Budget	Rs. 11.60 lakhs (Capital Cost) & Rs. 2.60 lakhs (Recurring cost)																										
13	Quarry plan	15.12.2022																										
14	Forest NoC	06.06.2022																										
15	Cluster certificate	13.10.2022																										
16	Revenue NOC	09.06.2022																										
17	Notification	19.09.2022																										
18	Public hearing	17.11.2023																										

Consultant Name: AM Enviro Engineers, #90/1, 2nd Floor, Rathnavilas Road, Basavanagudi, Bangalore-560004

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed area is a vacant land and no mining has been carried out by Proponent and informed that the project does not attract violation. The Committee noted the clarification of Proponent as per KML and appraised the project.

The proposal is for pink granite quarry for which SEIAA had issued ToR on 18.05.2023 and public hearing was conducted on 17.11.2023, where opinion/requests of five people had been recorded in public hearing report.

There is an existing cart track road to a length of 960 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 2,39,452 cum (including waste) and estimated the life of mine to be 24 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for maximum annual production of 10,000 cum/annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.
7. To adhere to the compliance given in response to the opinion of public addressed during public hearing.
8. To handle waste generated by obtaining necessary permission.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action

*under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).*

*The PP shall abide by the following conditions;*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.*
- 4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

**Additional Conditions:**

- 1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.*
- 2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.*
- 3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.*
- 4. Dust suppression measures have to be strictly followed.*
- 5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maou, Sampige, Badam, Sandalwood, Honne. Beete, Neem, Honge and other native species in their Project premises.*
- 6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.*
- 7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.*

8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.
16. The PP shall adhere to the compliance given in response to the opinion of public addressed during public hearing.
17. The PP shall handle waste generated by obtaining necessary permission.

**254.3.58. Building Stone Quarry Project at Halepalya Village, Malur Taluk, Kolar District (4-12 Acres) by Smt. Narayanamma - Online Proposal No.SIA/KA/MIN/466239/2024 (SEIAA 25 MIN 2024)**

Smt. Narayanamma have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. No.193 of Halepalya Village, Malur Taluk, Kolar District (4-12 Acres).

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION PROVIDED BY PP
1	Name & Address of the Projects Proponent	Smt. Narayanamma
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.193 of Halepalya Village, Malur Taluk, Kolar District (4-12 Acres) <div style="display: flex; justify-content: space-between;"> <div>Latitude</div> <div>Longitude</div> </div> <div style="display: flex; justify-content: space-between;"> <div>N11°58'36.50"</div> <div>E76°39'58.60"</div> </div> <div style="display: flex; justify-content: space-between;"> <div>N11°58'37.10"</div> <div>E76°39'57.40"</div> </div> <div style="display: flex; justify-content: space-between;"> <div>N11°58'37.90"</div> <div>E76°39'53.60"</div> </div> <div style="display: flex; justify-content: space-between;"> <div>N11°58'39.20"</div> <div>E76°39'54.30"</div> </div> <div style="display: flex; justify-content: space-between;"> <div>N11°58'39.10"</div> <div>E76°39'58.30"</div> </div> <div style="display: flex; justify-content: space-between;"> <div>N11°58'41.70"</div> <div>E76°39'58.50"</div> </div>

3	Type Of Mineral	Building Stone Quarry
4	New/Expansion/Modification/Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Land
6	Area in Acres	4-12 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	4,734 Tons/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs.0.75 Crores (Rs.75 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m/Ton	10,19,914 Tons(including waste)
10	Permitted Quantity Per Annum - Cu.m/ Ton	4,261 Tons/ Annum (excluding waste)
11	<b>CER Activities:</b> 1. To provide 2 nos. of solar street lights to the nearby Halepalya Village, Malur Taluk, Kolar District. 2. Propose take up 1,000 Nos. of additional Plantation both side of nala, in & around Thondavadi govt school, crushing plant area, vicinity of office on either side of the approach road from quarry location to Thondavadi Village Road	
12	EMP Budget	Rs. 5.00 lakhs (Capital Cost) & Rs. 9.00 lakhs (Recurring cost)
13	Quarry plan	07.11.2023(Manual)
14	Cluster Certificate	08.11.2023
15	Forest NOC	21.07.2023
16	Revenue NOC	10.08.2023
17	Notification	14.08.2023

Consultant Name: Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 8th & 9th May 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed land is Government land and the local villagers had removed the mineral for their bonafied use and no mining has been carried out by Proponent till date and hence justified that the proposed project does not attract violation. The Committee noted the clarification.*

*As per the cluster sketch there is no lease in a radius of 500 mtr from the said lease and the total area of the present lease is 4-12 Acres and hence the project is categorized as B2.*

*There is an existing cart track road to a length of 550 meters connecting the lease area to the all-weather black topped road. The Committee informed that the mining operation should be commenced*

after asphaltting the approach road to the quarry as per IRC norms and to grow trees all along the approach road during the first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan with proved mineable reserve of 10,19,914 Tons (including waste) and estimated the life of the quarry to be coterminous with lease period.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 4,734 tons/year (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to refer back the proposal to SEAC for want of clarification regarding discrepancy in Survey Number observed in Common Application Form, Quarry Plan and other NoCs submitted.

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 310<sup>th</sup> SEAC meeting and the Committee had recommended the proposal to SEIAA for grant of EC. The Authority in its 251<sup>st</sup> SEIAA meeting had referred back the proposal informing the following.

"The Authority after discussion decided to refer back the Proposal to SEAC for the want of clarification regarding discrepancy in survey number observed in Common application form, Quarry plan and other NoCs submitted."

In the present meeting the Proponent informed the Committee that due to typographical error they had mentioned the survey number as 193 instead of Sy. No. 93 and presently had revised the details as per approved quarry plan and other NoCs.

The Committee noted the clarification and decided to reiterate its earlier decision taken in 310<sup>th</sup> SEAC meeting and decided to recommend the proposal for SEIAA.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for ~~issue~~ of Environmental Clearance.

**However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).**

**The PP shall abide by the following conditions;**

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

**Additional Conditions:**

1. *The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.*
2. *The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.*
3. *The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.*
4. *Dust suppression measures have to be strictly followed.*
5. *The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Whenever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Marou, Sampiye, Bulam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.*
6. *The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall build a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.*

7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road & buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

#### **254.4. Recommended by SEAC for issue of ToR**

##### **Construction Projects:**

**254.4.1. Proposed Construction of Residential Development Project at Sy.Nos. 37/17, 37/23, 37/24, 37/26, 37/28, 37/29, 37/30, 37/31 of AkkalenahalliMallenahalli Village, Kasaba Hobli, Devanahalli Taluk, Bangalore Rural District by M/s. M.S Ramaiah Ventures LLP- Online Proposal No.SIA/KA/INFRA2/483903/2024 (SEIAA 74 CON 2024).**

M.S Ramaiah Ventures LLP have applied for Environmental clearance from SELAA for Proposed Construction of Residential Development Project at Sy.Nos. 37/17, 37/23, 37/24, 37/26, 37/28, 37/29, 37/30, 37/31 of AkkalenahalliMallenahalli Village, Kasaba Hobli, Devanahalli Taluk, Bangalore Rural District.

**Consultant Name:** Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SELAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The proposal is for issuing ToR for the proposed construction of residential development project with BUA of 8,99,259 Sqm in a plot area of 2,51,981.77 Sqm.*



The Committee decided to recommend the proposal to SEIAA for issue of standard TOR along with the following additional ToR.

1. NoC from KGWA for the source of water during construction and during operation should be submitted.
2. NoC from BMRCL for the proposed project.
3. Details of noise proofing for the proposed hospital facility.
4. To provide STP for labour colony.
5. Provisions for tertiary treatment of water with 100% recycling of sewage water.
6. Height clearance from Atrports authority.
7. Details of drains, water bodies, kharab details and its position on the combined village survey map with reference to project area
8. Detailed conceptual plan and landscape plan, clearly indicating existing buildings / proposed buildings, approach road and details of Kharab areas with buffers as per bylaws.
9. Complete land documents and conversion documents for applied Survey. Nos. and extent
10. Surface hydrological study of surrounding area to be carried out and the carrying capacity of the natural drains to be worked out in order to ascertain the adequacy in the carrying capacity of the drains and with details of strengthening of drains.
11. Details of quantity and kinds of wastes (e-wastes, hazardous wastes and bio-medical wastes) generated and handling the same.
12. Detailed risk and disaster management during and after construction.
13. Quality of nearby lake water and its rejuvenation plan to be detailed.
14. Implementation of Green building concept, provisions for smart metering concept for individual apartments for water consumption details, utilization of the entire terrace for solar power generation and other methods of power savings, provision for electric vehicle charging facility in the proposed project should be detailed
15. Compliance to ECBC guidelines and incorporation of NCB for proposed project should be detailed.
16. Provisions for utilizing 50% of roof area for solar energy.
17. Details regarding processing organic waste in bio-digester and scheme for waste to energy plant to process the entire organic waste generated within the project site and also to process the inorganic waste within the project site
18. Detailed FAR calculations for earlier construction and proposed construction and detailed parking provisions for all kind of vehicles including charging facility for e-vehicles with reference to local zoning authorities should be defined.
19. Detailed Traffic study with respect to proposed expansion and methods of improvising.
20. Ground water potential and level in the study area.
21. Detailed rain water harvesting with respect to annual rainfall and provisions for tanks/sumps/ponds for roof top and along with management of excess storm water.
22. Sampling locations shall be as per standard norms.
23. Activities such as provisions for rejuvenation for water bodies/drains in the vicinity of the project, Public Health Care unit, etc., to be taken up under CSR & CER should be detailed out in physical terms and included as part of EMP.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC and proposed an additional condition to include the mandatory chapter on detailed action plan on measures to be taken by Project Proponent to recharge the ground water commensurate with the quantity of water being extracted for the Project.

With the above condition, the Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

### Mining Projects:

**254.4.2. Building Stone Quarry Project at Sy.No.204/2 of Thirthkundu Village, KhanapurTq& Belagavi Dist. (6-00 Acres) (2.43 Ha) by M/s. Popular Crushers Pvt. Ltd. - Online Proposal No.SIA/KA/MIN/472426/2024 (SEIAA 62 MIN 2024).**

M/s. Popular Crushers Pvt. Ltd. have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy.No.204/2 of Thirthkundu Village, KhanapurTq& Belagavi Dist. (6-00 Acres) (2.43 Ha).

**Consultant Name:** Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukatha, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup>& 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The proposal was earlier considered during 312<sup>th</sup> SEAC meeting and the Committee after discussion decided to defer the proposal for want of clarification from DMG for present site condition.*

*In the present meeting the Proponent submitted clarification from DMG vide letter dated 28.06.2024, informing that the pit caused while blasting in adjacent lease area with QL 1639 and mineral of about 5000 MT is stocked within the site area and Proponent has agreed to pay royalty before dispatching the mineral. The Committee noted the clarification.*

*The proposal is for building stone quarry in lease area of 6-00 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 29.08.2018 and approved mining plan on 19.04.2024.*

*The Proponent requested the Committee to consider the following proposals 1. SEIAA 62 MIN 2024, 2. SEIAA 430 MIN 2023 & 3. SEIAA 16 MIN 2024 to issue combined ToR as the lease areas are within the same cluster.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard combined ToR for 1. SEIAA 62 MIN 2024, 2. SEIAA 430 MIN 2023 & 3. SEIAA 16 MIN 2024 along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Dust mitigation methods considering nearby habitation

4. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
5. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
6. Site specific CER and afforestation details (compensatory plantation).
7. Waste handling details.
8. Details of drain and its mitigation measures.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.3. Building Stone (M-sand) Quarry Project at Sy.No. 200/3 of Thirthakunde Village, Khanapura Taluk, Belagavi District (5-00 Acres) by Sri Aditya Savant SIA/KA/MIN/443969/2023 (SEIAA 430 MIN 2023)**

Sri Aditya Savant have applied for Environmental clearance from SEIAA for Building Stone (M-sand) Quarry Project at Sy.No. 200/3 of Thirthakunde Village, Khanapura Taluk, Belagavi District.

**Consultant Name:** Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The proposal was earlier considered during 304<sup>th</sup> SEAC meeting and as the Proponent remained absent, the Committee had deferred the project.*

*In the present meeting the, the Committee noted that the proposal is for building stone quarry in lease area of 5-03 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 13.09.2022 and approved mining plan on 14.08.2023.*

*The Committee sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by Proponent till date and the proposed project does not attract violation. The Committee noted the clarification.*

*The Proponent requested the Committee to consider the following proposals 1. SEIAA 62 MIN 2024, 2. SEIAA 430 MIN 2023 & 3. SEIAA 16 MIN 2024 to issue combined ToR as the lease areas are within the same cluster.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard combined ToR for 1. SEIAA 62 MIN 2024, 2. SEIAA 430 MIN 2023 & 3. SEIAA 16 MIN 2024 along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Dust mitigation methods considering nearby habitation
4. Clarification from DMG regarding present site condition.
5. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
6. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
7. Site specific CER and afforestation details (compensatory plantation).
8. Waste handling details.
9. Details of drain and its mitigation measures.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.4. Building Stone (M-sand) Quarry Project at Sy.No.122/2, 3 & 4 (P) of Ranakunde Village, Belagavi Taluk & District (9-00 Acres) by Sri Anant K Savant SLA/KA/MIN/444039/2023 (SEIAA 431 MIN 2023)**

Sri Anant K Savant have applied for Environmental clearance from SEIAA for Building Stone (M-sand) Quarry Project at Sy.No.122/2, 3 & 4 (P) of Ranakunde Village, Belagavi Taluk & District.

**Consultant Name:** Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The proposal was earlier considered during 304<sup>th</sup> SEAC meeting and as the Proponent remained absent, the Committee had deferred the project.*

*In the present meeting the, the Committee noted that the proposal is for building stone quarry in lease area of 9-00 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 22.03.2022 and approved mining plan on 14.08.2023.*

*The Committee sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by Proponent till date and the proposed project does not attract violation. The Committee noted the clarification.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard ToR for along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Dust mitigation methods considering nearby habitation
4. Clarification from DMG regarding present site condition.
5. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
6. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
7. Site specific CER and afforestation details (compensatory plantation).
8. Waste handling details.
9. Details of drain and its mitigation measures.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.5. Extraction of Shahabad Stone Quarry Project at Sy.No.110/\*2 of Miriyan Village, Chincholi Taluk, Kalaburagi District (3-00 Acres) by Sri Kistappa - Online Proposal No.SIA/KA/MIN/479645/2024 (SEIAA 99 MIN 2024)**

Sri Kistappahave applied for Environmental clearance from SEIAA forExtraction of Shahabad Stone Quarry Project at Sy.No.110/\*2 of Miriyan Village, Chincholi Taluk, Kalaburagi District (3-00 Acres).

The subject was discussed in the SEAC meeting held on 18<sup>th</sup>& 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by Proponent till date and hence justified that the proposed project does not attract violation. The Committee noted the clarification.*

*The Proponent requested the Committee to use the existing baseline data collected of the lease falling in the same cluster for which ToR was issued on 21.10.2023 with file number SEIAA 309 MIN 2023.*

*The proposal is for building stone quarry in lease area of 3-00 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 03.06.2022 and approved mining plan on 11.08.2022.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard ToR along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Clarification from DMG regarding present site condition.
4. Dust mitigation methods considering nearby habitation

5. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
6. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
7. Site specific CER and afforestation details (compensatory plantation).
8. Waste handling details.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.6. Building Stone Quarry Project at Sy. Nos. 432/4, 432/7 & 432/8 of Uchangidurga Village, Harapanahalli Taluk, Vijayanagara District (7.23 Acres) by Sri Anjaneya Stone Crusher, Sri ShivanpalaBhimappa- Online Proposal No.SIA/KA/MIN/484528/2024 (SEIAA 98 MIN 2024)**

Sri Anjaneya Stone Crusher, Sri ShivanpalaBhimappa have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. Nos. 432/4, 432/7 & 432/8 of Uchangidurga Village, Harapanahalli Taluk, Vijayanagara District (7.23 Acres).

**Consultant Name:** Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramalah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that there was a temporary shed and it has already been shifted and no mining has been carried out by Proponent till date and hence justified that the proposed project does not attract violation. The Committee noted the clarification. Further, the Committee sought clarification for drain as per village map, for which Proponent informed that as per Tashildar letter dated 17.08.2023, there is no drain and there is no foot kharab and the one seen in KML is not for public purpose and is used only as approach road to crusher.*

*The Proponent requested the Committee to use the existing baseline data collected of the lease falling in the same cluster for which ToR was issued on 27.03.2024 with file number SEIAA 18 MIN 2024.*

*The proposal is for building stone quarry in lease area of 7-23 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 26.09.2022 and approved mining plan on 31.10.2023.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard ToR along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Clarification from DMG regarding present site condition.

4. Revenue NoC
5. Dust mitigation methods considering nearby habitation
6. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
7. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
8. Site specific CER and afforestation details (compensatory plantation).
9. Waste handling details.
10. Details of drain and its mitigation measures.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.7. Extracting of Building Stone Quarry Project at Sy.No.413/B7 of Ucchangidurga Village, Harapanahalli Taluk, Vijayanagara District (4.60 Acres) by Sri Anjaneya Stone Crusher, Sri ShivanpalaBhimappa - Online Proposal No.SLA/KA/MIN/484621/2024 (SEIAA 97 MIN 2024)**

Sri Anjaneya Stone Crusher, Sri ShivanpalaBhimappa have applied for Environmental clearance from SEIAA for Extracting of Building Stone Quarry Project at Sy.No.413/B7 of Ucchangidurga Village, Harapanahalli Taluk, Vijayanagara District (4.60 Acres).

**Consultant Name:** Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by Proponent till date and hence justified that the proposed project does not attract violation. The Committee noted the clarification. Further, the Committee sought clarification for drain as per village map, for which Proponent informed that as per Tashildar letter dated 17.08.2023, there is no drain and foot kharab is not for public purpose used only as approach road to crusher.

The Proponent requested the Committee to use the existing baseline data collected of the lease falling in the same cluster for which ToR was issued on 23.07.2024 with file number SEIAA 18 MIN 2024.

The proposal is for building stone quarry in lease area of 4.60 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 14.10.2022 and approved mining plan on 31.10.2023.

The Committee decided to recommend the proposal to SEIAA for issue of standard ToR along with the following additional ToR to conduct EIA studies along with Public Hearing.

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Clarification from DMG regarding present site condition.
4. Revenue NoC
5. Dust mitigation methods considering nearby habitation
6. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
7. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
8. Site specific CER and afforestation details (compensatory plantation).
9. Waste handling details.
10. Details of drain and its mitigation measures.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.8. Extraction of Building Stone Quarry Project at Sy. Nos.130/1, 130/2, 130/3, 131/1, 131/2, 131/3, 131/4, 131/5 of Doddamavathuru Village, Kunigal Taluk, Tumkur District (4-00 Acres) by M/s. SDM Stone Crusher - Online Proposal No.SIA/KA/MIN/484861/2024 (SELAA 105 MIN 2024)**

M/s. SDM Stone Crusher have applied for Environmental clearance from SELAA for Extraction of Building Stone Quarry Project at Sy. Nos.130/1, 130/2, 130/3, 131/1, 131/2, 131/3, 131/4, 131/5 of Doddamavathuru Village, Kunigal Taluk, Tumkur District (4-00 Acres)

**Consultant Name:** Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramalah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SELAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by Proponent till date and only sheet rock is exposed and hence justified that the proposed project does not attract violation.*

*The proposal is for building stone quarry in lease area of 4.60 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 05.09.2023 and approved mining plan on 18.06.2024.*

*The Committee decided to recommend the proposal to SELAA for issue of standard ToR along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Clarification from DMG regarding present site condition.



4. Dust mitigation methods considering nearby habitation
5. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
6. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
7. Site specific CER and afforestation details (compensatory plantation).
8. Waste handling details.
9. Details of drain and its mitigation measures.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.9. Building Stone Quarry Project at Sy. Nos.177/3 & 177/4 of Thirthakunde Village, Khanapura Taluk, Belagavi District (3-00 Acres) (1.21 Ha) by Sri Anant K Savant - Online Proposal No.SIA/KA/MIN/444082/2023 (SELAA 16 MIN 2024).**

Sri Anant K Savant have applied for Environmental clearance from SELAA for Building Stone Quarry Project at Sy. Nos.177/3 & 177/4 of Thirthakunde Village, Khanapura Taluk, Belagavi District (3-00 Acres) (1.21 Ha).

Consultant Name: Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SELAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 312<sup>th</sup> SEAC meeting and as per the request of the Proponent, the Committee deferred the proposal to grant combined ToR with another two proposals.

In the present meeting, the Proponent informed the Committee that the proposal is for building stone quarry in lease area of 3-00 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 29.12.2018 and approved mining plan on 15.10.2020 and notification on 11.08.2020.

The Committee sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by Proponent till date and the proposed project does not attract violation. The Committee noted the clarification.

The Proponent requested the Committee to consider the following proposals 1.SELAA 62 MIN 2024, 2.SELAA 430 MIN 2023 & 3.SELAA 16 MIN 2024 to issue combined ToR as the lease areas are within the same cluster.

The Committee decided to recommend the proposal to SELAA for issue of standard combined ToR for 1. SELAA 62 MIN 2024, 2. SELAA 430 MIN 2023 & 3. SELAA 16 MIN 2024 along with the following additional ToR to conduct EIA studies along with Public Hearing.

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Dust mitigation methods considering nearby habitation
4. Clarification from DMG regarding present site condition.
5. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
6. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
7. Site specific CER and afforestation details (compensatory plantation).
8. Waste handling details.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.10. Building Stone (M-Sand) Quarrying Project at Sy. Nos.72/2, 72/3 of Hulikatti Village, Belagavi Taluk, Belagavi District (8-18 Acres) by M/s. Aaditya Resources - Sri Shegar Raghavan - Online Proposal No.SIA/KA/MIN/476419/2024 (SEIAA 65 MIN 2024)**

M/s. Aaditya Resources - Sri Shegar Raghavan have applied for Environmental clearance from SEIAA for Building Stone (M-Sand) Quarrying Project at Sy. Nos.72/2, 72/3 of Hulikatti Village, Belagavi Taluk, Belagavi District (8-18 Acres)

**Consultant Name:** Ecomen Mining Pvt. Ltd. (formerly known as Ecomen Laboratories Pvt Ltd.), Second Floor Hall, House no. B -1/8, Sector -H, Aliganj, Lucknow - 226024.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The proposal was earlier considered in 313<sup>th</sup> SEAC meeting and the Committee had deferred the project to get clarification from DMG regarding the present site condition.*

*In the present meeting the Proponent submitted clarification from DMG dated 29.06.2024, informing that no illegal mining carried out in the proposed area. The Committee noted the clarification.*

*The proposal is for building stone quarry in lease area of 8-18 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Forest NoC on 15.04.2023 and approved mining plan on 19.04.2024.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard ToR along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Clarification from DMG regarding present site condition.

4. Dust mitigation methods considering nearby habitation
5. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
6. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
7. Site specific CER and afforestation details (compensatory plantation).
8. Waste handling details.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.11. Extraction of Pink Granite Quarry Project at Sy Nos. 2/3B & 2/3A of Hanamanal ST Village, Ilkal Taluk, Bagalkote District (5-01 Acres) by Sri Yamanappa S Hoolageri - Online Proposal No.SIA/KA/MIN/479620/2024 (SEIAA 100 MIN 2024).**

Sri Yamanappa S Hoolageri have applied for Environmental clearance from SEIAA for Extraction of Pink Granite Quarry Project at Sy Nos. 2/3B & 2/3A of Hanamanal ST Village, Ilkal Taluk, Bagalkote District (5-01 Acres)

**Consultant Name:** Horizon Ventures, 4, Anaga, Devasandra, New BEL Road, Opposite M S Ramaiah Hospital, Bangalore - 560 094, Karnataka.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that as per DMG letter dated 14.06.2024, the working is prior to 27.02.2012 and had paid the fine of 40.25 Lakhs and no mining has been carried out by Proponent till date and hence justified that the proposed project does not attract violation. The Committee noted the clarification.*

*The Proponent requested the Committee to use the existing baseline data collected of the lease falling in the same cluster for which ToR was issued on 10.02.2022 with file number SEIAA 668 MIN 2021.*

*The proposal is for building stone quarry in lease area of 5-01 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained approved mining plan on 28.05.2024.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard ToR along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic studies.
3. Dust mitigation methods considering nearby habitation

4. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
5. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
6. Site specific CER and afforestation details (compensatory plantation).
7. Waste handling details.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.12. Extraction of quartzite mineral part of Sy. No. 332/1 of Hulikatti Village, Savadatti Taluk Belagavi District (129-28 Acres) by M/s. Jimmy Sales & Research - Online Proposal No.SIA/KA/MIN/472150/2024 (SEIAA 48 MIN 2024)**

M/s. Jimmy Sales & Research have applied for Environmental clearance from SEIAA for Extraction of quartzite mineral part of Sy. No. 332/1 of Hulikatti Village, Savadatti Taluk Belagavi District (129-28 Acres)

Consultant Name: Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The proposal was earlier considered in 313<sup>th</sup> SEAC meeting and the Committee had noted that in the revised topo sheet with boundary markings of proposed area was not approved by DMG and has also informed the Proponent to get clarification from DMG for crusher proposed inside the surface plan and had deferred the proposal.*

*In the present meeting the Proponent submitted revised topo sheet approved by DMG and also informed the Committee that the crusher area is not considered while notifying the proposed area. The Committee noted the clarification.*

*The proposal is for quartzite mineral mining in lease area of 129-28 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained approved mining plan on 04.05.2024 and forest noc on 23.08.2023.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard ToR along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Detailed pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. To submit wild life conservation plan approved from DCF.
3. Clarification for submitting two different toposheet.
4. Details of buffer from the crusher area.
5. Traffic studies.

6. Dust mitigation methods considering nearby habitation
7. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
8. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
9. Site specific CER and afforestation details (compensatory plantation).
10. Waste handling details.
11. Mitigative measures considering drain

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.4.13. Ordinary Building Stone Quarry Project at Sy.Nos.36/2, 34/5(P) of Jainapur Village, Chikkodi Taluk, Belagavi District (8-04 Acres) by Sri Mahalaxmi Stone Crusher, Partner: Sri. AlagoudaGiregouda Patil - Online Proposal No.SIA/KA/MIN/485256/2024 (SEIAA 116 MIN 2024)**

Sri Mahalaxmi Stone Crusher, Partner: Sri. AlagoudaGiregouda Patil have applied for Environmental clearance from SEIAA for Ordinary Building Stone Quarry Project at Sy.Nos.36/2, 34/5(P) of Jainapur Village, Chikkodi Taluk, Belagavi District (8-04 Acres)

Consultant Name: Sri. M. S. Ashwatha Narayana, S/o Sri. M. Subba Sastry, R/ At Flat # 203, Sai Srinivasa Residency, 118/6, 7th Cross, 6th Block, C K Achukattu, BSK 3<sup>rd</sup> Stage, Bangalore - 560 085

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Standard ToR along with additional ToRs and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that the proposed area is a fresh land, the road seen as per google map, is not a notified road and no mining has been carried out by Proponent till date and informed that the proposed project does not attract violation. The Committee noted the justification of Proponent.*

*The proposal is for building stone quarry in lease area of 8-04 Acres. As the area considered for cluster is more than the threshold limit of 5 Ha, the project is categorized as B1. The Proponent had obtained Notification on 16.05.2024 and approved quarry plan on 16.05.2024.*

*The Committee decided to recommend the proposal to SEIAA for issue of standard ToR along with the following additional ToR to conduct EIA studies along with Public Hearing.*

1. Cumulative pollution load taking into account of cluster with wind rose diagram and isopleth map and should be submitted in detail.
2. Traffic and soil sample studies.
3. Foreset NoC with annexures.

4. Clarification from DMG regarding present site condition.
5. Dust mitigation methods considering nearby habitation
6. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
7. Improvements to the approach road as per IRC (Indian Road Congress) standard norms.
8. Site specific CER and afforestation details (compensatory plantation).
9. Waste handling details.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.

**254.5. Recommended by SEAC for Rejection of Proposal.**

**Construction Projects:**

- 254.5.1. Residential Apartment (with Club House) / Commercial Building Project at Sy.No.52/2 of Doddabettanahalli Village, Yelahanka Hobli, Bangalore North Taluk, Bengaluru Urban District by Sri Abdul Azeem - Online Proposal No.SIA/KA/INFRA2/469402/2024 (SEIAA 29 CON 2024)**

Sri Abdul Azeem have applied for Environmental clearance from SEIAA for Residential Apartment (with Club House) / Commercial Building Project at Sy.No.52/2 of Doddabettanahalli Village, Yelahanka Hobli, Bangalore North Taluk, Bengaluru Urban District.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for reject the proposal and the extract of the proceedings of the Committee meeting is as below:

*This project was considered during 311<sup>th</sup> SEAC meeting as the Proponent remained absent the Committee had defer the appraisal of the Project.*

*In the Present meeting the Proponent informed that due to changes in BUA, configuration they have submitted revised proposal and requested to withdraw the current proposal.*

*The Committee after discussion decided to recommend the proposal to SEIAA for rejection.*

*The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to delist the Proposal.*

**254.6. Recommended by SEAC for Amendment to EC/ToRs.**

**Construction Projects:**

- 254.6.1. Proposed Residential Development Project at Sy. Nos.85, 86, 87/1, 87/2, 88, 91, 92 of Bellahalli Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru Urban**

District by M/s. Bhartiya Urban Private Limited - Online Proposal No.SIA/KA/INFRA2/474284/2024 (SELAA 245 CON 2023).

M/s. Bhartiya Urban Private Limited have applied for Amendment to Environmental clearance from SELAA for Proposed Residential Development Project at Sy. Nos.85, 86, 87/1, 87/2, 88, 91, 92 of Bellahalli Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru Urban District by M/s. Bhartiya Urban Private Limited.

Consultant Name:M/ s Environmental Health & Safety Consultants Pvt. Ltd., No. 13/2, 1<sup>st</sup> main Road near fire station, Industrial Town, Rajajinagar, Bengaluru - 560010

The subject was discussed in the SEAC meeting held on 18<sup>th</sup>& 19<sup>th</sup> July 2024. The Committee has recommended to SELAA for issue of Amendment to ToR and the extract of the proceedings of the Committee meeting is as below:

*The proposal is for amendment of ToR issued by SELAA dated 18.11.2023, for the following changes,*

Sl. No.	Description	Details as per the ToR Obtained dt: 18.11.2023	Revised details
1	Project Type	Proposed Residential Development	Proposed Residential Development
2	Entity Name	M/s. Bhartiya Urban Private Limited	M/s. Bhartiya Urban Private Limited
3	Project Location	Sy. Nos. 85, 86, 87/1, 87/2, 88, 91 & 92, Bellahalli Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru Urban District.	Sy. Nos. 85, 86, 87/1, 87/2, 88, 91 & 92, Bellahalli Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru Urban District.
4	Total Site area	48,561.87 Sqmt (12 Acres)	48,561.87 Sqmt (12 Acres)
5	Kharab Area	505.85 Sqmt	505.85 Sqmt
6	Net Site area for development	48,056.02 Sqmt	48,056.02 Sqmt
7	Ground Coverage Area	7,686.16 Sqmt (15.99%)	14,021.0 Sqmt (29.18%)

8	Area left for road widening	77.18 Sqmt (0.16%)	77.18 Sqmt (0.16%)
9	Civic amenities	2,402.80 Sqmt (5.00%)	2,402.80 Sqmt (5.00%)
10	Landscape area	15,863.65 Sqmt (33.01%)	15,863.5 Sqmt (33.01%)
11	Driveway Ramp	10,752.62 Sqmt (22.38%)	9,615.0 Sqmt (20.01%)
12	Service area	584.78 Sqmt (1.22%)	600.01 Sqmt (1.25%)
13	Surface Parking area	2,402.80 Sqmt (5.00%)	2,229.01 Sqmt (4.64%)
14	Open area	8,286.03 Sqmt (17.24%)	3,247.37 Sqmt (6.76%)
15	Total Built-up Area	2,42,601.87 Sqmt	2,14,082 Sqmt
16	No. of units	1,396 Nos. & a Clubhouses.	1406 Nos. & a Clubhouses
17	Configuration	Units in 8 Towers - 3B+G+20UF Clubhouse - G+1UF	Block-1 & 3 (Wing 1,2,3,4,5&6) - 3B+G+24UF Block-2 (Amenity Block): 3B+G+4UF Block 4,5,6&7: 1B+G+4UF
18	Maximum Height of the building	73.5 m	79.5 m
19	FAR Achieved	2.98 (1,36,960.92 Sqmt)	2.997 (1,36,822.70 Sqmt)
20	Achieved Ground coverage area	7,686.16 Sqmt (15.99%)	14,021.0 Sqmt (29.18 %)



21	Total Parking provided	1,680 Nos.	1,622 Nos.
22	Water Requirement	1,845 KLD	1,104 KLD
23	Waste water Generation	836 KLD	883 KLD
24	STP Capacity	460 & 490 KLD	505 KLD X 2 nos.
25	Total Solid waste generated	4.7 MT/day	2.7 MT/day
26	Total Organic Waste generated	1.9 MT/day	1.1 MT/day
27	Total Inorganic Waste generated	2.8 MT/day	1.6 MT/day
28	Energy Requirement	2,580 kVA	2,170 kVA
29	DG	500 kVA X 5 Nos. & 320 kVA X 2 Nos.	500 kVA X 5 Nos. & 320 kVA X 1
30	Transformers	750 kVA X 4 Nos.	630 kVA X 4 Nos.
31	Roof Water Collection Sump	399 Cum (204 Cum & 195 Cum)	841 Cum (281 Cum & 560 Cum)
32	No. of recharge pits	23 Nos.	32 Nos.
33	Project cost	Rs. 399.5 Crores	Rs. 260 Crores

The Committee noted the changes and after discussion decided to recommend the proposal to SEIAA for amendment to ToR, with following additional ToR,

1. Proponent to comeup with plan for utilizing excess treated water within the site area
2. Provisions for tertiary treatment of water with 100% recycling of sewage water.
3. To have 100% battery backup instead of DG sets or to incorporate catalytic converter for DG sets.
4. To provide STP with anoxic tank.
5. To verify whether the source of water is from BWSSB for the proposed project.

All other conditions remains same and unchanged for the ToR issued by SEIAA on 18.11.2023.

The Authority perused the proposal and took note of the recommendation made by SEAC and proposed an additional condition to include the mandatory chapter on detailed action plan on

*measures to be taken by Project Proponent to recharge the ground water commensurate with the quantity of water being extracted for the Project.*

*With the above condition Authority after discussion decided to issue of Amendment to ToR as requested by the Project Proponent.*

**254.6.2. Residential Building Project at plot Nos.R-9-D1, R-9-D2, R-9-D1-P & R-9-D2-P of Hitech, defence& Aerospace Park, (Hardware sector) comprised in Sy. Nos.176, 177, 470, 471 of Bagalur Village and Sy.Nos.176 & 82 of Hoovinayakanahalli Village, Jala Hobli, Bengaluru North Yelahanka Taluk, Bengaluru Urban District by M/s. Netra Software Technologies Pvt. Ltd - Online Proposal No.SIA/KA/INFRA2/488037/2024 (SEIAA 121 CON 2023)**

M/s. Netra Software Technologies Pvt. Ltd have applied for amendment to Environmental clearance from SELAA for Residential Building Project at plot Nos.R-9-D1, R-9-D2, R-9-D1-P & R-9-D2-P of Hitech, defence& Aerospace Park, (Hardware sector) comprised in Sy. Nos.176, 177, 470, 471 of Bagalur Village and Sy.Nos.176 & 82 of Hoovinayakanahalli Village, Jala Hobli, Bengaluru North Yelahanka Taluk, Bengaluru Urban District.

The subject was discussed in the SEAC meeting held on 18<sup>th</sup> & 19<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Amendment to EC and the extract of the proceedings of the Committee meeting is as below:

*The proposal is for issue of amendment to EC issued by SEIAA on 24.08.2023. The Proponent had submitted CCR from MoEF&CC dated 30.05.2024, informing that the Proponent has not started any construction.*

*The Proponent informed that due to the requirement of KIADB to provide EWS units in the proposed project they had applied for amendment to incorporate EWS units and requested the Committee to issue an amendment with the following changes,*

Sl. No.	Particulars	Project Description		Remarks
		As per Existing EC	As per Proposed	
1	Total Site Area	33,516.00Sq.m		No Change
2	Chic Amenities Area	1,675.85Sq.m		No Change
3	Net Developable Area	31,840.25Sq.m		No Change
4	Coordinates	13° 8'54.07"N 77° 40'51.67"E		No Change
5	Total Built-up Area	1,39,042.38Sq.m	1,39,042.39Sq.m	Increase of 0.01Sq.m
6	Cost of the Project	200 Crores		No Change
7	FAR Allowed for the Project	3.25		No Change
8	Landscape Area	10,666.22 Sq.m		No Change
9	Number of Building and Levels	Tower A1 – A 5 with 1 Basement Floor + Ground Floor + Eighteen Upper Floors + Terrace Floor Club House – 1 Basement Floor + Ground Floor + Mezzanine Floor + First Floor + Second Floor + Terrace Floor		No Change
10	Activity	Residential Apartment Complex with Club House		No Change
11	No. of Flats	786 Units (428 Nos. – 3 BHK, 286 Nos. – 2 BHK and 72 Nos – EWS)	992 Units (436 Nos. – 3 BHK, 278 Nos. – 2 BHK and 278 Nos – EWS)	Increase of 206 Units
12	Total Occupancy	4,715 People (Including Visitors)	5,630 People (Including Visitors)	Increase if 915 People
13	Height of the Building	57.84m		No Change
14	Parking Facilities	825 Car Parking slots	952 Car Parking Plots	Increase of 127 Car Parking Slots

Sl. No.	Particulars	Project Description		Remarks
		As per Existing EC	As per Proposed	
15	Water Demand	599KLD	714 KLD	Increase of 115KLD
16	Sources of Water	through KIADB, Rooftop Rainwater and Treated water		No Change
17	Wastewater Generation	479KLD	571KLD	Increase of 92KLD
18	Wastewater Treatment Plant	540KLD	650KLD	Increase of 110KLD
19	Use of Treated Water	Landscaping, Toilet Flushing, etc.		No Change
20	Power Demand	3,085 KVA	5,295 KVA	Increase of 2,213KVA
21	Source of Power	Bengaluru Electricity Supply Company (BESCOM)		No Change
22	Backup Power	625KVA x 4Nos.	500KVA x 4Nos.	Decrease of 500KVA Capacity
23	Fuel for DG Sets	High Speed Diesel with Low Sulphur Content of 10ppm		No Change
24	Renewable Energy	Solar Water Heaters for top 2 floors of the residential buildings		No Change
25	Solid Waste Generation and Disposal	Organic Solid Waste - 849kg/day Inorganic Solid Waste - 1,273kg/day STP Sludge - 25kg/day	Organic Solid Waste - 1,013kg/day Inorganic Solid Waste - 1,520kg/day STP Sludge - 32.5kg/day	Increase of 418.5kg/day
26	Rainwater Harvesting	380cum Sump for Rooftop rainwater Harvesting and 14 Recharge Pits for Storm Water Harvesting	400cum Sump for Rooftop rainwater Harvesting and 14 Recharge Pits for Storm Water Harvesting	Increase of 20cum of Rooftop Rainwater Harvesting Sump Capacity

The Committee sought clarification regarding source of water in the proposed project. The Proponent submitted revised information, informing that the source of water is from KIADB. The Committee noted the details.

Further, the Committee noted the changes requested by Proponent for the amendment and the Committee after discussion decided to recommend the proposal to SEIAA for issue of amendment to EC with a condition that,

1. Proponent shall obtain a hydrogeological study report from CGW accredited consultant regarding the availability of fresh water and then obtain KGWA clearance for drilling & extracting ground water.

And all other conditions remain same and unchanged for the EC issued by SEIAA on 24.08.2023.

The Authority perused the proposal and took note of the recommendation made by SEAC and proposed an additional condition to submit detailed action plan on measures to be taken by Project

*Proponent to recharge the ground water commensurate with the quantity of water being extracted for the Project.*

*With the above condition, the Authority after discussion decided to issue of Amendment to EC as requested by the Project Proponent.*

**254.6.3. Amendment of Affordable Housing Development with Social Infrastructure" R-9-A, Hardware Sector at Hitech Defence and Aerospace Park, comprised in Sy.No.177 (Block No.1), 470, and 471, Bagalur Village, Jala Hobli, Bengaluru North Yelahanka Taluk, Bengaluru Urban District by M/s. Vedant Homes - Online Proposal No.SIA/KA/INFRA2/472636/2024 (SEIAA 163 CON 2023)**

M/s. Vedant Homes have applied for amendment Environmental clearance from SEIAA for Affordable Housing Development with Social Infrastructure" R-9-A, Hardware Sector at Hitech Defence and Aerospace Park, comprised in Sy.No.177 (Block No.1), 470, and 471, Bagalur Village, Jala Hobli, Bengaluru North Yelahanka Taluk, Bengaluru Urban District.

Consultant Name:M/ s Environmental Health & Safety Consultants Pvt. Ltd., No. 13/2, 1<sup>st</sup> main Road near fires station, Industrial Town, Rajajinagar, Bengaluru - 560010

The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2024. The Committee has recommended to SEIAA for issue of Amendment to EC and the extract of the proceedings of the Committee meeting is as below:

*The proposal is for issue of amendment to EC issued by SEIAA on 10.11.2023. The Proponent had informed the Committee that they have not started any construction and justified it with google timeline images. The Committee noted the details.*

*The Proponent informed that due to the requirement of KIADB to provide EVS units in the proposed project they have applied for amendment to incorporate EVS units and requested the Committee to issue an the amendment with the following changes,*

Sl. No.	Particulars	Project Description		Remarks
		As per Environment Clearance	As per Proposed Expansion	
1	Total Site Area	12,130.00Sq.m		No Change
2	Coordinates	13° 8' 47.61" N 77° 40' 51.20" E		No Change
3	Total Built-up Area	62,191.64Sq.m	62,281.33Sq.m	Increase of 89.69Sq.m
4	Cost of the Project	88.20 Crores		No Change
5	FAR Allowed for the Project	3.25		No Change
6	Landscape Area	4,040.27 Sq.m		No Change
7	Number of Building and Levels	2 Wing with 2 Basement Floor + Ground Floor + Twenty Six Upper Floors + Terrace Floor Restaurant & Retail (Social Infrastructure) - 2 Basement + Ground Floor + 2 Upper Floors		Change in nomenclature from Restaurant to Social Infrastructure
8	Activity	Residential Apartment Complex and Restaurant (Commercial)	Affordable Housing Development with Social Infrastructure (Restaurant & Retail)	Change in nomenclature of the project due to introduction of EWS Dwelling Units
9	No. of Flats	204 Units (200 Units - 3 BHK and 4 units - 4 BHK)	304 Units (100 Units EWS + 108 Units 3BHK and 96 units 4 BHK)	Increase of 100 EWS Units and internal modification by reduction of unit sizes

Sl. No.	Particulars	Project Description		Remarks
		As per Environment Clearance	As per Proposed Expansion	
10	Total Occupancy	1,566 People (including Visitors) + 1,802 Seats in Restaurant	1,892 People (including Visitors) + 1,802 Seats in Restaurant & Retail Visitors	Increase in 326 People due to addition of 100 EWS Units and Internal modification in unit sizes
11	Height of the Building	82.45m		No Change
12	Parking Facilities	423 Car Parking slots	411 Car Parking Slots	Reduction of 12 Car Parking slots. Car Parking slots are proposed as per norms.
13	Water Demand	326 KLD	367 KLD	Increase of 41 KLD
14	Sources of Water	through KIADB, Rooftop Rainwater and Treated water		No Change
15	Wastewater Generation	261KLD	294 KLD	Increase of 33 KLD
16	Wastewater Treatment Plant	295KLD (115KLD + 180KLD)	335KLD (115KLD + 220KLD)	Increase of 40KLD
17	Use of Treated Water	Landscaping, Toilet Flushing, Make-up water for HVAC, etc.		No Change
18	Power Demand	2,090 KVA	2,488 KVA	Increase of 398 KVA
19	Source of Power	Bengaluru Electricity Supply Company (BESCOM)		No Change

Sl. No.	Particulars	Project Description		Remarks
		As per Environment Clearance	As per Proposed Expansion	
20	Backup Power	250KVA x 1No. + 500KVA x 2 Nos.	500KVA x 3Nos	Proposed addition 500KVA DG Set instead of 250KVA DG Set
21	Fuel for DG Sets	High Speed Diesel with Low Sulphur Content of 10ppm		No Change
22	Renewable Energy	Solar Water Heaters for top 2 floors of the residential buildings		No Change
23	Solid Waste Generation and Disposal	Total Solid Waste – 1,065kg/day Organic Solid Waste – 426kg/day Inorganic Solid Waste – 639kg/day STP Sludge – 14.75kg/day	Total Solid Waste – 1,212kg/day Organic Solid Waste – 485kg/day Inorganic Solid Waste – 727kg/day STP Sludge – 15.75kg/day	Increase in total solid waste generation by 147 Kg/day (Increase in Organic waste by 59kg/day and Inorganic waste by 88 kg/day) Increase in STP sludge by 1kg/day
24	Rainwater Harvesting	140cum Sump for Rooftop rainwater Harvesting and 6Nos. of Recharge Pits for runoff Water Harvesting		No Change

The Committee sought clarification regarding source of water in the proposed project. The Proponent submitted revised information, informing that the source of water to be met from KLADB. The Committee noted the details.

Further, the Committee noted the changes requested by Proponent for the amendment and the Committee after discussion decided to recommend the proposal to SEIAA for issue of amendment to EC and with a condition that,

Proponent shall obtain a hydrogeological study report from CGW accredited consultant regarding the availability of fresh water and then obtain KGWA clearance for drilling & extracting ground water.

And all other conditions remain same and unchanged for the EC issued by SEIAA on 24.08.2023.

The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue of Amendment to EC as requested by the proponent with an additional condition to submit detailed action plan on measures to be taken by Project Proponent to recharge the ground water commensurate with the quantity of water being extracted for the Project.

With the above condition, the Authority after discussion decided to issue of Amendment to EC as requested by the Project Proponent.

**254.7. Any other subjects [with the permission of Chair]:**

**Reconsider/ Defer Projects: Mining Projects:**

**254.7.1. Ramghad Manganese & Iron Ores Mine (Mining Lease No.2679) falling in Swaminimalai and Ramanamalai forest blocks Project (production of 0.216 Million Tonnes Per Annum (MTPA) Iron Ore production of 0.216 MTPA by retaining the existing manganese ore production of 0.05 MTPA involving total excavation of 1.297 MTPA inclusive of waste along with handling of 0.327 MT of already stocked incidental iron ore within first two years) at Ramghad & Subbarayanahalli Villages, Sandur Taluka, Ballari District by M/s. The Sandur Manganese & Iron Ores Limited (139.20 Ha) - Online Proposal No.SIA/KA/MIN/466595/2024 (SEIAA 287 MIN 2023)**

M/s The Sandur Manganese & Iron Ores Limited have applied for Environmental clearance from SEIAA for Ramghad Manganese & Iron Ore Mines, Mining Lease No.2679, Ramghad and Subbarayanahalli Village, Sandur Taluk, Ballari District

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION Provided by PP
1	Name & Address of the Project Proponent	The Sandur Manganese & Iron Ores Limited 'SATYALAYA', No. 266, Ward No. 1 Palace Road, Sandur, Bellary District Karnataka - 583 119
2	Name & Location of the Project	Ramghad Manganese & Iron Ore Mines, Mining Lease No.2679, Ramghad and Subbarayanahalli



		Village, Sandur Taluk, Ballari District
3	Co-ordinates	N14°59' 55.43" to N19°08'15.86", E76°34' 45.92" to E76°26'51.07"
4	Type of Mineral	Iron ore production of 0.216 MTPA By retaining the existing manganese ore production of 0.05 MTPA involving total excavation of 1.297 MTPA(RoM of (MN ore & Iron ore) + waste + top soil)along with handling of 0.327 million tones of already stocked incidental iron ore within first two years & proposed 200 tph Crushing & screening plant
5	New/expansion/modification/renewal	Expansion
6	Type of Land [Forest, Government Revenue, Gomal, Private/Parita, Other]	Forest Land
7	Area in Ha	139.20 Ha.
8	Annual production (metric ton /Cum) per annum	0.216 million Tonnes Per Annum- Iron Ore 0.05 million Tonnes per Annum-Manganese Ore Handling of 0.327 Million tonnes of already stocked Incidental Iron Ore (within First two years)
9	Project Cost (Rs. In Crores)	Rs. 8.00 Crore
10	Proved quantity of mine/quarry- Cum/Tons	Manganese Ore: 1.066 Million Metric Tonnes (Mineable Reserves) Iron Ore: 1.903 Million Metric Tonnes (Mineable Reserves)
11	Permitted quantity per annum- Cum/Ton	0.032 MTPA (MPAP for Manganese Ore) 0.216 MTPA (for Iron Ore) - now proposed
12	Approach Road	2.5 kms (aerial distance) from mine to connecting main road (SH-40).
13	Five years plan period 2023-2028 to 2028-2033	Area:46.48 Ha (Area Under Mining) Top RL- 975 mRL Bottom RL -827.5 mRL
14	Conceptual stage (TILL 31 December 2033)	Area - 46.48 Ha (Area Under Mining) Top RL- 955mRL Bottom RL-805 mRL
15	CER Activities:1. Providing educational aides to Primary and Higher Primary Govt Schools 2. Awarding scholarships (Sandur Vidya Prothsaha) 3. Providing Computer and Support to E-Education at Govt. Schools 4. Transport facility for School Children from Ramghad to Sandur 5. Specialised Health Camp 6. Improvement of Temple, Drinking Water Provisions, Toilet for Government Schools, Providing Solar Street lights, Financial Support for Infrastructure Development in	

	Schools-As per Need basis, Community Development/Rural Development.	
16	EMP Budget is Rs. 55 Lakh (Capital Cost) + 483.25 (Recurring Cost)	
18	CCR date	3 November 2023
19	Earlier E.C by SEIAA/MoEF date	EC issued by MOEFCC vide 110015/88/2006-LA.II (M) dated 24 January 2007
20	CFO	AW-327271 dated 10 April 2023 valid till 30 June 2028 for 0.092 MTPA of Manganese Ore
21	Forest Clearance Date	F. No. - 15/94-FC dated 12.03.2007
22	IBM Approval Date	Approved vide letter No 279/1097/2018/BNG dated 03 March 2023
23	R&R Plan Date	Letter No 2-61/CEC/SC/2012 dated 28 August 2012
24	Public hearing	15 December 2023

Consultant Name: B. S. Envi-Tech Pvt d. Secunderabad C-1 Amity Ville' 12-13-1270/71/73, 4th Floor, Tarnaka, Secunderabad, Telangana - 500017

The subject was discussed in the SEAC meeting held on 25<sup>th</sup> & 26<sup>th</sup> June 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for inclusion of iron ore mining of 0.216MTPA along with the existing manganese ore production of 0.032MTPA, for which EC was issued earlier by MoEF on 24.01.2007 and lease was granted on 23.09.2014 with ML 2679. For the proposed inclusion of iron ore, ToR was issued by SEIAA on 04.07.2023. The Proponent informed the Committee that in the present proposal they have proposed for removal of 0.327MT of stacked incidental iron ore within the first two years. For Forest Clearance, the Proponent informed that they have FC for 142.58Ha issued on 12.03.2007 for 20 years and valid CFO from KSPCB dated 10.04.2023.

The Proponent has submitted certified compliance to the earlier E.C. conditions from Regional Office, MoEF&CC on 27.09.2023 and audit report till 2022-23 approved by DMG.

Public hearing was conducted on 15.12.2023. The Committee reviewed the statements recorded by the people who attended the public hearing, for which the Proponent made a presentation submitting point wise compliance to all these issues/requirements raised by the public during public hearing. The Proponent informed that they would do metal sheet fencing in the Manganese mining areas. The Proponent informed that they are complying with the Reclamation and Rehabilitation (R&R) Plan approved by ICFRE.

The Proponent has collected baseline data for air, water, soil and noise and all parameters are found to be within permissible limits. The Proponent informed that all mitigative measures will be taken up to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1.0663MT of Manganese ore & 1.9036 MT of Iron ore as per the approved Mining plan, the Committee estimated the life of the mine to be 22 years for Manganese ore and decided to recommend the proposal to SEIAA for issue of Environment Clearance for annual production of 0.216 MTPA of Iron ore and 0.032MTPA of Manganese ore with following consideration,

1. To comply with the observations in CCR issued by MoEF&CC

2. To comply with the request of public, expressed during public hearing.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To take necessary measures to arrest noise and vibration from the mining area.
5. To provide sheet fencing around the mining area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CVLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.
5. The PP shall strictly develop 3 rows of shelterbelt tree plantation around the mining area to mitigate dust pollution and in this regard PP shall enter MoU with Forest Department and deposit money for tree plantation.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and

Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Matru, Sanpige, Badam, Sandalwood, Honne, Beetle, Neem, Honge and other native species in their Project premises.

6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and Sanitary facility to near by Govt. Schools.
11. The PP shall comply with the observations in CCR issued by MoEF&CC
12. The PP shall comply with the request of public, expressed during public hearing.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall take necessary measures to arrest noise and vibration from the mining area.
15. The PP shall provide sheet fencing around the mining area.

Further, SEAC in their 314<sup>th</sup> SEAC meeting held on 30.07.2024 have incorporated the following additional points for the above Proposal. Details are as below;

*The proceedings of the 313<sup>th</sup> SEAC meeting held on 25<sup>th</sup> & 26<sup>th</sup> June -2024 was read and in agenda number 313.1.2 of Ramghad Manganese & Iron Ores Mine (Mining Lease No.2679) falling in Swamimalai and Ramanamalai forest blocks, the last para was re-deliberated and the following needs to be incorporated.*

*"...Considering the proved mineable reserve of 1.0663 MT of Manganese ore & 1.9036 MT of Iron ore as per the approved Mining plan, the Committee estimated the life of the mine to be 22 years for Manganese ore and decided to recommend the proposal to SEIAA for issue of Environment Clearance for annual production of 0.216 MTPA of Iron ore and 0.032MTPA of Manganese ore and handling of 0.327 MT of already stocked incidental Iron ore within first two years. with following considerations,*

- 1. To comply with the observations in CCR issued by MoEF&CC*
- 2. To comply with the request of public, expressed during public hearing.*
- 3. To carry out regular health checkup for the workers in the nearby Hospital.*

that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.

7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and Sanitary facility to near by Govt. Schools.
11. The PP shall comply with the observations in CCR issued by MoEF&CC
12. The PP shall comply with the request of public, expressed during public hearing.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall take necessary measures to arrest noise and vibration from the mining area.
15. The PP shall comply with the observations in CCR issued by MoEF&CC
16. The PP shall comply with the request of public, expressed during public hearing.
17. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
18. The PP shall take necessary measures to arrest noise and vibration from the mining area.

**254.7.2 Extraction of Dolomite Quarry at Katageri Village, Guledgutta Taluk, Bagalkote District (21-06 Acres) by M/s. Vadiraj Infra and Mineral - Online Proposal No.SIA/KA/MIN/467625/2024 (SEIAA 177 MIN 2023)**

M/s. Vadiraj Infra and Mineral have applied for Environmental clearance from SEIAA for Dolomite Quarryat Sy. No. 217/1 of Katageri Village, Guledgutta Taluk, Bagalkote District (21-06 Acres)

Details of the project are as follows:

SL.No	PARTICULARS	INFORMATION PROVIDED BY PP
1	Name & Address of the Projects Proponent	M/s. Vadiraj Infra and Mineral
2	Name & Location of the Project	Extraction of Dolomite Quarryat Sy. No. 217/1 of Katageri Village, Guledgutta Taluk, Bagalkote District (21-06 Acres) Latitude : N 16° 06' 19.30163" to N 16° 06' 32.41006" Longitude : E 75° 38' 21.56118" to E 75° 38' 36.96264"
3	Type Of Mineral	DolomiteQuarry

4. To take necessary measures to arrest noise and vibration from the mining area.
5. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity."

The Authority perused the proposal and took note of the recommendation of SEAC.

**The Authority after detailed discussion decided to clear the proposal for issue of Environmental Clearance.**

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLVV) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.
5. The PP shall strictly develop 3 rows of shelterbelt tree plantation around the mining area to mitigate dust pollution and in this regard PP shall enter MoU with Forest Department and deposit money for tree plantation.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasa, Nerale, Mannu, Sampige, Eadam, Sandalwood, Honne, Beele, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding

4	New/Expansion/Modification/Re newal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta
6	Area in Acres	21.06 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	3,04,889 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 1.00 Crores (Rs. 100 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	47,20,014Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	2,80,000 Tones / Annum (excluding waste)
11	CER Activities: To grow 2,500 No. of additional plantation on either side of the approach road from quarry location to nearby Village Road and to construct three additional rooms to nearby Govt. school.	
12	EMP Budget	Rs. 8.30Lakhs (Capital Cost) & Rs. 5.00Lakhs (Recurring cost)
13	Forest NOC	26.09.2019
14	Quarry plan	10.02.2023
15	aster certificate	29.03.2023
16	Revenue NOC	12.09.2019
17	Notification	27.09.2022
18	PH	31.01.2024

Consultant Name: Ecomen Mining Pvt. Ltd. (formerly known as Ecomen Laboratories Pvt Ltd.), Second Floor Hall, House no. B -1/8, Sector -H, Aliganj, Lucknow - 226024.

The subject was discussed in the SEAC meeting held on 25<sup>th</sup> & 26<sup>th</sup> June 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that no mining has been carried out by the Proponent and that the proposed area is fresh land and thus justified that the proposed project does not attract violation. The Committee noted the clarification.*

*The proposal is for dolomite quarry for which SEIAA had issued ToR on 06.07.2023 and public hearing was conducted on 31.01.2024, where opinion/requests of five people had been recorded in public hearing report.*

*There is an existing cart track road to a length of 460 meters connecting lease area to the all-weather black topped road and the Committee informed that quarrying operation needs to be commenced only after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.*

The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 47,20,014 Ton(including waste) and estimated the life of mine to be 16 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 3,04,889 Tones/annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.
7. To adhere to the compliance given in response to the opinion of public addressed during public hearing.

The Authority perused the proposal and took note of the recommendation of SEAC during the meeting held on 5<sup>th</sup> & 6<sup>th</sup> August 2024.

The Authority after discussion decided to defer the proposal for want of more information and discussion.

In this regard the PP have submitted the site inspection report of Tahsildar, Badami, addressed to the Deputy Commissioner of Bagalkote and the details of current site conditions and environmentally sensitive features marked on a Google image. Further pp have also submitted that the land is virgin, with no prior mining activities having been conducted as per KML Image.

The Authority perused the clarification submitted by the PP and after discussion decided to clear the proposal for issue of Environmental Clearance.

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;


1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLVW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).



2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mavu, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and Sanitary facility to near by Govt. Schools.



11. To asphalt the approach road to the quarry as per IRC norms.
12. To grow trees all along the approach road & buffer zone during the first year of operation.
13. To carry out regular health checkup for the workers in the nearby Hospital.
14. To provide metal sheet fencing around the working area.
15. To take necessary measures to arrest noise and vibration from the quarry area.
16. To adhere to the compliance given in response to the opinion of public addressed during public hearing.

**254.7.3. Iron Ore production from 0.94 MTPA to 1.382 MTPA for 'Rama Iron Ore Mine - ML No.009 located at Ramanmalai block forest near Ramgad Village, Sandur Mandal, Ballari District (32.56 Ha) by M/s. JSW Steel Ltd. - Online Proposal No.SIA/KA/MIN/434507/2023 (SEIAA 204 MIN 2023)**

M/s. JSW STEEL LIMITED, have applied for Environmental clearance from SEIAA for Iron Ore production from 0.94 MTPA to 1.382 MTPA for 'Rama Iron Ore Mine - ML No.009 located at Ramanmalai block forest near Ramgad Village, Sandur Mandal, Ballari District (32.56 Ha).

Details of the project are as follows:

S.No	PARTICULARS	INFORMATION Provided by PP
1	Name & Address of the Project Proponent	M/s. JSW STEEL LIMITED, Vijayanagar Works Mines Division   PO- Vidyanagar, Ballari- 583275
2	Name & Location of the Project	RAMA IRON ORE MINE (ML. NO. 009) Address :- Village Ramgad, Taluka Sandur, District Ballari, Karnataka
3	Co-ordinates	Latitude : 76°27'55.93685" - 76°28'02.83344" Longitude : 15°07'37.11621" - 15°07'41.13787"
4	Type of Mineral	Iron Ore
5	New /expansion/modification /renewal	Total Excavation -13,91,680 Metric Tonnes Per Annum (13,82,000 Metric Tonnes Per Annum of Iron Ore and 9,680 Metric Tonnes Per AnnumOB)
6	Type of Land [Forest, Government Revenue, Gomal, Private/ Patta, Other]	Forest Land
7	Area in Ha	32.56 Ha.
8	Annual production (metric ton /Cum) per annum	0.94 MillionTonnes Per Annum(Current/Present) Proposed to 1.382 MTPA expansion capacity
9	Project Cost (Rs. In Crores)	Rs. 1.167 Crores (Expansion)
10	Proved quantity of mine/quarry-Cu.m/Tons	Mineable reserves are 25.1842Million Metric Tonnes
11	Permitted quantity per annum-	0.94 MTPA (Million Tonnes Per Annum)

	CUm/Ton	
12	Approach Road	2kms from mine to connecting main road (SH-49).
13	Five years plan period	Area - 15.65 Ha (Area Under Mining) Top RL 980 mRL Bottom RL 948 mRL
14	Conceptual stage	Area 21.54Ha (Area Under Mining) Top RL 980 mRL Bottom RL 852mRL
15	CER Activities: • Landscaping activity & solar electrification at Ramgad Temple, Church & Mosque • Solar electrification of the entire Ramgad village • Mass Plantation drive undertaken in the village area • Distribution of 750 no's tree guards for Ramgad village plantation.	
16	EMP Budget is Rs. 58 Lakhs	
18	CCR date	07.02.2023
19	Earlier E.C by SEIAA/MoEF date	Granted on 27.09.2019 for 0.94 MTPA
20	CFO	Issued on 15.03.2024 and valid till 30.06.2029
21	Forest Clearance Date	Granted on 19.11.2019
22	IBM Approval Date	Approved on 21.04.2023 for 1.382 MTPA.
23	R&R Plan Date	Issued on 25.04.2017
24	Public hearing	Conducted on 30.10.2023

**Consultant Name:** Ecomen Mining Pvt. Ltd. (formerly known as Ecomen Laboratories Pvt Ltd.), Second Floor Hall, House no. B -1/8, Sector -H, Aliganj, Lucknow - 226024.

The subject was discussed in the SEAC meeting held on 25<sup>th</sup> & 26<sup>th</sup> June 2024. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The proposal was considered during 311<sup>th</sup> SEAC and the Committee had deliberated the following.*

*"The proposal was considered on 31.06.2024. The proposal is for expansion in production of iron ore from 0.94 MTPA to 1.382 MTPA, for which SEIAA had issued ToR on 15.05.2023 and public hearing was conducted on 30.10.2023, where opinions/requests of thirty one people had been recorded in public hearing report. Proponent had submitted Certified Compliance Report from MoEF&CC for the inspection held on 07.02.2023 for the EC issued by SEIAA 27.09.2019. Proponent informed the Committee that they had obtained FC on 19.11.2019 and its validity is coterminous with lease period.*

*The Committee during appraisal noted the following short fall in the presentation made by the Proponent,*

1. TOR point no.18: The Wildlife Management Plan prepared by ZSI mentioned as "has to be formulated by the Office of the Deputy Conservator Forest (DCF), Ballari and will be submitted to the Chief Conservator of Forests for his comments and

onward submission to the office of Chief Wildlife Warden, Karnataka. However, no further action it.

2. Storm water harvesting and erosion control not provided within the lease area
3. Hydrogeological study: To provide more details on Intersection of water table with mine operation (levels to be verified) ground water level in premonsoon & post monsoon with drawings.
4. KGWIA approvals for ground water
5. Design details of settling tank, soak pits and recharge structures considering the rainfall and topography.
6. CEC approved letter and sketch
7. Recent Pulmonology test and health checkup reports of the people working in existing mining area.
8. Clarification for presence of E.coli in the water samples collected in the study area and its mitigation measure.
9. Details of traffic considering the transportation.
10. Clarification for PM 10 and PM 2.5 concentration being more outside than in the lease area.
11. In PFR, Proved reserves shown as 24.62 million tons, whereas Mineable 30.2 million tons to be clarified.
12. Sustainable ore transportation mechanism not evident in any of the chapters, which is crucial for this project.
13. Sustainability compliance, Net Zero goals, GHG reporting to be informed.
14. Since, mining is more than a million tons, Dorenhill conveyor shall be proposed to reduce the road movement.
15. To conduct a study on Carrying Capacity of the surrounding environment, to understand the current level & proposed level of pollution load combined of study area.
16. Overall EC capacity of all mines in the study area, actual production capacity of the mines in study area, road carrying capacity study
17. Sustainable mining practice: CAAQM in nearby village, Construction of CC Road from main road exit to mine entry shall be explored.
18. Truck parking area shall be provided with basic amenities.
19. Adopt Zero Dust re-suspension (vacuum cleaning of roads) or frequent road grading
20. As per TOR condition Digital Elevation modelling (DEM) of the study area not evaluated using remote sensing technique
21. Socio economic benefits of the project needs to be elaborated in details.
22. To provide elaborated in details on cost benefit analysis.
23. Traffic study not conducted as IRC guidelines
24. It is observed that Max GLC in buffer area is more than the core zone and needs to be clarified how it was calculated for the fugitive emission having area source. To submit the details of dust quantification, mixing height, atmospheric stability data etc. Hence, the Committee after discussion decided to defer the appraisal and informed the Proponent to get clarification for the above observation."

In the present meeting, the Proponent submitted following clarification for the observation of the Committee,

1. TOR point no 18: The Wildlife Management Plan prepared by ZSI mentioned as has to be formulated by the Office of the DCF, Bailari and will submitted to CCF for his comments and onward submission to the office of Chief Wildlife Warden, Karnataka, However, no further action it :-




**Reply by Proponent-**

1. The Wildlife Management Plan (WMP) prepared by ZSI (GoI) has been submitted & approved by PCCF (Wildlife) & Chief Wildlife Warden Karnataka.
2. The said Wildlife Management Plan was prepared in compliance with the Stage 1 clearance and as per the condition stipulated therein, as per the condition,
  - i. WMP for the area shall be prepared by State Government and the same shall be implemented by the Forest Department.
  - ii. The cost of implementation and preparation of plan shall be borne by the Lessee
  - iii. The WMP shall be submitted to MoEF&CC further and the cost of the Plan shall be deposited in CAMPA fund prior to the final Approval.
3. As per the above terms, the conservation budget of Rs. 63 lakhs vide letter no PCCF/WL/D/CR-A 1/2018-19 dated 19.09.2018 has been remitted to the Forest Dept.

**2. Storm water harvesting and erosion control not provided within the lease area:-**

**Reply by Proponent -**

- The Mine is located at hill top, all the side wall runoffs due to topography comes at the foot hill
  - Considering the topography of the Mine Lease and the rainfall in the area, the engineering structures have been constructed as per the recommendations in R & R Plan, ICFRE, approved by CEC and DMG.
  - Based on our experience, these structures are enough to control the soil erosion
  - The runoff over the active benches, slopes, dumps is diverted to the open pit through garland drains and trenches.
  - However, the runoff along the walls, comes down the hill due to topography of the area.
  - Due to this site peculiarity, the ICFRE (Indian Council of Forestry Research and Education, Dehradun) suggested the engineering structures to control the soil erosion along the foot hill in its 'Reclamation & Rehabilitation (R & R)', which is further approved by CEC and DMG.
  - The R & R structures formulated/proposed by ICFRE and completed on field includes Toe Wall & Garland Drain (2 No's) inside the Mine Lease Area and rest i.e., Rain Water Harvesting Pit (6 No's), Loose Boulder Check Dam (12 No's), Gabion Check Dam (7 No's), Stone Masonry Check Dam (6 No's), Silt Settling Tank (1 No.) are proposed & completed outside the Mine Lease Area.
4. Hydrogeological study:- to provide more details on intersection of water table with mine operation (levels to be verified) ground water level in premonsoon and post monsoon with drawings :-



**Reply by Proponent -**

1. There are no Borewells inside the mine lease area. However, the Hydrogeological study was conducted considering the Borewells in the nearby villages and the depth of water level was found to be ranging from 635 mRL to 560 mRL.
2. The proposed mining will be continued in the Pit no 1, from Top RL 980 mRL to Bottom RL 948 mRL, 4 benches, towards the southwest direction of the existing pit.
3. Mining will be continued up to the ultimate depth of 956 m RL. In the Plan Period, the lowest working proposed is 956 m above MSL which is about 396 m above the ground water table.
4. In the Conceptual period, mine working is expected to reach 875m above MSL, which is at almost 315m above ground water table at the end of the life of the mine. Therefore, there is no chance of encountering underground water source due to the proposed expansion activity.

**5. KGWA approvals for ground water :-**

Reply by Proponent: There are no Bore wells inside the mine lease area and water will be withdrawn from the Dharma Mine Pit Water (Mine Owned by JSW) for Dust Suppression.

We have a common facility close by to the Mine for the withdrawal of water for which NOC was granted by KGWA, dated 12/01/2022.

An application for the renewal of the said NOC is submitted on 10/06/2024 which is under process.

6. Design details of settling tank, soak pits, and recharge structures considering the rainfall and topography :-

**Reply by Proponent -** The Reclamation & Rehabilitation (R & R) plan was prepared by ICFRE (Indian Council of Forestry Research and Education, Dehradun) and the same has been approved by CEC and DMG. The R & R structures formulated/proposed by ICFRE and completed on field includes Toe Wall & Garland Drain (2 No's) inside the Mine Lease Area and rest i.e., Rain Water Harvesting Pit (6 No's), Loose Boulder Check Dam (12 No's), Gabion Check Dam (7 No's), Stone Masonry Check Dam (6 No's), Silt Settling Tank (1 No.) are proposed & completed outside the Mine Lease Area. These structures are sufficient to sustain the rainfall in the area.

**6. CEC approved letter and sketch:-**

Reply by Proponent: The CEC approved letter no. F. No. 2-75/CEC/SC/2020-PLXI, dated 14/10/2022, Enhancement of permissible limit in respect of 'C' Category, Auctioned Mines in Karnataka.

**7. Recent Pulmonology test and health checkup reports of the people working in existing mining area:-**

**Reply by Proponent -** Health check-ups are carried out periodically as per the DGMS guidelines Form-O Report of the Medical Examination under rule 29B, the health checkup report of the person working in the Mine.

8. Clarification for presence of E Coli in the water samples collected in the study area and its mitigation measures:-

**Reply by Proponent-**The subject water quality monitoring stations are located at a distance of 2.5Km to 8.6Km from the present Mine Block. And presence of e-coli is due to, The presence of habitations and activities like cattle washings, clothing etc takes place near these streams/lakes /nallahs. There are immediate habitations near to these surface water bodies at a distance from 50m to 250m.

That is the reason we found the presence of E coli during our water sample analysis and same is reported in the report.

As per the stream standards these are well within the IS 2296 standards.

The presence of E coli in the water bodies close to human habitations is common phenomenon. Hence, the boiling of water/ chemical treatment of water before its use is recommended.

The mining activities do not contribute to the presence of coliform in the water. There is no any discharge out from the Mine lease.

**9.Details of traffic considering the transportation**

**Reply by Proponent -** The Rama Mine is situated among the Cluster of Mines.

Every day, approximately 600 trucks arrive via Shusheelanagar and Hospet Road destined for Rama Mines.

Among these, about 300 trucks head directly to Rama Mines, while the remaining vehicles pass through the Rama Mine lease area en route to neighboring mines (specifically VESCO, SKME, and ZTC).

Regarding dispatch logistics, when fines are dispatched, 20% of the trucks make two trips daily, as they are bound for the Hosahalli transfer point. However, when lumps are dispatched, each of the 300 tippers makes only one trip per day, as their destination is the JSW Steel plant.

**10. Clarification for PM10 and PM2.5 concentration being more outside than in the lease area:-**

**Reply by Proponent-**The Rama Mine is among the cluster of Mines and Rama Mine is at a higher elevation whereas the buffer zone is at a lower elevation. Also, in the buffer zone there are many operating mines. Therefore, the PM10 and PM2.5 concentration are being found more outside than in the lease area.

**11. In PFR, Proved reserves shown as 24.62 Million tons, whereas Mineable 30.2 Million tons to be clarified:-**

**Reply by Proponent -** There was a typographical error from our side. The correct figures for Proved reserves are 30.2 Million tons, whereas for Mineable is 24.62 Million tons.

**12. Sustainable ore transportation mechanism not evident in any of the chapters which is crucial for this project:-**

**Reply by Proponent -** The Rama Mine is among the cluster of Mines. CEC has defined the production capacity for each mine considering the carrying capacity of the Road, the same has been explained in detail in Chapter 4, page no. 187-191 of Final EIA report.

**13. Sustainability compliance, Net Zero goals, GHG reporting to be informed:-**

**Reply by Proponent -** The Sustainability Assurance Report/Compliance, Net Zero goals and GHG reporting has been done.

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller initials and marks on the right.

14. Since, mining is more than a million tons, Downhill conveyor shall be proposed to reduce the road movement:-

Reply by Proponent - In-principle/Stage-I approval (FC) for Downhill Conveyor is granted (Online proposal No.FP/KA/Others/27780/2017) and implementation will be taken up after FC Stage-II.

15. To conduct a study on carrying capacity of the surrounding environment, to understand the current level and proposed level of pollution load combined of study area:-

Reply by Proponent - The EIA is carried out considering the pollution load and carrying capacity of the study area and same is furnished in the Final EIA Report.

16. Overall EC capacity of all mines in the study area, actual production capacity of the mines in the study area, road carrying capacity study:-

Reply by Proponent - The Rama Mine is among the cluster of Mines. CEC has defined the production capacity for each mine considering the carrying capacity of the Road, the same has been explained in detail in Chapter 4, page no. 187-191 of Final EIA report.

17. Sustainable mining practice, CAAQM in nearby village, construction of CC road from mineroad exist to mine entry shall be explored:-

Reply by Proponent - Proposed CAAQM: - Ramghad Village. The construction of CC road from main road exist to mine entry shall be explored after taking permission from the Forest Dept. as it is forest land.

18. Truck parking area shall be provided with basic amenities:-

Reply by Proponent - The Rama Mine is among the cluster of mine. Hence, trucks from all the cluster of mines are parked at common place. Further, it will be explored for a dedicated truck parking area with basic amenities.

19. Adopt zero dust re-suspension (Vacuum cleaning of roads) or frequent road grading

Reply by Proponent - In order to suppress dust and adopt zero dust within the Mine Lease Area and the transportation road regular road grading is carried out and photographs of the same have been submitted.

20. As per TOR condition, DEM of the study area not evaluated using remote sensing technique

Reply by Proponent: DEM map provided

21. Socio-economic benefits of the project needs to be elaborated in details:-

Reply by Proponent - The proposed expansion of the mine in terms of increase in production will have the following benefits to the following stakeholders till the Life of the Mine:

- Revenue to the State & Central Government, Social Benefits & Implementing Agency.
- Total Revenue as premium to the state Government will be approx. 502 Cr. per annum & 10542 Cr. for 21 years.
- Employment of approx. 202 numbers as Direct Employment and more than 1000 numbers as in-direct employment.



22. To provide elaborated in details on cost benefit analysis:-

Reply by Proponent - The product/mineral produced will be in two forms, i.e., lumps and fines.

The cost of production per Tone of the mineral is Rs. 4369/- and the Market Price of the Mineral, as on date is Rs. 4382, thus the Profit arrived per Tone of the Mineral is Rs.13.00/- since the present Mine is already existing working mine, the expansion in production is economically viable.

23. Traffic study as per IRC guidelines

Reply by Proponent -

- Mine is connected to SH-49 in eastern and Northern direction through a mine road which is shared by one mine of M/s. VESCO, one Mine of M/s. JSW Steel Ltd., and 3 mines of M/s. ZTC. (Total Distance-2.5Km). The Road is two way, and Kutcha road.
- From Trijunction Point to Hosahalli Transfer Point -Total Distance 9.5Km, Road is two way and Tar Road (Public Transport also exists in addition to Mineral Transportation)
- From Hosahalli Transfer Point to JSW steel Plant (distance 10.7Km, Road two way and Tar road)

• **TRAFFIC DENSITY**

- With the present production capacity: of 0.94MTPA

The no of trips per day:- 150 (18 Tonner Volume Capacity),

Total: - 300 trips (considering the two way trip)

- With the increase in production capacity-0.94MTPA to 1.382 MTPA

- The no of trucks per day: -215 (18 Tonner Volume Capacity)

Total: -430 trips (considering the two ways trip)

- No of trucks from neighboring Mines:

Total 600 trips (Considering the two ways trips)

**Traffic Scenario on the Road including Public Transport**

Name of the Mine	Max No of trip per day
Rama Iron Ore Mine	430
From Cluster Mines	600
Public Transport	300
Total	1330

**Level of Service:-**

- As per the Indian Road Congress guidelines for 'Traffic Predictions on Rural Areas' (IRC:64- 1990), the capacity of the road , considering the hilly terrain is 7000 PCU/day.
- Truck Transport Load 1030 trips per day of (truck or bus), PCU factor is 3 (PCU: - Passenger Car Unit) =1030 \*3 = 3090 PCU/day.
- Road Capacity is 7000PCU/day  
if added 300PCU/day for (cars and Motor Bikes) to PCU/day the total is 3390 PCU/day.

- Thus, the utilization of the Road with the added proposed Mine transport load is <60 % of the Road capacity.

Considering the ratio of existing volume of PCU on roads (V) and its Capacity (C) with corresponding level of services (LOS) and its performance is of B category as per the IRC 64:1990 guidelines. The existing Road is capable of handling the incremental load of mineral transportation due to the proposed expansion in mining project.

Lessee proposed to construct the Downhill Pipe Conveyor System, upon its implementation, about 50% of the fines (of the total production will be transported through conveyor, this will reduce 50% transport on the road.

24. It is observed that Max GLC in buffer area is more than the core zone and needs to be clarified how it was calculated for the fugitive dust emission having area source, to submit the details of dust quantification, mixing height, atmospheric stability data etc.:-

Reply by Proponent -

As per the CPCB norms/MoEFCC guidelines, one location in the core zone and 6 locations are selected in the buffer zone for AAQM monitoring.

The parameters are monitored and analyzed as per the NAAQ standards.

The location within Mining lease was selected at Mines office.

The fugitive sampling is also carried out for SPM covering different mining operations, including excavation, loading, unloading, haulage road, etc.

But these fugitive samples are not considered for AAQM modelling.

The buffer zone is cluster mining zone as well. The locations have been selected considering the met data as well.

Being the buffer area, in the cluster area and downhill the Mining areas, the GLC are found comparatively more at these locations

The Model is run again, considered exploration, drilling and transportation.

The results are,

PM10 (in $\mu\text{g}/\text{m}^3$ )			
Name of Location	Max Conc.	Predicted Incremental Concentration	Post Project Concentration
Mines office (Within Mining Lease)	79.32	2.85	82.17
Ramgad village	59.60	0.92	60.52
Ramgad railway station	60.79	1.43	62.22
Sushilanagar village	59.76	0	59.76
Siddapura village	58.19	0.71	58.9
Nagalapura village	61.32	0.35	61.67
Gunda village	60.13	0.32	60.45

PM25 (in  $\mu\text{g}/\text{m}^3$ )

Name of Location	Max Conc.	Predicted Incremental Concentration	Post Project Concentration
Mines office (Within Mining Lease)	46.60	0.45	47.05
Ramgad village	33.39	0.33	33.72
Ramgad railway station	33.89	0.27	34.16
Sushilanagar village	34.28	0	34.28
Siddapura village	35.17	0.21	35.38
Nagalapura village	34.13	0.42	34.55
Gunda village	34.96	0.31	35.27

CO (in µg/m <sup>3</sup> )			
Name of Location	Max Conc.	Predicted Incremental Concentration	Post Project Concentration
Mines office (Within Mining Lease)	0.97	0.29	1.26
Ramgad village	0.78	0.09	0.87
Ramgad railway station	0.94	0.14	1.08
Sushilanagar village	0.89	0	0.89
Siddapura village	0.97	0.07	1.04
Nagalapura village	0.77	0.04	0.81
Gunda village	0.92	0.03	0.95

The Committee noted the Clarification and appraised the project.

The proposal is for expansion of EC for mining Iron Ore Mine of JSW from 0.94MTPA to 1.382 MTPA, for which EC was issued earlier by SEIAA on 27.09.2019 and ToR was issued by SEIAA on 15.05.2023. The Proponent informed the Committee that lease was granted with ML No. 009. The Proponent informed that they have obtained stage II EC on 19.11.2019 and is coterminous with lease period. The Proponent has submitted certified compliance to the earlier E.C. conditions from Regional Office, MoEF&CC dated 07.02.2023.

Public hearing was conducted on 30.10.2023 and the opinions/request of 31 people have been recorded in P11 minutes. The Committee reviewed the statements recorded by the people who attended the public hearing, for which the Proponent made a presentation submitting point wise compliance to all these issues/requirements raised by the public during public hearing. The proponent informed that they would strengthen the approach road as per IRC (Indian Road Congress) standard norms & also to grow trees all along the approach road by obtaining necessary permission. The Proponent informed to adhere to approved Reclamation and Rehabilitation (R&R) Plan.

The Proponent has collected baseline data for air, water, soil and noise and all parameters are found to be within permissible limits. The Proponent informed that all mitigative measures will be taken up to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 25.1842MT as per the approved Mining plan, the Committee estimated the life of the mine to be 19 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for annual production of 1.382 MTPA, with following consideration,

1. Proponent agreed to comply with the request of public, expressed during public hearing.
2. To comply with the observations in CCR issued by MoEF&CC
3. Proponent agreed to carry out regular health checkup for the workers in the nearby Hospital
4. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to defer the proposal for the want of additional information with regard to the Wildlife Management Plan (WMP) and details of the Stage II Forest Clearance.

In this regard the PP have submitted the clarification for details of Wildlife Management Plan (WMP) and copy of the Stage II Forest Clearance.

The Authority perused the clarification submitted by the PP and after discussion decided to clear the proposal for issue of Environmental Clearance:

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

1. The PP should get the health check-up done for the quarry workers on half-yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Maru, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and Sanitary facility to near by Govt. Schools.
11. The PP shall comply with the request of public, expressed during public hearing.
12. The PP shall comply with the observations in CCR issued by MoEF&CC
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital

**254.7.A. Building Stone Quarrying project at Muthige village in ChamaraJanagara Taluk & District (2-37 Acres) by Sri Shivamadaiah - Online Proposal No.SLA/KA/MIN/467031/2024 (SEIAA 37 MIN 2024)**

Sri Shivamadaiah have applied for Environmental clearance from SEIAA for Building Stone Quarrying project at Sy. Nos. 543/1 & 543/2 of Muthige village in ChamaraJanagara Taluk & District (2-37 Acres)

Details of the project are as follows:

S.No.	PARTICULARS		INFORMATION PROVIDED BY PP	
1	Name & Address of the Projects Proponent		Sri Shivamadaiah	
2	Name & Location of the Project		Building Stone Quarrying project at Sy. Nos. 543/1 & 543/2 of Muthige village in Chamarajanagara Taluk & District (2-37 Acres)	
			Latitude	Longitude
			N 11°57'42.7379"	E 76°50'56.4048"
			N 11°57'43.4121"	E 76°50'52.8401"
			N 11°57'46.5029"	E 76°50'52.9930"
			N 11°57'46.3019"	E 76°50'56.9848"
3	Type Of Mineral		Building Stone Quarry	
4	New/ Expansion/Modification/Renewal		New	
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]		Patta Land	
6	Area in Acres		2-37 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum		51,020 Tons/ Annum (including waste)	
8	Project Cost (Rs. In Crores)		Rs.0.30 Crores (Rs.30 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m/ Ton		2-37 AcresTons(including waste)	
10	Permitted Quantity Per Annum - Cu.m/ Ton		50,000 Tons/ Annum (excluding waste)	
11	CER Activities: Propose take up 350 No. of additional plantation on either side of the approach road from quarry location to Muthige Village Road			
12	EMP Budget	Rs. 10.30 lakhs (Capital Cost) & Rs. 3.78 lakhs (Recurring cost)		
13	Notification	18.12.2023		
14	Forest NOC	10.01.2023		
15	Quarry plan	08.01.2024		
16	Revenue NOC	31.01.2023		
17	Cluster Certificate	02.05.2024		

The subject was discussed in the SEAC meeting held on 31<sup>st</sup> May 2024. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

*The Committee initially sought clarification with respect to the present site condition based on the KML submitted by Proponent. The Proponent informed the Committee that only soil has been removed to construct pit for storing water for agriculture use and no*

mining has been carried out by Proponent till date and hence justified that the proposed project does not attract violation. The Committee noted the clarification.

As per the cluster sketch there are another 04 leases in a radius of 500 mtr from the said lease, out of which 03 leases are exempted from cluster as EC was issued prior to 15.01.2016 and the total area of the remaining lease including the applied lease is 9-17 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 1,528 meters connecting lease area to the all-weather black topped road and the Committee informed that the quarrying operation needs to be commenced after asphaltting the approach road to the quarry and the road connecting the crusher as per IRC standard norms and should grow trees all along the approach road in first year of operation, for which the Proponent agreed.

The Proponent has collected baseline data of air, water, soil and noise which are all within the permissible limits. The Proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The Committee noted that the baseline parameters are found to be within permissible limits and agreed with the approved quarry plan, with proved mineable reserve of 15,28,545 Tones (including waste) and estimated the life of mine to be 30 years.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 51,020 tons / Annum (including waste), with following consideration,

1. To asphalt the approach road to the quarry as per IRC norms.
2. To grow trees all along the approach road & buffer zone during the first year of operation.
3. To carry out regular health checkup for the workers in the nearby Hospital.
4. To provide metal sheet fencing around the working area.
5. To take necessary measures to arrest noise and vibration from the quarry area.
6. To consider the CER activity submitted by proponent with a recommendation to write to the concerned recipient about the CER activity.

The Authority after discussion, defer the subject and get the following clarifications.

1. It appears to be a Government notified road towards North which is connecting from Heggotara ( North East) to Kalpura ( South West). Buffer of 200 mtrs is not left from the road as blasting is involved. Revised Quarry plan must be submitted
2. As site shows work is already started there are water logs inside the project site towards the south of the site boundary. If the pit are trail pits then surface plan must be revised showing the pit
3. There is a nala and lake towards East of the site in the adjacent village map. Combined village map showing both village map and project site boundary with exact distance from the nala and lakes must be submitted
4. Instead of submitting District Mineral Survey Report, Consultant submitted MSME Industrial Profile online

5. GPS reading in the forest NOC is shown as N 11057'46.0 and E 7605055.2' and in notified sketch the GPS reading is all different. It is not matching. Kindly verify and resubmit.
6. Detailed sketch showing the both the partition of the survey Number must be submitted.

In this regard the PP have submitted the clarification for the above points.

The Authority perused the clarification submitted by the PP and after discussion decided to clear the proposal for issue of Environmental Clearance:

However, concealing factual data or submission of false/fabricated data by PP along with Consultant will result in revocation of Environmental Clearance and attract action under the provision of Environment (Protection), Act 1986 (As amended by the Jan Vishwas Act-2023).

The PP shall abide by the following conditions;

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished. The PP shall furnish the contact details and email ids of beneficiary.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

#### Additional Conditions:

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Moring, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.



6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permits to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compensation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.
10. Over and above the CER activities committed by the proponent in SEAC meeting, Proponent shall also provide Water supply and Sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per IRC norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.
13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

**General Subjects:**

**Reply Received to Show Cause Notice issued by Authority.**

**254.7.5.** M/s Godrej Properties Limited located at various Sy. Nos of Dommasandra village and Kumbena Agrahara village, Bidarahalli Hobli Bangalore East Taluk (SEIAA 5 CON 2022 dated 26.07.2023) - letter received from the Principal Secretary, FEE about non compliances to EC conditions observed during his visit to project site.

Environmental Clearance has been issued vide letter No. SEIAA 5 CON 2022 dated 26.07.2023 to M/s. Godrej Properties Ltd for Modification & Expansion of Residential Apartment at Sy. Nos. 49/3, 46/6, 46/5, 46/4, 46/3, 46/2, 46/1, 47, 57, 58 and 61 of Dommasandra Village and Sy. No. 107/1 & 107/2 of Kumbena Agrahara Village, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru.

The above Project was inspected to check the compliance to the EC and Consent Conditions by Sri B.P. Ravi, IFS., Principal Secretary, Department Of Ecology And Environment, Govt Of Karnataka accompanied with Sri. Syed Khaja Mohiddin, Zonal Officer, KSPCB, Bangalore - East and Dr. K.M.Raju, Regional Officer, KSPCB, Mahadevapura.

Inspection report received from the Principal Secretary is reproduced here below.

**Project Details:**

No	Land in Sq Mt	EC Details	Built up	Remarks
1	63,181.60 sq.mtr	M/s. KMK Developers Pvt. Ltd has obtained EC from SEIAA vide no. SEIAA 116 CON 2019 dated 18.11.2019	1,44,373.21 Sq.mtr. 2BF+GF+14UF	
	71,882 sq mtr	M/s. Godrej Properties Limited has obtained Modification and Expansion to EC from SEIAA vide no. SEIAA 05 CON 2022 dated 26.07.2023	3,20,981.59 Sq mtr. Building consisting of 18 Wings. Wings A to J having GF+2P+27UF, Wing K, L M, Q, R, S T having GF+2P+26UF, Wing N & P having GF+2P+25UF and Club house having GF+1 UF	

- **Details of Lakes:** The nearest lake to the project site is Yelemallappa Chetty Lake which is located at a distance of approx 1.50 km (as measured on google) towards North-West direction and there is no lake within 30 mtr distance from the project site.
- **Stream/Nala/drain:** As per KMZ Survey Sketch, CDP-2015 and Village Map, there is a Nala/Stream towards North side of the proposed Sy. No. 107 of Kumbena Agrahara village, Bidarahalli Hobli, Bangalore East Taluk, project site. Further, as per village map of Dommasandra village, there is a nala/stream in the Sy No. 58 & 61 of Dommasandra village towards South and North side respectively. However, as per KMZ Survey Sketch and CDP-2015, there is no nala/stream present in the proposed Sy No. 58 of Dommasandra village of the proposed project site. Further, as per CDP-2015, the proposed Sy. No's falls under sensitive zone. However, P/A has obtained and submitted the sensitive zone clearance from the BDA vide no.2160 dated 08.03.2019.

The details of EC and Consent issued for the project are as below:

Particulars	Modified EC obtained from SEIAA on 26.07.2023	CFE obtained	As per Site Plan approved from BDA dated 14.11.2022	CFExp sought
Project profile	SEIAA 05 CON	Residential	Residential	Residential

	<p>2022 dated 26.07.2023 for Residential Apartment Project with Club House at Sy. No's. 49/3, 46/6, 46/5, 46/4, 46/3, 46/2, 46/1, 47, 57, 58 and 61 of Dommasandra Village and Sy No. 107/1 and 107/2 of Kumbena Agrahara Village, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru with 2436 units in an Plot area of 71,882 sq mtr having TBUA of 3,20,981.59 Sq mtr. Building consisting of 18 Wings. Wings A to J having GF+2P+27UF, Wing K, L M, Q,R, S T having GF+2P+26UF, Wing N &amp; P having GF+2P+25UF and Club house having GF+ 1 UF with water consumption of 1700 KLD, Wastewater generation of 1530 KLD and STP of capacity 515 KLD and WWTP of capacity 1020 KLD &amp; DG sets of 5 No's x 500 KVA and 1 No x 625 KVA</p>	<p>Development with Club House with 1114 units in an Plot area of 63,181.60 sq.mtr. Building consisting of Tower 1 to 10 buildings comprising of 2BF+GF+14UF and Club house having GF+ 1 UF having TBUA of 1,44,373.21 Sq mtr with water consumption of 769 KLD, Wastewater generation of 693 KLD and STP of capacity 700 KLD &amp; DG sets of 4 No's x 1250 KVA</p>	<p>Apartment having 1768 regular units + 284 EVS units = 2052 units in an Plot area of 71,882 sq mtr. Building consisting of 18 wings comprising of GF+2 Podium+27UF and Club house having TBUA of 2,71,213.32 Sq mtr (including the parking levels)</p>	<p>Apartment from 1114 units to 2436 units having total built up area increase from 1,44,373.21 Sq m to 3,20,981.59 sq mt &amp; distributed over GF+2P+27UF+ TF (Addition of 1332 units and BLIA 1,76,608.38 Sq m) and STP of capacity from 700 KLD to 1535 KLD</p>
--	--	--	--	---

*[Signature]*

*[Signature]*

*[Signature]*

Plot Area	71,882 sqmtr	63,181.60 sqmtr	71,882 sqmtr	8700.4 sq mt additional
BUA	3,20,981.59 Sq mtr	1,44,373.21 Sq mtr	2,71,213.32 Sq mtr (including the parking levels)	1,76,608.38 sq mt additional
No of Flats	2436 Nos	1114 Nos	1768 regular units + 284 EWS units = 2052 units	1322 additional
No. of car parking	2583 Nos	1261 Nos	2611 Nos	Increases by 1322 nos.
Building configuration	Wings A to J having GF+2P+27UF, Wing K, L M, Q,R, S T having GF+2P+26UF, Wing N & P having GF+2P+25UF and Club house having GF+ 1 UF	Resi Apt: Tower 1 to 10 consist of 2BF+GF+14UF & Club house: GF+ 1UF	Building consisting of 18 wings comprising of GF+2 Podium+27UF and Club house	Wings A to J having GF+2P+27UF, Wing K, L M, Q,R, S T having GF+2P+26UF, Wing N & P having GF+2P+25UF and Club house having GF+ 1 UF
Water source	Not mentioned	Gramapanchayath	-	-
Water consumption quantity	1700 KLD	769 KLD	-	1700 KLD
Sewage effluent generation	1530 KLD	693 KLD	-	1530 KLD
STP capacity & its technology	STP of 515 KLD and WWTP of capacity 1020 KLD MBBR/SBR technology with tertiary treatment i.e. Ultra Filtration	700 KLD	-	STP of 515 KLD and WWTP of capacity 1020 KLD = 1535 KLD
STP location	Not mentioned	Not mentioned	Earmarked in site plan (expansion project) at Eastern side.	
Treated Sewage effluent utilization plan	For reuse for toilet flushing, Gardening and HVAC Cooling.	Treated sewage used for Toilet flush:168.2 KLD, Land scape: 504 KLD,	-	-

Air Pollution sources & control equipments installed	DG sets of 5 No's x 500 KVA and 1 No x 625 KVA	4 No's x 1250 KVA	-	DG sets of 5 No's x 500 KVA and 1 No x 625 KVA
Rain water harvest facility	5000 cubic meter of TBULA and one day storage capacity	50 Cum x 2 No's capacity rooftop rainwater collection tank	-	100 cum capacity - run off storage tank
Recharge pits details	Reused maximum rain water.	50 no. of percolation pits (each pit capacity 6 cum)	-	48 no. of percolation pits (each pit capacity 10.05 cum)
Solar System adoption	Use of LED bulb and provide solar panels to extract solar energy.	Use of LED bulbs and providing Solar panels.	-	

**Observations:**

- 1) It was found that the project been using the fresh water from borewells supplied through tankers for the construction purpose, which is banned as per the Govt of India Gazette dt. 24.9.2020. So far about 24 MLD of borewell water is used for the construction.
- 2) There are few borewells existing in the premises for which the approval of Central / State Ground Water Authority is not obtained. Approvals are not obtained or insisted for the borewell supply as well.
- 3) The expected usage is 1700 KLD and the details of source of water could not be furnished. They have obtained Gram Panchayat letter for supply of 769 KLD, which cannot be accepted as they them selves do not have an assured source.
- 4) In spite of the treated sewage available from the Bellandur STP of BWSSB, the same is not used, which would conserve the fresh water.
- 5) The sewage from the labour colony is illegally disposed into the nearby lake by drawing a pipe line and also through tankers.
- 6) The solid waste (garbage) from labour camp is also being disposed off illegally. 7) Dust: Lot of dust was found all over the construction area, upto almost 2 inches at some location. They have not adopted any system for the dust suppression.
- 8) C&D Waste The C&D Waste including the excavated soil is illegally disposed in the following manner.
  - i) Along the naturala nalla towards the Survey No. 107/1 and 107/2 of Kumbena Agrahara Village, the waste is dumped and compacted to make a road.
  - ii) The soil can be seen encroached the natural nalla and diverted and obstructed the naturala flow.

iii) Not followed the buffer zone criteria from the Nalla and without any permission the soil is dumped to make the road.

iv) The construction waste like cement concrete huge blocks is also dumped on the bed of the nalla, raised the height, encroached the Natural Nalla and changed the profile of the Nalla.

v) The whole management of the C&D waste is found illegal as against the mandatory as per Rule 4(4) of the Construction and Demolition Waste Rules, 2016, as below:

(4) Every waste generator shall keep the construction and demolition waste within the premise or get the waste deposited at collection centre so made by the local body or handover it to the authorised processing facilities of construction and demolition waste; and ensure that there is no littering or deposition of construction and demolition waste so as to prevent obstruction to the traffic or the public or drains.

vi) The waste is illegally dumped on the neighbouring site thus raising the profile of the land, which would alter the natural profile of the water flowing in the Natural Nalla without any permission or agreement from the land owner.

vii) It was found that M/s Prestige Park Groove project has done the similar illegal dumping on the other side of the Nalla, causing encroachment, change of profile and causing the obstruction to the natural flow of the water.

#### Notices issued:

1) The Zonal Officer had inspected on 12.3.2024 and issued a Show Cause notice highlighting the violations and issued Directions to stop the construction activities until the arrangements were made to use the treated sewage for construction on 13.3.2024. But the project authorities had not taken any steps to use the treated sewage inspite of the lapse of nearly a fortnight. The construction activities were not stopped as against the directions issued under the Sec 33(A) of the Water (Prevention and Control of Pollution) Act, 1974. In spite of 7 days' time lines given, as on 28.3.2024, even after a lapse of 15 days, the reply is not submitted.

2) Again, one more Show Cause notice as to why the Environmental Compensation shall not be imposed was issued based on the violations observed with proof of discharging the sewage into the lake illegally on 25.3.2024. The reply is awaited.

In view of the above, the competent/Concerned Authorities have been asked to take suitable actions as per the provisions of law.

M/s Godrej Properties Ltd, vide letter dated 01.06.2024 submitted clarification and updates in related to the observations made during the site inspection. The Clarification submitted by PP is reproduced below,

- 1) **Usage of Treated Water:** We have collaborated with the Bangalore Water Supply and Sewerage Board (BWSSB) to utilize treated water for our construction activities. We are maintaining detailed logs and receipts of water tanker usage. We are ensuring compliance with the Government of India Gazette guidelines.

- 2) **STP for Labour Camp:** We are pleased to inform you that we have procured a 100KLD Sewage Treatment Plant (STP) from Sri Elite Plus Construction Pvt. Ltd., designated for our labour camp.
- 3) **Construction and Demolition Waste Deposition:** We have optimized the use of excavated soil by employing it for foundation filling and landscaping, thereby reducing waste and promoting sustainable construction practices. Additionally, we have collaborated with BBMP, to actively clear the soil near the nala from adjacent land.
- 4) **Regular Monitoring and Compliance:** We will be submitting your office a fortnightly compliance report for the next six months and we are dedicated to upholding the highest standards on environmental stewardship. Additionally, we seek guidance from your esteemed office for any further inputs and be rest assured that we will ensure full compliances with all environmental regulations.

Again the M/s Godrej Properties Ltd, vide letter dated 03.06.2024 requested that Authority that "We are in the process of implementation of compliances and hence, it is requesting to provide 60 days time ie up to 30.07.2024 to complete the implementation and we assure you that, compliance to EC conditions with photographic evidence will be submitted on or before 05.08.2024 for your kind perusal."


The subject is placed before the Authority during the meeting held on 3<sup>rd</sup> & 4<sup>th</sup> June 2024 to take a decision to issue Show Cause notice to the project proponent as an 'opportunity of hearing' before initiating any appropriate action against the alleged violation as per the MoEF&CC Notification No. S. O. 637 (E) dated 28.02.2014.

The Authority therefore decided to provide an opportunity of being heard in accordance with the provisions of the EIA Notification, 2006 to Project proponents to show cause why the action shall not be initiated as per the said Notification.

Accordingly Show Cause Notice has been issued to the project Authorities vide letter dated 23.07.2024.

M/s Godrej Properties Ltd have submitted the reply for the show Cause Notice vide letter dated 09.08.2024 and stated "We request your esteemed office to consider our explanations and allow us to continue our Project and not to take any precipitative actions for cancelling the Environmental Clearance approval issued for our Project Further, we shall be highly obliged to provide any further documents or any additional clarifications required by your esteemed office. We are ready to cooperate fully with your office to achieve better compliance in all matters of environmental regulations"

Further KSPCB submitted factual report with respect to status of the project vide mail dated 14.08.2024.



Show cause notice points, reply by the project proponent and remarks of KSPCB is tabulated below:

Sl. No.	Observation by SEIAA/ KSPCB	Reply by PP	Remarks by KSPCB
1	It was found that the project been using the fresh water from bore wells supplied through tankers for the construction purpose, which is banned as per the Govt. of India Gazette Dt.24.9.2020. So far about 24 MLD of bore well water is used for the construction.	The water for the construction purpose is being procured from the BWSSB treated water and we are not using borewell water. Copy of the BWSSB Treated Water NOC and latest challan copies are enclosed as Annexure-1.  Further, we have filed necessary applications for registering borewells along with applications for new borewells with the Karnataka Groundwater Authority and we are in process of obtaining the necessary approvals from the said authority. As explained above, the existing borewells at our Project site are not operational and have not been used for any construction activity whatsoever. The copy of the application is attached as Annexure-2	Yes. The tanker from BWSSB was also found at site during the inspection on 8.8.2024 by RSEO  It Was informed that they have applied for the registration of Borewells with SGWA
2	There are few bore wells existing in the premises for which the approval of Central/State Ground Water Authority is not obtained. Approvals are not obtained or insisted for the bore well supply as well.	The water for the construction purpose is being procured from the BWSSB treated water and we are not using borewell water. Copy of the BWSSB Treated Water NOC and latest challan copies are enclosed as Annexure-1. We have filed necessary applications for registering borewells along with applications for new borewells with the Karnataka Groundwater Authority and we are in process of obtaining the necessary approvals from the said authority. The copy of the application is attached as Annexure-2	The Challans were also shown during the inspection
3	The expected usage is 1700 KLD and the details of source of water could not be furnished. They have obtained Gram Panchayat letter for supply of 769 KLD.	The 1700 KLD is a requirement when the Project is operation (after Occupancy Certificate) and not a requirement during construction phase. The total water requirement for the project is 1700 KLD during the operational phase (after Occupancy Certificate), out of which 1130 KLD is	They shall be insisted to get BWSSB NOC and also Borewell permissions before CFO



	which cannot be accepted as they themselves do not have an assured source	freshwater requirement and 570 KLD is recycled from STP.	
		We have also obtained gram panchayat approval vide She.Gram.Pao/05/2021-22 dated 17.06.2021 for freshwater supply when the Project is in its operational phase. the copy is attached as Annexure-3	Yes
4	In spite of the treated sewage available from the Bellandur STP of BWSSB, the same is not used, which would conserve the fresh water.	The water for the construction purpose is being procured from the BWSSB treated water and we are not using borewell water. Copy of the BWSSB Treated Water NOC and latest challan copies are enclosed as Annexure-1.	Now using the treated sewage for construction
5	The sewage from the labour colony is illegally disposed into the nearby lake by drawing a pipe line and also through tankers.	A dedicated bath area & 10 Toilet facilities are provided for labours at labour camp in our project site. 100 KLD mobile STP, mobile toilets are installed and the photographs of labour camp Toilets, bathroom & mobile STP for construction workforce are attached as Annexure-4. Additionally, the current Mobile STP is being enhanced with an advance ozonization plant. Workorder copy is attached as Annexure-5. We are using this treated water for landscaping purposes and shall be using it later for construction purposes once we start getting acceptable quality of water from the said STP	STP is provided
6	The solid waste (garbage) from labour camp is also being disposed off illegally.	Separate dustbins are provided at labour camps to collect wet and dry waste & food waste is being given to piggeries. Attached is the agreement between construction partner and piggeries in Annexure - 6.	Yes

7	Dust Lot of dust was found all over the construction area, upto almost 2 inches at some location. They have not adopted any system for the dust suppression.	Water sprinkling is being carried out 3 times in a day in non-rainy days at construction area to reduce the dust emissions. Both anti-smog guns and jet sprays are being used for dust mitigation. Additionally tall barricades have been set up and all trucks are being covered with tarpaulins. The photographs of the same are attached as Annexure-7.	Yes. The same was under operation
8	C&D Waste The C&D Waste including the excavated soil is illegally disposed in the following manner.	As below	The waste is being stored in the premises
i.	Along the natural nala towards the Survey No. 107/1 and 107/2 of Kumbena Agrahara Village, the waste is dumped and compacted to make a road.	Based on the request of adjacent landowners the C&D waste/excavated soil was utilized in the adjacent land for filling up of low-lying areas.	
		As per the suggestion, now C&D waste/excavated soil has been removed & also temporary bund has been removed and maintained 25m buffer	
		Presently, the buffer area within project site is vacant land and the photographs showing the same is enclosed as Annexure-8.	Yes
ii.	The soil can be seen encroached the natural nalla and diverted and obstructed the natural flow.	Based on the request of adjacent landowners the C&D waste/excavated soil was utilized in the adjacent land for filling up of low-lying areas.	
		C&D waste/excavated soil has been removed & also temporary bund has been removed and maintained 25m buffer.	
		The buffer area within our project site is vacant land and the photographs showing the same is enclosed as Annexure-9.	Yes. The buffer zone is maintained

		The cleared soil has been disposed of to BBMP Dump yard, Kannur Quarry basis BBMP letter which is attached as Annexure - 10.	Yes. Its been done
iii.	Not followed the buffer zone criteria from the Nalla and without any permission the soil is dumped to make the road.	One nala is passing adjacent to the project site. Due to differences in the levels, we have observed instances of flooding during the rainy season. This posed a risk to the safety of the workers on site. To address the issue temporarily, a bund was raised with soil. To maintain the buffer area and to ensure safety of the works, we have maintained from the nala a 25m buffer. Further, Parks and Open Spaces has been proposed in the buffer area and no roads have been proposed in the buffer area. The buffer area within our project site is vacant land and the photographs showing the same is enclosed as Annexure-8.	Now the flood plain is maintained
iv.	The construction waste like cement concrete huge blocks is also dumped on the bed of the nalla, raised the height, encroached the Natural Nalla and changed the profile of the Nalla.	Based on the request of adjacent landowners the C&D waste/excavated soil disposal for filling up of low-lying areas.	Yes. Was found
		The construction waste / excavated soil near the nalla has been cleared. Cautions boards have been put up to prevent illegal dumping	Yes
		The photographs showing the Nalla is enclosed as Annexure-10.	Yes. Done
v.	The whole management of the C&D waste is found illegal as against the mandatory as per Rule 4(4) of the Construction and Demolition Waste Rules, 2016, as below:	The generated C & D waste is being stored at the project site for recycling.	Yes. Being stored

	Every waste generator shall keep the construction and demolition waste within the premise or get the waste deposited at collection centre so made by the local body or handover it to the authorised processing facilities of construction and demolition waste; and ensure that there is no littering or deposition of construction and demolition waste so as to prevent obstruction to the traffic or the public or drains.	Images of the C & D waste shed are enclosed as Annexure-11.	Is being stored
vi.	The waste is illegally dumped on the neighbouring site thus raising the profile of the land, which would alter the natural profile of the water flowing in the Natural Nalla without any permission or agreement from the land owner.	Based on the request of adjacent landowners the C&D waste/excavated soil was utilized for filling up of low-lying areas.	Now the C&D Waste guidelines are being followed and a specified area is maintained to store the waste.
		Copy of the agreement enclosed as Annexure-12.	
		The construction waste / excavated soil near the nalla has been cleared.	
		The photographs showing the Nalla is enclosed as Annexure-10.	Over all, the efforts taken by the builder post the notice is appreciated.

The Authority perused the reply submitted by the Project Authorities and factual report submitted by the KSPCB and noted the response of the Project Authorities in complying with the non compliances observed by The Principal Secretary, Department of Ecology and Environment and KSPCB officials during their visit to Project site.

The Authority perused the clarification submitted by the PP and after discussion decided to issue directions to the PP to adhere to the conditions and follow their undertakings otherwise appropriate action will be initiated as per EP Act 1986 and other relevant provisions

254.7.6. M/s Prestige Park Groove Project located at various SY. Nos of Chikkabanahalli Village, Bidarahalli Hobli, Bangalore East Taluk (SEIAA 153 CON 2022, dated 15.11.2022) - letter received from the Principal Secretary, FEE about non compliances to EC conditions observed during his visit to project site.

Environmental Clearance has been granted vide letter No. SEIAA 153 CON 2022 dated 23.06.2023 pursuant to the information furnished by PP in the statutory application and the recommendation made by State Expert Appraisal Committee for Construction of Residential Development at various Sy. Nos. Of Chikkabanahalli Village, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru Urban, Karnataka subject to compliance to the specific and general Conditions imposed thereon.

Whereas, The Principal Secretary to Govt., department of Ecology and Environment and KSPCB officials during their project site visit, observed several non compliances with respect to conditions imposed in the Environment Clearance.

Received a letter from the Principal Secretary to Govt., Dept of Ecology and Environment to take suitable action against the Project Proponent as per the provision of Law.




M/s Prestige Projects Pvt. Ltd., vide letter dated 01.06.2024 have submitted clarification and updates in related to the observations made during the site inspection and KSPCB officials during their visit to project site.

*The Clarification submitted by PP is reproduced below,*

*"We would like to extend our sincerest apologies for the oversights and shortcomings observed in our project. It has come to our attention that these lapses were the result of actions taken by some lower-level employees; however, we acknowledge full responsibility for all aspects of the project. Immediate corrective measures have been initiated.*

*Furthermore, in compliance with the direction issued by the regional officer in the proceedings dated May 7, 2024, it is instructed to conduct a comprehensive Gap analysis done by a reputed organisation like NEERI, IIT, or IISC. To address the identified gaps and ensure compliance with environmental regulations, we have engaged the services of Dr. L. N Rao from IISC for this task. We are committed to rectifying any deficiencies highlighted in the analysis promptly.*

*In this regard, we respectfully seek your kind consideration to allow us time for submitting the Gap Analysis report provided by Dr.L.N Rao. Immediately compliance measures will be taken for any discrepancies with an action taken report submitted on completion. We kindly request time of 14-16 weeks for the entire process. We humbly ask for your kind consideration in conducting an inspection to verify the corrective measures taken.*



*We look forward to your guidance and support as we work towards environmental compliance and the successful conclusion of the project."*

The subject is placed before the Authority during the meeting held on 3<sup>rd</sup> & 4<sup>th</sup> June 2024 to take a decision to issue Show Cause notice to the project proponent as an 'opportunity of hearing' before initiating any appropriate action against the alleged violation as per the MoEF&CC Notification No. S. O. 637 (E) dated 28.02.2014.

*The Authority discussed the non compliances observed by the Principal Secretary and KSPCB officials during their site visits and decided to provide an opportunity of being heard in accordance with the provisions of the EIA Notification, 2006 to Project proponents to show cause why the action shall not be initiated as per the said Notification.*

*Accordingly Show Cause Notice has been issued to the project Authorities vide letter dated 23.07.2024.*

M/s. Prestige Projects Private Limited have submitted the reply for the show Cause Notice vide letter dated 31.07.2024 and stated that:

*"we assured you that shortcomings identified in the Show Cause Notice have been set right and will not be repeated in future. We are dedicated in ensuring regulatory compliances with continuous improvement in our Environmental responsibility. We kindly request you to drop the show cause notice."*

Further KSPCB submitted factual report on te status of project vide mail dated 14.08.2024.

Show cause notice points, compliance given by Project Proponent and remarks by KSPCB is tabulated below:

Sl. No.	Show cause Notice points	Project Proponent reply	Remarks by KSPCB
1	It was found that the project been using the fresh water from borewells supplied through tankers for the construction Purpose, which is banned as per the Govt of India Gazette dated 24.09.2020. So far about 24 MLD of borewell water is used for the construction.	The concrete pouring activities: To date, approximately 90,000 cubic meters of concrete have been poured, with 95% sourced from an external batching plant. The CFO for the batching plant is obtained from KSPCB on 26th June 2024 Annexure - 1. Following the receipt of the CFO, around 4,500 cubic meters of concrete have been produced on-site, averaging 200 cubic meters per day. These measures are in place to ensure efficient water usage and compliance with regulations.	Yes. Being followed

2	There are few borewells existing in the premises for which the approval of Central / State Ground Water Authority is not obtained. Approvals are not obtained or insisted for the borewell supply as well.	The borewells which are existing are from previous land owners which are not yielding anymore. We have submitted application for borewell digging, the acknowledgement from KGWA is provided	Applied for SGWA approval.
3	) The expected usage is 1700KLD and the details of source of water could not be furnished. They have obtained Gram Panchayat letter of 769 KLD, which cannot be accepted as they themselves do not have an assured source.	To supplement the incomplete details and lacking supply, we will utilize authorized tankers and approved borewells from KGWA as additional sources. Attached is the borewell digging acknowledgement from KGWA is provided	Yes.
4	In spite of the treated sewage available from the Bellandur STP of BWSSB, the same is not used, which would conserve the fresh water.	We have entered into an agreement dated May 03rd, 2024 with the Bangalore Water Supply and Sewerage Board (BWSSB) to utilize treated water for our construction activities the same is provided	The treated water is being used and was observed during the inspection.
5	The sewage from the labour colony is illegally disposed into the nearby lake by drawing a pipeline and also through tankers.	We have installed a mobile STP at the labour colony, attached the photograph for your reference. We have installed a mobile STP at the labour colony, attached the photograph for your reference.	The STP is provided of 300 KLD for labour colony and treated sewage is used for the construction using a dedicated tanker.
6	The solid waste (garbage) from the labour camp is also being disposed off illegally.	The solid waste (garbage) from labour colony is handed over to a authorized vendor as per the norms an MOU has been made with K. Madhu Food Waste Removal Agency the vendor letter and disposal photographs of the same is provided	Yes. It was found that the waste was stored in a specified area

7	Lot of dust was found all over the construction area, upto 2 inches at some location. They have not adopted any system for the dust suppression.	The dust accumulation is being treated with regular water sprinkler through water tankers, Smog Gun usage, Dust Screen, GI Sheet tall fencing, Arrangement of dust protection for bulk materials Covering of RMC Bins etc.	Water sprinkler using the fogging system is being provided. The covering is done to prevent dust emissions.
8	The solid waste (garbage) from the labour camp is also being disposed off illegally.	The solid waste (garbage) from labour colony is handed over to authorized vendor as per the norms an MOU has been made with K.Madhu Food Waste Removal Agency the vendor letter and disposal photographs of the same is provided	Yes. It was observed
9	C&D Waste The C&D waste including excavated soil, is illegally disposed in the following manner. i) Along the natural nala towards Survey No. 107/1 and 107/2 of Kumbanad Agrahara Village, the waste is dumped and compacted to make a road.	C&D Waste The C&D waste including excavated soil, is illegally disposed in the following manner. i) Along the natural nala towards Survey No. 107/1 and 107/2 of Kumbanad Agrahara Village, the waste is dumped and compacted to make a road.	The is being used inside the premises
10	ii) The soil can be seen encroached the natural nala and diverted and obstructing its natural flow.	The C&D waste including excavated soil that is unlawfully dumped along the natural nala does not belong to us. Reply: The photograph is of the same is below to show that the Nala Flow is not obstructed and it is outside our boundary.  This area will be developed as a green scape for the usage of residence. A Revised Master Plan with green scape is provided	Yes. The buffer zone is maintained now.



11	iii) Not followed the buffer zone criteria from the Nala and without any permission the soil is dumped to make road.	As per the buffer zone criteria 50 mtrs are left and the stored earth for road construction is removed. Any excess earth in future will be stored outside the buffer zone. A photograph illustrating the property boundary (Prestige Park Grove) and the maintained 50 mtrs buffer zone is attached for your reference.	Yes. Its maintained with proper signages.
12	The Construction waste like cement concrete huge blocks is also dumped on the bed of the nala, raising the height, encroached the Natural Nala and changed the profile of the Nala.	The construction waste dumped encroaching the nala was done by someone else. Following the non compliance letter and directions, we have removed the construction waste. A well defined and cleared buffer zone will be maintained and developed into a landscape area for the enjoyment of residence as per our Environment Management Plan.	Yes. A notice is issued to the adjacent site owner who had done. The same is being cleared by M/s Prestige.
13	The Construction waste like cement concrete huge blocks is also dumped on the bed of the nala, raising the height, encroached the Natural Nala and changed the profile of the Nala.	The construction waste dumped encroaching the nala was done by someone else. Following the non compliance letter and directions, we have removed the construction waste. A well defined and cleared buffer zone will be maintained and developed into a landscape area for the enjoyment of residence as per our Environment Management Plan.	Yes. It was observed

15	<p>) The whole management of C&amp;D waste is found illegal as against the mandatory as per Rule 4(4) of the Construction and Demolition Waste Rules, 2016, as below: Every waste generator shall keep the construction waste within the premise or get the waste deposited at collection centre so made by the local body handover it to the authorised processing facilities of construction and demolition waste; and ensure that there is no littering or deposition of construction and demolition waste so as to prevent obstruction to the traffic or the public or drains.</p>	<p>The C&amp;D waste generated in this project is being utilized for constructing internal access roads. We use the aluminium framework system minimizing the C&amp;D waste generation. A designated area is allocated for future waste storage, ensuring compliance with the construction and demolition waste rules 2016.</p> <p>Agreement with C&amp;D vendor Arjun Earth Movers is provided</p>	<p>No disposal of C&amp;D Waste outside was found.</p>
17	<p>The waste is illegally dumped on the neighbouring sites thus raising the profile of the land, which would alter the natural profile of the water flowing in the Natural Nala without any permission or agreement from the owner.</p>	<p>The nala and buffer zone of 50 mtrs from the centre of the nala with its survey no's 71/1, 71/2, 73/3, 73/4, 74/2, 74/3 &amp; 75. The construction waste dumped encroaching the nala was done by someone else. The earth stored in the buffer zone for road construction has been removed and in accordance with the buffer zone criteria, a clear distance of 50 mtrs gap been maintained.</p>	<p>Yes. Its being done.</p>

18	It was found that M/s Prestige Park Grove project has done the similar illegal dumping on the other side of the nala, causing encroachment, change of the profile and causing the obstruction to the natural flow of the water.	<p>Prestige has been into construction and development business over the past many years. We are a reputed builder known for adherence to the compliances without any violations reported in our past projects. We strictly adhere to the Environmental Laws and Policies.</p> <p>We have not dumped any earth or construction waste on the other side of the nala, nor encroached on the nala, altering the profile and impeding natural water flow. The excavated earth was stored in the buffer zone to minimize diesel fumes by reducing truck movement. We have removed the stored earth from the buffer zone. Please find below photograph showing the nala and the buffer zone, maintaining a clear distance of 50 mtrs from the centre of the nala.</p>	Post the notice, they have taken lot of initiatives and the norms are being followed. The efforts taken by them are appreciated.
----	---	---	--


*The Authority perused the reply submitted by the Project Authorities and factual report submitted by the KSPCB and noted the response of the Project Authorities in complying with the non compliances observed by The Principal Secretary, Department of Ecology and Environment and KSPCB officials during their visit to Project site.*

*The Authority perused the clarification submitted by the PP and after discussion decided to issue directions to the PP to adhere to the conditions and follow their undertakings otherwise appropriate action will be initiated as per EP Act 1986 and other relevant provisions*

#### **254.7.7. Representation of CREDAI regarding issue of Environment Clearance for projects proposed outside EWSSB Limits.**

The representation has been received from CREDAI vide letter dated 02.08.2024 is reproduced below;

*"CREDAI is a representative body of developers and builders formed to suggest and implement rules and regulations to enable desired industry growth, ensure appropriate industry conduct and safeguard beneficiary interests. All CREDAI members are bound by a code of conduct, a document of principles, which lists the guidelines and a mandatory set of laws that all the members have to implement and abide by. This ethical code of conduct is self-imposed and mandatory for all members to maintain integrity and transparency in the real estate sector.*



CREDAI is therefore a law-abiding body of developers and builders, propagating the policy of no deviation in the rules and regulations. It has been instrumental in the uniform growth of the city, generating good revenues for the government, ensuring transparency in all dealings, improving the quality of construction-related activities and working towards sustainable constructions and continuous efficiency.

It may be noted the Karnataka Groundwater Authority (KGWA) vide letter dated 29.04.2024, has requested State Environmental Impact Assessment Authority (SEIAA), Karnataka to inform the project proponents about the need for a NOC from Karnataka Groundwater Authority (KGWA) for use of groundwater.

It may be noted that with reference to the aforementioned letter, quite a few developers in the city who had applied for environmental clearance for their projects proposed outside BWSSB limits, have received an EDS (Essential Details Sought) from SEIAA, Karnataka, directing them to submit copies of NOC from Karnataka Groundwater Authority. In addition, some projects recommended for issuance of EC by SEAC have been kept on hold by SEIAA for want of NOC from KGWA.

Later, SEIAA, Karnataka asked developers to submit the hydrogeology report instead of KGWA NOC. The developers then appointed consultants in this regard and submitted the requisite hydrogeology reports of their projects. As per these hydrogeology reports, the quantity of groundwater withdrawal is limited to 15 to 20% of the total water requirement of the project. SEIAA now wants clarification regarding the remaining water source for the project.

In view of the above facts, we humbly request SEIAA, Karnataka to instruct the developers to provide alternative solutions like giving a commitment to undertake lake rejuvenation in the vicinity of the project site and consider the lake area for recharge quantity, etc. Otherwise, the developers will not be able to build or develop projects outside BBMP limits. Considering the stress created on the current infrastructure (traffic, water supply, SWM), the Government of Karnataka too, wants development in the outskirts of Bengaluru as opposed to within city limits.

Hence, request you to consider the above-mentioned facts, appraise the projects that fall outside of BWSSB limits and issue EC at the earliest."

The Authority perused the representation made by the CREDAI and decided to communicate the measures being taken by the Authority to clear the EC proposals of the proponents who relies on Ground water and Village Panchayath as a source of water for their proposed project with a mandatory condition to submit the water sustainability report of the project along with a condition to under take Ground water recharge measures either within the site or in the vicinity of public utilities like parks, temples, schools etc., which are located nearby the project area. The quantity of ground water recharge shall be of atleast in

*consonance with the quantity of ground water being extracted for the project. The Authority feels it is imperative that developmental projects are liable to ensure that a significant amount of water recharge should be part of any development plan and Project Proponents should be sensitized and incorporate the same as part of the execution of the Project*

**254.7.8. Compliance Report in pursuance to judgment dated 15.09.2022 passed in the matter of OA- 194 of 2020 titled as Dr. Sarvabhoum Bagali Vs. State of Karnataka and others**

The Authority noted the e-mail received on 8<sup>th</sup> & 12<sup>th</sup> August 2024 from MoEF&CC, to provide information about the action taken by SEIAA in compliance to the Hon'ble NGT directions in OA 194 of 2020 in para 38 (iv) dated 15.09.2022.

The Authority deliberated that in compliance to the Hon'ble NGT directions in OA 194 of 2020 dated 15.09.2022, the state of Karnataka is prohibited to use mechanized mining and instream mining wherever mining leases are granted for extraction of sand from River bed. Accordingly, noted that for the Environmental Clearances issued by SEIAA, had instructed the Project Proponents to carry out manual method of mining from River bed, even if Semi mechanized method had been proposed in quarry plan.


Further, for the proposals for which ECs had been granted for semi mechanized method of mining prior to the Hon'ble NGT directions in OA 194 of 2020 dated 15.09.2022, the Authority deliberated and decided to issue directions to departments of Mines and Geology and C & I, to carry out manual method of mining to comply with the Hon'ble NGT directions and in reference to MoEF&CC mail dated 8<sup>th</sup> & 12<sup>th</sup> August 2024, the Authority after discussion decided to obtain present status of the leases mentioned in O A 194 of 2020 from the departments of Mines and Geology and C & I.

Further, the Authority Authorised Member Secretary, SEIAA for further appropriate action.

**254.7.9. Maintenance of Books of Accounts of SEIAA, Karnataka - Payment to Shri Krishnamurthy G, Consultant - reg.**

Shri Krishnamurthy G vide letter dated 19.07.2024 submitted the Books of Accounts along with the draft financials-Balance sheet and income and expenditure statement of SEIAA for the Financial Year 2023-24 along with e-TDS quarterly filing returns acknowledgement and GST & TDS returns acknowledgment and submitted Invoice dated 19.07.2024 amounting to Rs.96,000/- towards professional fee.

*The Authority perused the above details and decided to accord approval for the payment of service charges to Shri Krishnamurthy G, for the financial year 2023-24 for maintenance of the books of accounts of the Authority.*




**254.7.10. To explore and implement the possibility of an online receipt and database of all EC half yearly compliances**

The Member-Secretary briefed the Authority on the book keeping and storage of all half year compliance reports of the various Environmental Clearances. In order to streamline the maintenance and retrieval of records it was discussed that a online system of storage and retrieval for all half yearly compliance maybe explored and implemented. The Authority decided to authorize MS to take suitable action in this regard.


**254.7.11. Directive of the Hon'ble Forest Minister, GoK on the issuance of quick meeting proceedings.**

The Member-Secretary brought to the notice of the Authority that the Hon'ble Forest Minister, GoK while reviewing progress and in his note No. FEE/727/2024 dated 07.08.2024 has directed that the proceedings of the SEIAA should be issued within three days. The Authority noted and the same for compliance.

The meeting concluded with thanks to the Chair.

  
(B Guruprasad)  
Chairman,  
SEIAA, Karnataka

  
(Lakshmi Kanth H. M.)  
Member,  
SEIAA, Karnataka

  
(Vijay Mohan Raj V, IFS)  
Member Secretary,  
SEIAA, Karnataka