

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 411th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 08.10.2020

The meeting of 411th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 08.10.2020 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P.
Member, SEIAA, U.P.
Member Secretary, SEIAA, U.P.

Agenda-A: -Complaints/letters –NIL

Agenda-A: - Minutes of 491st SEAC Meeting Dated 16/09/2020

1. "Vihaan Heights" at Plot No.-2B/GH-04, Vrindavan Yojana, District-Lucknow, U.P., M/s Vivek Infratech Pvt. Ltd. File No. 5785/Proposal No. SIA/UP/MIS/168952/2020

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that 23 KLD of treated waste water is being disposed to nearby drain and no details of drain like its name, location, distance from the project and ultimate disposal of drain are given in the minutes. Hence SEIAA opined that the project shall be referred to SEAC for review/comments in light of these facts.

2. "Surya Shyam Apartments" at Khasra No.- 381sa, 389, 390, Village- Ibrahimpur, Raibareilly Road, Lucknow., Shri Ashoak Kumar Agarwal. File No. 5797/Proposal No. SIA/UP/MIS/170107/2020

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that 63 KLD of treated waste water is being disposed to nearby drain and no details of drain like its name, location, distance from the project and ultimate disposal of drain are given in the minutes. Hence SEIAA opined that the project shall be referred to SEAC for review/comments in light of these facts.

3. Industrial Building at Plot No.- 04, Sector-155, Noida, District- Gautam Buddha Nagar, U.P., M/s Surbhi Satcom Pvt. Ltd. File No. 5798/Proposal No. SIA/UP/MIS/170232/2020

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.


Madhu Bhardwaj


RPS
12/10/20

4. "Shalimar Eden" Residential Project at Khasra No.-488, 489, 490, 491, 493, 494, 496, 497, 498, 499, 502, 503, 504, Vill.-Sandhauli Umarpur, Faizaabad Road, Distt.-Barabanki, U.P. File No. 3764

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that 23 KLD of treated waste water is being disposed into agricultural field /natural drain. SEIAA opined that the project proponent shall submit the distance between the project and the natural drain and relevant documents regarding disposal in agricultural field.

5. Group Housing (PMAY) "Migsun Atharva- Phase-II" at Khasra No.-31, Village- Morta, Ghaziabad, U.P., M/s Mahaluxmi Buildtech Ltd. File No. 4997/Proposal No. SIA/UP/MIS/114761/2019

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.


Madan Bhardwaj


9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.


6. Office Building at Plot No.-04,, Sector- 142, Noida, District-Gautam Buddha Nagar, U.P., M/s ISGEC Heavy Engineering Ltd. File No. 5644/Proposal No. SIA/UP/MIS/150759/2020

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.







8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
 9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
 11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
 12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
7. Capacity Expansion from 9000 TCD Sugar Mill (Operating at 8500 TCD) along with 40 MW Cogeneration Power Plant to 15,000 TCD unit along with 60 MW Cogeneration Power Plant at Khasra No.- 3, 247, 347, Village- Rajpuri, Tehsil- Gunnaur, Distt.- Sambhal, M/s M/s Dhampur Sugar Mills Ltd. File No. 5084/ 3992/Proposal No.SIA/UP/IND2/43079/2018
SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.
8. Capacity Expansion of Cement Grinding Unit from 0.90 MTPA to 1.25 MTPA at UPSIDC Industrial are, Phase-II, Amawan road, Tehsil-Maharajganj, District- Reabareli, U.P., M/s Birla Corporation Ltd. File No. 5649/4969/Proposal No. SIA/UP/IND/52921/2019
SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not appear and to discuss the matter only after submission of online request on prescribed portal.
9. "Inaaya Royal Heights" at Plot No.- GH 1/20 & 1/21, Gomti Nagar Extension Scheme, District- Lucknow, U.P. File No. 5319/Proposal No. SIA/UP/MIS/131564/2019
SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

HT

madh. Bradlog

RPS. ph

Minutes of the 411th Meeting of the SEIAA, UP held on 07/10/2020

1. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
2. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
3. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
4. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
5. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
6. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
7. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
8. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
9. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
10. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

10. Government Medical College, Mirzapur at Gata No-314/0.266, 315/5.641, Village - Piparadandh, District- Mirzapur, U.P. File No. 4823/Proposal No. SIA/UP/MIS/105753/2019

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that details like generation, treatment and disposal of Bio Medical Liquid Waste/ Bio Medical Solid Waste are not given in minutes. SEIAA also noted that 45 KLD of treated waste water is being disposed to nearby drain and no details of drain like distance and ultimate disposal of drain is given in the minutes. Hence SEIAA opined that the project shall be referred to SEAC for review/comments.

FT

madhu shrivastava

RPS

11. New District Jail- Allahabad Vacant Land of Central Jail, Naini, Tehsil: Karchna, District- Allahabad, Uttar Pradesh. File No. 4810/Proposal No. SIA/UP/MIS/105150/2019

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that it has a 246 bedded hospital and details like generation, treatment and disposal of Bio Medical Liquid Waste/ Bio Medical solid Waste etc are not given in minutes. SEIAA also noted that only STP is being proposed, details of ETP are not given and 195 KLD of treated waste water is being disposed to nearby drain and no details of drain like distance and ultimate disposal of drain is given in the minutes. Hence SEIAA opined that the project shall be referred to SEAC for review/comments.

12. 500 Bedded super Specialty Block at Village- Amarsipur, Tehsil- Saifai, District- Etawah, U.P., M/s U.P. Rural Institute of Medical Science & Research, Saifai. File No. 4401/Proposal No. SIA/UP/NCP/75873/2018


SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that it is a -500 bedded hospital. STP of 30 KLD capacity and ETP of 300 KLD capacity is proposed but intermediate/final disposal of treated waste water has not been submitted and water balance is also not available in the file. Other information like generation, treatment and disposal of biomedical liquid waste and solid waste has not been given. Hence SEIAA opined that the project shall be referred back to SEAC for review/comments.

13. "Rajkiya Allopathic Medical College" at Gat No.-254,257,259,263, 299, 300, 267, 268 ka, Village- Siddiqpur & Gata No.-252ka, Payagpur, Pargana-Haveli, District-Jaunpur, U.P., M/s U.P. Rajkiya Nirman Nigam Ltd., Unit Azamgarh. File No. 3933/Proposal No. SIA/UP/NCP/71750/2017


SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that it has a 500 bedded hospital. The details of building are not given in the minutes. 343 KLD of treated waste water is being disposed to nearby drain and no details of drain like distance and ultimate disposal of drain is given in the minutes. Hence SEIAA opined that the project shall be referred to SEAC for review/comments.

14. Discussion on complaint letter dated 02/08/2020 of Suresh Chand Yadav, Legal Officer, Common Bio Medical Waste Facility Operators Association regarding Common Biomedical Waste Management Treatment facility (CBWTF) at Arazi No.-14, Village-Dakahi, Tehsil- Naugarh, Chandauli, U.P. M/s VRBA Bio Waste Solution Pvt. Ltd. File No. 5661/Proposal No. SIA/UP/MIS/52405/2020

SEIAA agreed with the recommendation of the SEAC that the letter dated 02/08/2020 of Shri Suresh Chand Yadav, Legal Officer, Common Bio Medical Waste Facility Operators Association should be sent to CMO, Chandauli and Regional Officer, UPPCB, Chandauli for providing the factual report/para wise comments of complaint letter dated 02/08/2020. A copy of the same may be sent to complainant for information.











15. Proposed Institutional Building at Plot No.- 51 & 52, Sector- 136, Noida, District- Gautam Budh Nagar, U.P., M/s EEE Realty Pvt. Ltd. File No. 5800/Proposal No. SIA/UP/MIS/170583/2020


SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-


1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.


12.X.2020
(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


12/10/20
(Prof. Rana Pratap Singh)
Chairman
SEIAA