State Environment Impact Assessment Authority (SEIAA) Tamil Nadu

672 SEIAA Meeting

AGENDA

Venue: SEIAA office

Please Check MoEF&CC Website at www.parivesh.nic.in for details and updates

From Date:14 Nov 2023

TO Date:14 Nov 2023

	CONSI	DERATION/RECONSII CLE	DERATION CARANCE	OF ENVIRO	ONMENTAL		
S.No	Proposal						
(1)	Construction of Proposed Building at Saravanampatti Village, Coimbatore North Taluk, Coimbatore district, Tamilnadu.						
	State of the project						
	S. No.	State	District	Tehsil	Village		
			NIL				
	[SIA/T	[SIA/TN/INFRA2/430311/2023, 10210]					
		Residential Building Complex by M/s. DLF IT Offices Chennai Private Limited					
	State of the project						
(2)	S. No.	State	District	Tehsil	Village		
	NIL						
	[SIA/TN/INFRA2/438071/2023 , 9480]						
	Proposed Expansion and Construction of Residential and commercial Group Development						
	State of the project						
(3)	S. No.	State	District	Tehsil	Village		
	NIL						
	[SIA/TN/INFRA2/439895/2023, 10334]						
(4)	Proposed Residential Building Complex by M/s. Ruby Builders & Promoters						
	State of the project						
	S. No.	State	District	Tehsil	Village		

	NIL					
	[SIA/TN/INFRA2/442227/2023, 10379]					
(5)	Construction of Additional Court Building Comprising of Basement Stilt and three floors above the stilt to accommodate 18 Court Halls in the District Court Campus at Tallakulam Village, Madurai North Taluk, Madurai.					
	State of the project					
	S. No.	State	District	Tehsil	Village	
	NIL					
	[SIA/TN/INFRA2/447214/2023 , 10463]					
	Red Multi colour Granite Quarry					
(6)	State of the project					
	S. No.	State	District	Tehsil	Village	
	NIL					
	[SIA/TN/MIN/405263/2022, 7508]					
	Rough Stone and Gravel Quarry of Thiru.R.Raveendran					
(7)	State of the project					
	S. No.	State	District	Tehsil	Village	
	NIL					
	[SIA/TN/MIN/437839/2023, 10265]					

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE(Extension/Amendment/Corrigendum)

S.No	Proposal						
	MP G1	MP Granite Grey Granite Quarry					
(1)	S. No.	State	District	Tehsil	Village		
	(1.)	Tamil Nadu	Krishnagiri	Hosur	Jagadevipalayam Village,		
	[SIA/TN/MIN/204010/2021, 4483/2015]						

CONSIDERATION OF TOR PROPOSALS						
S.No	Proposal					
	P. Gopal Rough Stone and Gravel Quarry Extent:1.68.5ha S.F.Nos. 27/2B (Part) Kodangipalayam Village, Palladam Taluk, Tiruppur District State of the project					
(1)	S. No.	State	District	Tehsil	Village	
	NIL					
	[SIA/TN/MIN/432831/2023, 10121]					

	Proposed expansion of foundry unit located at S.F. No. 478/1 & 2, Ponnandampalayam, Kaniyur Village, Sulur Taluk, Coimbatore District.					
(2)	State of the project					
	S. No.	State	District	Tehsil	Village	
	NIL					
	[SIA/TN/IND1/440138/2023, 10371]					
	Proposed Construction of High-Rise Group Development by M/s Baashyaam Ventures Private Limited and M/s Baashyaam Reality Private Limited					
	State of the project					
(3)	S. No.	State	District	Tehsil	Village	
	NIL					
	[SIA/TN/INFRA2/443872/2023, 10423]					

Discussion on any other item with permission of the Chair.

10.5

Important Note:

1. The project proponents are requested to send the project details in respect of establishment/identification of violation

(by SEIAA/MoEF&CC) in the format as per Annexure-I, Annexure-II, Annexure-III & Annexure-IV.

(1) The project proponents should submit the Form-1, Pre-feasibility report for TOR along with other requisite documents, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if anyincluding details of the court matters/Orders of the Court pertaining to the project if any, in original, duly signed by the company authorized signatory for Environmental Clearance, well in advance before meeting to Ministry's project section or utmost at the time of presentation, without which the proposal will not be considered.

Note:Submit a copy of each of above documents - <u>Hard and Soft Copies (CD)</u> to the Member secretary, Violation (Note: Not by Name) by speed post so as to reach well in time.

- (ii) Compliance Report from Regional Office, MoEF&CC (Applicable for projects already having EC).
- (iii) The KML/Shape files should be emailed to mentioned at para No. 7 below at least 5 days prior to the meeting.
- (iv) The above all documents are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee along with soft copy.
- 2 All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. In case the members of

the Expert Appraisal Committee do not receive the proposals/documents before the meeting, <u>the Committee will not consider the project.</u>

- 3 The Project Proponent or his or her authorized representative /consultant should avoid delivery of documents by hand and seeking meeting with <u>Chairman/Members.</u> Members are also requested to discourage/ avoid the meeting with the PP/ consultants.
- 4 Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. They may also depute senior officers from the company (preferably not more than two representatives) who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.
- 5 Any changes/modification with respect to the Agenda, Venue etc., would be indicated in Ministryâ€[™]s website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., www.envfor.nic.in / www.envclearance.nic.in.
- 6 <u>Distribution of writing pads, pens, plastic folders and unnecessary stationery</u> <u>items during the meeting is not permitted.</u> Distribution of colour print out may be avoided unless it is stated specifically.
- 7 No consultant is permitted into the meeting who has no accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) according to the MoEF OM dated 2nd December, 2009