

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.seiaaup.com

### **Minutes of the 581<sup>st</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 11.04.2022**

The meeting of 580<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 11.04.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg
2. Shri Paras Nath
3. Shri Ajay Kumar Sharma

- Chairman, SEIAA, U.P.  
Member, SEIAA, U.P.  
Member Secretary, SEIAA, U.P.

Nodal Officer SEIAA informed that agenda is prepared by Secretariat and approved by MS SEIAA which is hereby put up for the consideration of SEIAA and placed files and documents related to below mentioned projects before SEIAA.

#### **Agenda-A: - Minutes of 641<sup>st</sup> SEAC-2 Meeting Dated 05/04/2022**

1. **Institutional Building "IT/ITES and Data Centre" located at Plot No. B-11, 12 and 13, Sector-132, Noida, District-Gautam Buddha Nagar, U.P., by M/s SKVR Software Solutions Private Limited., File No. 7001/Proposal No. SIA/UP/MIS/263770/2022**

MS, SEIAA placed before the Authority that ACS, अवस्थापना एवं औद्योगिक विकास, उ०प्र० शासन vide letter no. 99/अ०मु०स०आई०आई०डी०/22 dated 08.04.2022 (copy attached) has written to MS, SEIAA-UP as follows –

सिफ़ी के संलग्न पत्र दिनांक 28.03.2022 का संदर्भ ग्रहण करने का कष्ट करें जिसमें उनके द्वारा यह बताया गया है कि नौएडा में उनके एक डेटा सेन्टर रु० 1950 करोड़ की लागत से स्थापित किया जा रहा है जिसे दिनांक 31.12.2022 तक पूर्ण किया जाना प्रस्तावित है। उक्त निवेश से प्रत्यक्ष एवं अप्रत्यक्ष तौर पर काफी संख्या में लोगों को रोजगार भी प्राप्त होगा। उक्त परियोजना को निकट भविष्य में प्रस्तावित ग्राउण्ड ब्रेकिंग सेरेमनी में भी सम्मिलित किया जाना प्रस्तावित है। कृपया उक्त परियोजना की स्थापना हेतु वांछित पर्यावरण स्वीकृति अतिशीघ्र प्रदान करना चाहें जिससे परियोजना पर कार्य अचलित प्रारंभ हो सके।

In light of above letter dated 08.04.2022 the said project is being taken up on priority. SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.



- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.





**Agenda-B: - Discussion-**

- 1- Multi Modal Logistics Hub at Village- Dadri, Kathera, Pali, Palla, Chitehra, Tehsil- Dadri, District- Gautam Buddha Nagar, U.P., M/s DMIC Integrated Industrial Township Greater Noida Ltd. File No. 6490/5995/Proposal No. SIA/UP/MIS/64456/2020

SEIAA noted that the above project was taken in its 572<sup>nd</sup> meeting dated 10.03.2022 in which after examining of the file, SEIAA opined that are certain discrepancies and decided to ask the PP/consultant to make a presentation and clarify the issues. The PP/consultant made a presentation but couldn't give a satisfactory reply. PP requested to give them one week time for submitting the reply. SEIAA opined the project will be taken in its meeting dated 18.04.2022.

- 2- Proposed Proposed Multi Modal Transport Hub at Village- Boraki, Junpat, Kathera, Pali, Palla, Thapkheda, Tehsil-Dadri, District-Gautam Budha Nagar, U.P., M/s DMIC Integrated Industrial Township Greater Noida Ltd. File No. 6491/5994/Proposal No. SIA/UP/ MIS/64744/2020

SEIAA noted that the above project was taken in its 572<sup>nd</sup> meeting dated 10.03.2022 in which after examining the file, SEIAA opined that are certain discrepancies decided to ask the PP/consultant to make a presentation and clarify the issues. The PP/consultant made a presentation but couldn't give a satisfactory reply. PP requested to give them one week time for submitting the reply. SEIAA opined the project will be taken in its meeting dated 18.04.2022.

**Agenda-C: - Minutes of 632<sup>nd</sup> SEAC-1 Meeting Dated 03/03/2022**

- ✓ 1. Building Stone, Khanda, Boulder, Ballast (Gitty) (Granite) Mining at Arazi No.- 2611, Village- Pahra, Tehsil-Sadar, Mahoba, Shri Vaibhav Singh, Area- 1.882 Ha., File No. 6845/Proposal No. SIA/UP/MIN/70867/2022

SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR -

- 1- PP/consultant should submit a composite map showing all the leases in this cluster along with composite KML file for all the mine in said cluster.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.

- 8- Status of leases granted/to be granted in various mining khandas along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.





- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

✓ 2. Sand Mining from Tons River bed at Khand No- 45, Village-Sulmai to Sodhiya, Tehsil-Karchhana, Prayagraj, Smt. Shakuntala, Area 6.00 Ha., File No. 6846/Proposal No. SIA/UP/MIN/70883/2022

SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR -

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 5- KML file for the area and mining lease area should be provided.
- 6- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 7- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 8- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 9- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.

- 10- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 11- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA EMP report.
- 12- Replenishment study, duly approved by the competent authority for approving DSR for the district should be submitted.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 6,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 30 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

✓ 3. **Riverbed Sand Mining at Gata No.- 685/2/1, 685/2/2, 758/3, 674, 675/1, 758/1 & 758/1, Village Kothri Gauriya, Tehsil- Sirauli Gauspur & District -Barabanki, Smt. Bhanmati, Area 1.6035 Ha., File No. 6847/Proposal No. SIA/UP/MIN/248931/2021**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. As the Lol and mining plan is valid for a period of 6 months, the EC will also be valid for a period of 6 months from the date of issue and then it will be null and void.

*AE*



2. Validity period of this EC is co-terminus with the validity of current mine plan or current lease period whichever is earlier.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
4. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 10 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.

✓ 4. Red Morrum Mining at Gata No- 315, Village Pachauda, Tehsil Mahroni, District Lalitpur, Smt. Neelam Baronía., Area 1.0 Ha., File No. 6848/Proposal No. SIA/UP/MIN/247783/2021

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders

A

shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. CC is valid for a period of 5 years from the date of issue or validity of current mine plan or current lease period whichever is earlier.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
5. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
6. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 5 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
7. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
8. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.





5. Stone (Khanda, Boulder, Bailast & Gitti) at Gata No.-93, Khand No.-11, at Village-Bari, Tehsil & District- Mahoba., Shri Ashwani Rawat, M/s PNC Infratech Ltd., area-1.012 ha., File No. 6849/6316/Proposal No. SIA/UP/MIN/70769/2021

SEIAA opined that it is not evident from the MoM of SEAC-1 whether entire ToR has been addressed while preparing EIA/EMP report or not, this should be deliberated upon by SEAC-1 and details in tabular form should be submitted. Further, it is not evident from MoM of SEAC-1 whether issues raised during public hearing have been addressed while preparing final EIA-EMP report or not, this should be deliberated upon by SEAC-1 and details in tabular form should be submitted. Hence SEIAA opined to refer back the project to SEAC-1 for review/ deliberations.

6. Stone (Khanda, Boulder, Ballast & Gitti) at Gata No.-953, Khand No.-04, Village-Dahrre, Tehsil-Dahrre, Mahoba, Shri Rakesh Kumar Goswami., area-0.809 ha., File No. 6850/6320/Proposal No. SIA/UP/MIN/70853/2021

SEIAA opined that it is not evident from the MoM of SEAC-1 whether entire ToR has been addressed while preparing EIA/EMP report or not, this should be deliberated upon by SEAC-1 and details in tabular form should be submitted. Further, it is not evident from MoM of SEAC-1 whether issues raised during public hearing have been addressed while preparing final EIA-EMP report or not, this should be deliberated upon by SEAC-1 and details in tabular form should be submitted. Hence SEIAA opined to refer back the project to SEAC-1 for review/ deliberations.

7. Stone (Khanda, Boulder, Bailast & Gitti) Mining at Gata No.-339, Khand No.-14 New, 39 Old, at Village- Dahrre, Tehsil & District- Mahoba., Shri Omprakash Khatri, area-1.619 ha., File No. 6851/6318/Proposal No. SIA/UP/MIN/70813/2021

SEAC-1 has informed that PP / consultant didn't appear for presentation. Project to be delisted and to be opened only after submission of written request by PP / consultant. Further, a reference be sent to DM, Mahoba that no mining should take place without valid EC and in case mining has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

8. IT Park "Proplarity Bizlife" at Plot No.- A-46, Sector- 62, Noida, District- Gautam Buddh Nagar, U.P., M/s S.H.S.L Software Pvt. Ltd., File No. 2553/Proposal No. SIA/UP/MIN/250525/2021

SEIAA agreed with the recommendation of SEAC-1 to extend the validity of the Environmental Clearance letter no. 2279/PARYA/SEAC/2553/2014/OSD(T) dated 14/01/2015 for the period of 03 years i.e. 14/01/2022 to 13/01/2025. All the contents mentioned in Environmental Clearance letter) dated 14/01/2015 shall remain the same.

9. Mini Township at Khasra No.-675, 676, 677, 678, 680 & 692, Village-Madiaon, Tehsil-Bakshi Ka Talab, Lucknow., Shri Atul Kumar Saxena, M/s ORO REAL INFRA LLP, File No. 6828/Proposal No. SIA/UP/MIN/233935/2021

SEIAA noted that SEAC-1 has recommended to grant EC to the above project. SEIAA gone through file and documents and opined that project proponent should submit-

1. LDA approved map.
2. Detail of STP discharge points and its location.
3. Solid waste generation and segregated discharge quantity.
4. Bio-organic converter and its detail



**10. Group Housing Project "GSR HEIGHTS" at Kalp City, Village- Bijnour, Pargana- Bijnour, Lucknow., Shri Gagan Kumar Mishra, M/S G.S.R. Builder and Developers Pvt. Ltd., File No. 6593/Proposal No. SIA/UP/MIN/229703/2021**

SEIAA noted that SEAC-1 has recommended to grant EC to the above project. SEIAA gone through file and documents and opined that project proponent should submit-

1. LDA approved map
2. Detail of STP discharge points and its location
3. Solid waste generation and segregated discharge quantity
4. Bio-organic converter and its detail

**11. Residential Complex "Gulmohar Residency" at Khasra No.-527/1, 519, Village- Kanawani, District- Ghaziabad, U.P., M/s SVP Builders (I) Ltd., File No. 4222/Proposal No. SIA/UP/MIN/24669/2018**

SEIAA agreed with the recommendation of SEAC-1 and opined that the project proponent should present before SEAC and make presentation regarding the project. The committee directed the Secretariat to list the matter in upcoming SEAC-1 meeting and inform the project proponent accordingly.

Assistant Nodal/Nodal Officer  
SEIAA, UP



(Ajay Kumar Sharma)  
Member-Secretary  
SEIAA

(Paras Nath)  
Member  
SEIAA

(Dr. Rajiv Kumar Garg)  
Chairman  
SEIAA