

15. Building Stone "Sand Stone" at Araji No.-639, at Village- Rampur Sakteshgarh, Tehsil- Chunar, District- Mirzapur, U.P., M/s Shahnai Constrction, Area -3.64 ha,4807 SIA/UP/MIN/36042/2019

16. बालू खनन सम्बन्धी प्रकरण पत्रावली संख्या-4250, गाटा संख्या-293/1, 293/2, 294/6, 298/10, 299/1 एवं 718/1, ग्राम-कछला खण्ड-प्रथम, तहसील व जनपद-बदायूँ, (एरिया-45.85 हेक्टेयर) में खनिज उपलब्धता के सम्बन्ध में समिति द्वारा प्रस्तुत स्थल निरीक्षण रिपोर्ट के क्रम में समिति के निर्देशानुसार जिलाधिकारी/जिला खनन अधिकारी, बदायूँ द्वारा फक्वुअल रिपोर्ट उपलब्ध कराये जाने के सम्बन्ध में श्री मदन सिंह नेगी के पत्र दिनांक 09.10.2020 पर समिति द्वारा विचार-विमर्श।




SEIAA noted that SEAC deferred the matter due to shortage of time. Hence the above project taken in the next meeting.

#### (4) Minutes of 502<sup>nd</sup> SEAC Meeting Dated 15/10/2020

1- Data Centre at Plot No.-07, Knowledge Park-V, Greater Noida, U.P., M/s NIDP Developers Pvt. Ltd. File no. 5818, Proposal no:SIA/UP/MIS/172043/2020

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 9- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
- 10- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019





and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.

- 11- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
  - 12- All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Govt. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
  - 13- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 2- (3)Environmental Clearance for Stand-alone Tikaria Cement Project (Grinding & Packing Unit of 2.0 MTPA with a 35 MW Captive Power Plant) at UPSIDC Industrial Area, Tikaria, Tehsil-Gauriganj, Dist. Sultanpur, U.P. of M/sACC Limited, File no. 446

SEIAA agreed with the recommendations of the SEAC that the matter will be discussed only after submission of online request on prescribed portal. The file shall not be treated as pending.

- 3- (5)Building Stone "Sand Stone" at Araj No.-639, at Village- Rampur Sakteshgarh, Tehsil- Chunar, District- Mirzapur, U.P., M/s Shahnai Constrection, Area -3.64 ha File no.4807,Proposal no SIA/UP/MIN/ 36042/2019

SEIAA agreed with the recommendations of the SEAC that letter should be sent to the District Magistrate, Mirzapur and District Mining Officer, Mirzapur for providing the factual report on the matter within 15 days and that a copy of the letter should be sent to Director, Geology and Mining Department, Lucknow, Uttar Pradesh and the project proponent for information.

- 4- (6)Sand Mining at Gauriva Nala, Gata No.-5, 7Ka, 30Ka Mi, 28, Village-Ahlad Naga, Tehsil & District-Balarampur, M/s Mishra Construction Company, Area: 2.387 ha, File no.5910, Proposal no. SIA/UP/MIN/ 176793/2020

The SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-

*FTS*

*madh. Bhandari*

*RPSiph*



1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.

**5- (7) Sand/Morrum Mining from Ken River bed at Khand No.-10/27 to 10/28, Village Kataaiya, Tehsil- Chail, District-Kaushambi, M/s K.K. Associates., Area-24.28 Ha File no 4535/ 4385 Proposal no. SIA/UP/MIN/ 29538/2018**

SEIAA noted that has commented that that the Terms of Reference for the proposal was issued by SEIAA, U.P. vide letter no. 315/parya/SEAC/5720/2019 dated 011/09/2020 which seems in correct. Hence SEIAA opined to refer back the project to SEAC.

**6- (9) Stone (Khanda, Gitti & Red Morrum) Mine at Gata No.-52, at Village- Sirsiya Thakurai, Tehsil- Robertsganj, Sonebhadra, Smt. Binduwati Devi., Area -5.0 Acre., 5828, SIA/UP/MIN/ 172302/2020**

SEIAA agreed with the recommendations of the SEAC that matter will be discussed only after submission of information on prescribed portal.

**7- (11) Sand Mining from Ghaghra River Bed at Gata No.-01, Village-Kalafarpur Maniha, Tehsil-Sohawal, District-Ayodhya, U.P., M/s Hina Enterprises., Lease Area: 8.7 Ha, 5720 SIA/UP/MIN/ 53784/2020**


SEIAA agreed with the recommendations of the SEAC to change the name of District from Kanpur to Ayodhya in the TOR issued vide letter no. 315/parya/SEAC/5720/2019 dated 011/09/2020. All the contents mentioned in the Terms of Reference letters no. 315/parya/SEAC/5720/2019 dated 11/09/2020 shall remain same.

**8- (12) Sand/Morrum Mining from Dhasan River Bed at Khand No.-06, Village-Tolakhangan, Tehsil- Rath, District- Hamirpur, U.P., (Area: 32.11 acre) 5699, SIA/UP/MIN/ 53864/2020**

SEIAA agreed with the recommendations of the SEAC to change the area from "32.11 Ha. to 32.11 acres or 13ha." and khand no. 13 to Khand no. 06. All the contents mentioned in the Terms of Reference letters no. 263/parya/SEAC/5699/2019 dated 28-08-2020 shall remain same.

**9- (13) बालू खनन सम्बन्धी प्रकरण पत्रावली संख्या-4250, गाटा संख्या-293/1, 293/2, 294/6, 298/10, 299/1 एवं 718/1, ग्राम-कछला खण्ड-प्रथम, तहसील व जनपद-बदायूँ, (एरिया-45.85 हेक्टेयर) में खनिज उपलब्धता के सम्बन्ध में समिति द्वारा प्रस्तुत स्थल निरीक्षण रिपोर्ट के कम में समिति के निर्देशानुसार जिलाधिकारी/जिला खनन अधिकारी, बदायूँ द्वारा फक्वुअल रिपोर्ट उपलब्ध कराये जाने के सम्बन्ध में श्री मदन सिंह नेगी के पत्र दिनांक 09.10.2020 पर समिति द्वारा विचार-विमर्श।**

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after receipt of factual report.





**10- (14) Sand Mining from Ghaghara river at Gata No.-2296 Kh, Village- Bhauri, Tehsil- Mahasi, Bahraich., Shri Durgesh Kumar., Area-4.536 ha, File No.- 5893-SIA/UP/MIN/176244/2020**

The SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-


- 1- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
- 2- The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.

**With the permission of the Chairman**

**1. Revision & Expansion of Integrated Township "Golf Links" at Village- Mehrauli, Paragna- Dasna, Tehsil & District- Ghaziabad, U.P., Shri Nirmesh Kumar Agarwal, M/s Landcraft Developers (P) Ltd., File No.- 5901/5830 SIA/UP/MIS/57121/2020**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.

  
RPS






- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 9- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
- 10- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 11- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
- 12- All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
- 13- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

**2. Affordable Housing Project at Village-Gohodi Bahceda, Sector-Mu II, Greater Noida, District-Gautam Buddha Nagar., M/s Greater Noida Industrial Development Authority. File No. 5267/Proposal No. SIA/UP/MIS/46462/2018**

SEIAA noted that the above project was taken in its meeting dated 20-08-2020 in which SEIAA opined that proposal for reuse of treated waste water in flushing should be submitted along with the proposal of dual plumbing system etc. SEIAA also noted that nursing home is also being proposed and hence the project proponent should also submit the amount and treatment detail of liquid effluent generated from nursing home. The project proponent has submitted his reply vide letter dated 30-09-2020. SEIAA also noted that the project proponent has submitted a letter dated 14/10/2020 informing that bank guarantee of Rs.1,10,48,000/- has been submitted in UPPCB.


SEIAA reviewed the reply and agreed with the recommendations of the SEAC dated 16/01/2020 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC after submitting the bank guarantee for Rs. Rs.1,10,48,000/- to UPPCB. The secretariat shall also refer the matter to Department of Environment, UP to initiate the prosecution proceedings against the project proponent. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-


- 1- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
- 2- All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC,


   Page 14 of 15



- Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
- 3- The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
  - 4- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
  - 5- The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
  - 6- The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
  - 7- The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
  - 8- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
  - 9- The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
  - 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
  - 11- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
  - 12- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
  - 13- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

  
15.X.2020  
(Shri Ashish Tiwari, IFS)  
Member-Secretary  
SEIAA

  
(Dr. (Smt.) Madhu Bhardwaj)  
Member  
SEIAA

  
(Prof. Rana Pratap Singh)  
Chairman  
SEIAA