

Minutes of the 422nd Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 07.12.2020

The meeting of 422nd State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 07.12.2020 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Agenda-A: -Complaints/letters -Nil

Agenda-B: -Reply-

1. **Proposed Development of Government Medical College at Gata No- 275, 284, 296, 297, 298, 299, 300, 302, Village- Chitaura, District-Fatehpur, U.P., Principal, Medical College, Fatehpur, U.P. File No. 5706/Proposal No. SIA/UP/MIS/158199/2020**

SEIAA noted that the above project was taken in its meeting dated 07.08.2020 in which SEIAA found the discrepancies in the quantity of various type of waste water given in water balance chart as the quantity mentioned does not match with the total amount. The project proponent was also to submit quantity and type of treatment of the liquid hospital/biomedical waste generated from 300 bedded area (Including treatment which has to be given onsite). As well as a rational for proposing STP of 500 KLD for 201 KLD of waste water to be generated without any basis. The project proponent has submitted his reply vide letter dated 25.08.2020. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-


1. The project proponent shall submit within the next 3 months the schedule for training of various categories of employees involved in Bio-medical waste management at various levels of Bio-medical waste generation in hospital along with the name of experts etc.
2. The project proponent shall engage the agency authorized by UPPCB for Bio-medical waste collection, transportation, disposal and treatment.
3. The project proponent shall submit within the next 3 months the details on quantification of year wise CSR activities along with cost and other details. The CSR

Madhu Bhardwaj

RPS:ph

- activities should be related to mitigation of environmental pollution and awareness for the same. CSR activities must not be less 2% of the project cost.
4. The project proponent shall install micro solar power plants in nearby villages, public place or school from CSR fund of the project for which E.C is granted in addition to toilets and water harvesting pits and carbon sequestration parks / designed ecosystems.
 5. Project Proponent shall obtained authorization for disposal of Bio- medical waste under Bio- Medical waste management rules, 2016 from UPPCB.
 6. The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
 7. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
 8. The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
 9. The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 10. The project proponent shall submit within the next 3 months the details of segregation plan of MSW/BMW.
 11. The project proponent shall install and ensure that waste water is properly treated in STP and should be reused for gardening flushing system irrigation purposes and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function.
 12. As proposed infectious liquid waste shall be segregated and separate ETP shall be installed.
 13. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. Government Medical College at Khasra No.-1206 & 1093, Village- Siraon, District- Etah. Principal, Government Medical College, Etah, U.P. File No. 5612/Proposal No. SIA/UP/MIS/149174/2020

SEIAA noted that the above project was taken in its meeting dated 10.07.2020 in which SEIAA found that Justification/basis of such a high ETP and STP capacity is not given. The surplus 76 KLD/92 KLD treated waste water during non-monsoon/monsoon season has been proposed to be discharged in nearby runoff drain which will ultimately find its way to Lower Ganga Canal as per the map submitted by project proponent. No consent/permission/MOU signed with irrigation department for the discharge of its waste water in Lower Ganga Canal has been submitted by project proponent. Details for generation and disposal of Biomedical Waste have also not been submitted. The project proponent has submitted his reply vide letter dated 21.07.2020 in which it is mentioned that use of STP will be developed into two phases, 200 KLD initially in the 1st phase and later depending on the requirement the STP will be upgraded to 500 KLD in phase-2 but in proposal no mention has been made regarding the development of project in the different phases. Permission from the competent authority regarding

 *Madhu Bhardwaj*

discharge of treated water in lower Ganga Canal has not been submitted. SEIAA opined that the project proponent shall reassess the requirement of STP and clarify the above and shall also submit the permission from the competent authority regarding discharge of the treated water in lower Ganga Canal.

3. **"300 Bedded Obstetrics & Gynecology Block" at Gata No.:- 365, 347, 348, 366, 104Mi, 344, 354Mi, 357, 358, Village:-Amarsipur, Pargana& Tehsil- Saifai, District- Etawah. File No. 4087/ Proposal No. (SIA/UP/NCP/72964/2018)**

SEIAA noted that the above project was taken in its meeting dated 31.08.2020 in which SEIAA opined that the details regarding Bio-medical liquid waste treatment facility and solid waste treatment facility shall also be submitted. The project proponent has submitted his reply vide letter dated 26.08.2020. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. The project proponent shall submit within the next 3 months the schedule for training of various categories of employees involved in Bio-medical waste management at various levels of Bio-medical waste generation in hospital along with the name of experts etc.
2. The project proponent shall engage the agency authorized by UPPCB for Bio-medical waste collection, transportation, disposal and treatment.
3. The project proponent shall submit within the next 3 months the details on quantification of year wise CSR activities along with cost and other details. The CSR activities should be related to mitigation of environmental pollution and awareness for the same. CSR activities must not be less 2% of the project cost.
4. The project proponent shall install micro solar power plants in nearby villages, public place or school from CSR fund of the project for which E.C is granted in addition to toilets and water harvesting pits and carbon sequestration parks / designed ecosystems.
5. Project Proponent shall obtained authorization for disposal of Bio- medical waste under Bio- Medical waste management rules, 2016 from UPPCB.
6. The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
7. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
8. The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
9. The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall submit within the next 3 months the details of segregation plan of MSW/BMW.
11. The project proponent shall install and ensure that waste water is properly treated in STP and should be reused for gardening flushing system irrigation

purposes and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function.

12. As proposed infectious liquid waste shall be segregated and separate ETP shall be installed.
13. Under any circumstances, no discharge of any kind, untreated or treated effluent should be allowed/discharged/flow outside the premises. ZERO LIQUID DISCHARGE (ZLD) shall be strictly followed.
14. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

4. Government Medical College, Ghazipur at Gata No- 243, 244, 246, 247, 248 at Village-Siraon, Tehsil & District-Ghazipur, U.P. Principal, Government Medical College, Ghazipur, U.P. File No. 5515/Proposal No. SIA/UP/MIS/142946/2020

SEIAA noted that the above project was taken in its meeting dated 10.07.2020 in which SEIAA found that Justification/basis of such a high ETP and STP capacity is not given. The surplus treated waste water during non-monsoon/monsoon season has been proposed to be discharged in nearby runoff drain which will ultimately find its way to Lower Ganga Canal as per the map submitted by project proponent. No consent/permission/MOU signed with irrigation department for the discharge of its waste water in Lower Ganga Canal has been submitted by project proponent. Details for generation and disposal of Biomedical Waste have also not been submitted. The project proponent has submitted his reply vide letter dated 21.07.2020 in which it is mentioned that use of STP will be developed into two phases, 100 KLD initially in the 1st phase and later depending on the requirement STP will be upgraded to 200 KLD in phase-2 but in proposal no mention has been made regarding the development of project in the different phases. Permission from the competent authority regarding discharge of treated water in lower Ganga Canal has not been submitted. SEIAA opined that the project proponent shall reassess the requirement of STP and clarify the above and shall also submit the permission from the competent authority regarding discharge of treated water in lower Ganga Canal.

5. Pradhan Mantri Awas Yojna at 332, 367, 368, 371, 372, 374, 375, 376, 377, 379, 380, 381, 386, 387, 733, 734, Sector-N, Vasant Kunj, Village- Bari-Kala, Tehsil- Sadar, District-Lucknow, U.P. File No. 4951/Proposal No. SIA/UP/MIS/112220/2019

SEIAA noted that the above project was taken in its meeting dated 28.07.2020 in which SEIAA opined that the permission from the competent authority for discharge of surplus treated water in Gomti River shall be submitted by the project proponent. The project proponent has submitted his reply vide letter dated 21.08.2020 in which it is mentioned that surplus treated water will be discharged in the upstream or of Lucknow city of Gomti River and LDA will acquire permission from competent authority before operational phase for discharge of excess treated water. SEIAA opined that as the discharge^{is} in Gomti River^{is} the upstream of lucknow city, project proponent shall obtain the prior permission of the competent authority for the discharge of its treated waste water and submit to SEIAA.



under Boardway

RPS

Agenda-C: - (1) Minutes of 502nd SEAC Meeting Dated 15/10/2020

1. **Data Centre at Plot No.-07, Knowledge Park-V, Greater Noida, U.P., M/s NIDP Developers Pvt. Ltd. File no. 5818, Proposal no:SIA/UP/MIS/172043/2020**


This project has already been taken earlier by SEIAA. Hence no action is required.


2. **Industrial Building at Plot No.- 04, Sector-155, Noida, District- Gautam Buddha Nagar, U.P., M/s Surbhi Satcom Pvt. Ltd. File no. 5798, Proposal no.SIA/UP/MIS/170232/2020**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. The project authorities shall strictly comply with the rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals Rules, 1989(as amended) and Hazardous Waste (Management and Handling) Rules, 2016, (as amended) from time to time. Hazardous/Solid Wastes generated during construction and operation phases should be disposed off as prescribed under law. Necessary clearances in this regard shall be obtained.
2. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
3. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
4. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
5. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
6. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
7. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
8. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
9. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Untreated waste water shall not







be reused /recycled. As proposed, ZLD shall be ensured. Under any circumstances treated effluent of any type shall not be discharged or find its way outside the factory premises.

10. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
11. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
12. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
13. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
14. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

3. Cement Grinding Unit for Proposed Production of 2.0 MTPA at Khasra No.-1164K, 1165K, 1168, 1170, 1140Kha, 1162Ga, 1167mi, Village-Nagardeeh, District- Amethi, U.P., M/s Kanodia Cement Ltd. File no. 5847/5078, Proposal no. SIA/UP/IND/SIA/UP/IND/56666/2019

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding specific condition as follows:-


1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
3. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.


4. Revision & Expansion of the Group Housing "Palm Olympia" at Plot No.-GH-02, Sector-16 C, Greater Noida, District- Gautam Budha Nagar, U.P., Shri Sachin Garg, M/s Sam India Abhimanyu Housing File no 5900/5771, Proposal no SIA/UP/MIS/57107/2020

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and

specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed,






requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

5. Construction of Rubber dam at 1.5 Km downstream of Taj Mahal on River Yamuna in Agar City, District-Agra, Shri Anil Kumar, Chief Engineer, Sinchai, Lucknow. 5717, SIA/UP/MIS/161987/2020


SEIAA noted that SEAC has recommended to grant the environmental clearance. SEIAA gone through file and documents and found that SEAC has asked for the NOC from TTZ authority. Project proponent has submitted the minutes of TTZ authority. Under the heading main agenda-03 (10.06.2019) it is mentioned that :-

"विस्तृत विचार-विमर्श उपरान्त टी0टी0जेड0 प्राधिकरण द्वारा सर्वसम्मति से यह निर्णय लिया गया कि वर्तमान में ताज ट्रैपेजियम क्षेत्र हेतु विजन डाक्यूमेंट एस0पी0ए0 द्वारा तैयार किया गया है, जिसे मा0 सर्वोच्च न्यायालय में प्रस्तुत कर दिया गया है लेकिन विजन डाक्यूमेंट का प्रकरण वर्तमान में मा0 न्यायालय में विचाराधीन है। विजन डाक्यूमेंट के सम्बन्ध में मा0 सर्वोच्च न्यायालय से स्पष्ट आदेश पारित होने तथा रिट याचिका (सिविल) सं0 13381/1984-एम0सी0 मेहता बनाम यूनियन ऑफ इंडिया व अन्य में दिनांक 22.03.2018 को जजने नुव के आदेशों पर अन्तिम निर्णय पारित होने तक सिंचाई एवं जल संसाधन विभाग को रबर डैम परियोजना हेतु टी0टी0जेड0 प्राधिकरण द्वारा अनुमति/क्लियरेंस दिये जाने का प्रकरण वर्तमान में स्थगित रखा जाये "


Hence SEIAA opined to refer back the project to SEAC for review.


16.12.2020
(Shri Ashish Tiwari, IFS)

Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)

Member
SEIAA


RPS. 16/12/20
(Prof. Rana Pratap Singh)

Chairman
SEIAA