

**MINUTES OF THE 116th MEETING OF SEAC KERALA
HELD DURING 2nd, 3rd and 7th DECEMBER, 2020 AT
THE CONFERENCE HALL, STATE ENVIRONMENT
IMPACT ASSESSMENT AUTHORITY,
THIRUVANANTHAPURAM**

PARIVESH FILES

AGENDA -2

CONSIDERATION/RECONSIDERATION OF ENVIRONMENTAL CLEARANCE

1.SIA/KL/MIN/125990/2019 , 1519/EC1/2019/SEIAA

Environmental Clearance for Granite Building Stone Quarry of Mr.Ziyad.A.L over an extent of 0.9162 Ha. Re Survey No 468/4,468/5,468/7,468/10,468/12,468/13,472/1 in Kilimanoor Village, Chirayinkeezhu Taluk, Thiruvananthapuram District, Kerala (Field Inspection Report received)

Decision: The Committee discussed and accepted the Field Inspection Report and decided to direct the proponent to submit the following additional documents/details:

- i) *OB dumping site details*
- ii) *Plan for removing and managing larger boulders in the site*
- iii) *Redesign storm water drains and silt traps appropriate to the flow of storm water*
- iv) *Concrete border pillars to be erected instead of metallic poles*
- v) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- vi) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*

2.SIA/KL/MIN/126088/2019 , 1525/EC1/2019/SEIAA

Environmental Clearance for the building stone quarry at Survey Nos.

26/2,26/2,26/2,27/1,27/3 of Vaniyamkulam-2 Village, Ottappalam Taluk, Palakkad District, Kerala State for an area of 0.9990 hectare by Mr Deepak N D Managing Partner M/s Quality Rocks (Field Inspection Report received)

Decision: The Committee discussed and accepted the Field Inspection Report and decided to direct the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- ii) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*
- iii) *The shed located within the site should be dismantled before the functioning of the quarry. An affidavit to the effect may be submitted by the proponent.*
- iv) *O. B dumping site which is located close to the valley must be protected by retaining wall to prevent any possible erosion/rolling down of debris to the adjacent valley. An affidavit to is to be submitted.*
- v) *The valley sides must be reinforced by using geo textiles and Vetiver plant. An affidavit to the effect to be submitted*
- vi) *The width of the access road must be increased to 7m. An affidavit to this effect has to be submitted by the proponent.*

3. SIA/KL/MIN/127534/2019, 1554/EC1/2019/SEIAA

Environment Clearance for Category B2 project – KHONDALITE (Granite Building Stone), over an Extent of 02.28.51 Hectare in S.F.No. 340/1- 26/3,340/1-28/2,340/1-30/1,340/1/26-2,340/1/26-1,Enadimangalam Village, Adoor Taluk, Pathanamthitta District, Kerala by Mr. Mathew Daniel (Field Inspection Report received)

Decision: A) Decided to recommend to SEIAA to ensure detailed inspection and appropriate action by the Mining & Geology Department and Pollution Control Board as the following quarries were found grossly violating EC conditions:

1. Mathew Daniel Area 0.88 Ha

EC No 8543/2017/C1 valid up to 13-02-2023

2. Kairali Rocks S. Vinod Area 0.61 Ha

EC 02/2016 dated 22-11-2017 . The EC period will be over within two months

3. Udayan K Area 0.6192 Ha

EC No DIA/KL/MIN/8446/MIN valid till 12-12-2022

B). The Committee discussed and accepted the Field Inspection Report and decided to direct the proponent to submit the following additional documents/details:

- i) *Upload approved mining plan and DSR*
- ii) *Geo-coordinates of the observation wells*
- iii) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- iv) *Whether lower benches will intersect water table in the area*
- v) *Revised project cost considering fair value of land and other actual costs.*

4. SIA/KL/MIN/129012/2019, 1302/EC2/2019/SEIAA

Proposed Granite (Building Stone) Quarry with lease at Re-Survey No.420/7 (420/7-1), 421/7, 422/1/1, (422/1-7, 422/1-9,422/1-10, 422/1-11, 422/1-12), Block No: 33, Re Survey No: 298/2, Block No: 14 in Kuzhimanna & Muthuvallur Village, Kondotty Taluk, Malappuram District, Kerala for an extent of 2.7804Ha by SajeerBabu (ADS+Presentation)

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Dr.P.S.Easa & Dr.S.Sreekumar for the field inspection and decided to direct the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- ii) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*

5. SIA/KL/MIN/129289/2019, 1535/EC3/2019/SEIAA

Building Stone Quarry (Minor Mineral) project of Mr. Likhman is situated at Re Survey No. 104/2 B -58, BLOCK NO. 2 in Kannamangalam Village, Thirurangadi Taluk, Malappuram District, Kerala in an area of 0. 5917 hectare

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Dr.P.S.Easa & Dr.S.Sreekumar for field inspection and decided to direct the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- ii) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*
- iii) *Redraw drainage map*
- iv) *Land use/Land cover map of 500m radius area*

6. SIA/KL/MIN/129673/2019, 1545/EC2/2019/SEIAA

Environmental Clearance for the Proposed Granite (Building Stone) Quarry in Re-Sy. No. 117/6 of Elamadu Village, Kottarakkara Taluk, Kollam District., Kerala for an extent of 0.7800 Ha Aishwarya Granites (Field Inspection report received)

Decision: The Committee discussed and accepted the Field Inspection Report and decided to direct the proponent to submit the following additional documents/details:

- 1) *NOC from the District Collector, Kollam for entire project area ie 0.78 Ha in resurvey no 117/6 in Elamad Village.*
- 2) *NOC with extended validity period.*
- 3) *Revised Project cost considering fair value of land other actual costs.*
- 4) *Seasonal drainage in the west- east valley must be channeled to down side of the*

quarry properly before starting mining. Necessary proof for this has to be submitted.

- 5) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*

7. SIA/KL/MIN/134293/2019, 1583/EC1/2019/SEIAA

Environmental Clearance for Granite Building Stone Quarry of M/s Kunjikuzhi Stones over an extent of 2.4229 Ha. Block No.29, Survey No 246/2,135/5- 2,139/1,139/2,139/5, in Manickal Village, Nedumangad Taluk, Thiruvananthapuram District, Kerala. (Field Inspection Report received)

Decision: The Committee discussed and accepted the Field Inspection Report. The Committee decided to invite the proponent for presentation and directed the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- ii) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*
- iii) *Revise project cost with breakup*
- iv) *Reworked drainage plan*
- v) *Dumping site to be marked on the map*
- vi) *Provide gabion protection around the proposed OB storage yard*
- vii) *Provide details on ground water levels and geo-coordinates of the observation wells*
- viii) *Submit the transportation plan including road access to the quarry site.*
- ix) *Provide agreement of Adani Vizhinjam Port Ltd. and proponent regarding supply of rocks.*
- x) *NOC of KSEB regarding the nearby 11KV powerline*

8. SIA/KL/MIN/134626/2020, 1610/EC1/2020/SEIAA

Proposed Building Stone Quarry of Mr. R. Sudharman at Re Survey

No 504/1,504/2,504/3, in Mallappally Village, Mallappally Taluk, Pathanamthitta District, Kerala for an extent of 1.4561 Ha.(Field Inspection Report received)

Decision: The Committee discussed and accepted the Field Inspection Report. The Committee decided to invite the proponent for presentation and directed the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- ii) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*
- iii) *Erect proper concrete pillars with the coordinates marked on it in black letters on yellow back ground.*
- iv) *Submit a map with proposed road to the site with a traffic plan.*
- v) *A drainage plan with extended contours showing the drainage channel linked to a main channel,*
- vi) *Location of OB dump indicated on the map.*

9. SIA/KL/MIN/154110/2020, 1730/EC2/2020/SEIAA

Building Stone Quarry Project of M/s K Lekshmanan Infrastructure and Industries Pvt Ltd situated at Survey Nos. 222/4, 222/5, 222/28, 222/14, 229/1- 2, 229/15, 229/15-2-1, 229/15-2-2 (Pvt. Land) and 222/13, 222/21, 222/23, 222/24 (Govt. Land) in Chadayamangalam Village, Kottarakkara Taluk, Kollam District, Kerala for an area of 0.9812 hectare. (Presentation)

Decision: The proponent and RQP were present. The RQP made the presentation. The Committee entrusted Shri.G.Sankar & Shri.M.Dileep Kumar for the field inspection and decided to direct the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as*

stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.

- ii) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*
- iii) *NOC from the District Collector*
- iv) *Land use/Land cover map within 500m.radius of the site*

10. SIA/KL/MIN/158328/2020, 1424/EC1/2019/SEIAA

Application for Granite Building Stone Quarry of Mr.Sasidharan at Re Survey. No. 240/3,244/11,244/10, 244/9,244/3,244/3-1 in Thekkada Village, Nedumangad Taluk, Thiruvananthapuram District, Kerala (Conversion- ToR to EC) (Field Inspection Report received)

Decision: The Committee discussed and accepted the Field Inspection Report and decided to direct the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- ii) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*
- iii) *Lay out Plan showing additional drain, through center of the Quarry, in between boundary stone No 1 & 2 for drainage of rain water within the quarry. .*
- iv) *Action Plan for Boulders Management showing quantity and mode of removal of Boulders present at the site.*
- v) *Plan for providing protection wall, with concrete side walls, around the proposed OB Dump site.*
- vi) *Plan for widening of the approach road leading to the Quarry.*

- vii) *Affidavit showing limiting the quarry operation of final level of bench proposed from 80 to 75 m, for the protection / avoiding reduction of local Ground water level.*
- viii) *Well labelled boundary stones in all 17 points.*
- ix) *Garland drains outlet section joining the natural drain is not clear. Submit a map showing its management.*

11. SIA/KL/MIN/165625/2020, 1440/EC1/2019/SEIAA

Granite Building Stone Quarry of Mr. C. Krishna Pillai in Block No-27, Re Survey Nos. 283/1pt, 283/2pt, 283/4, 296/3pt of Ezhumattoor Village, Mallapally Taluk of Pathanamthitta District, Kerala (Conversion ToR- EC) (Field Inspection Report received)

Decision: The Committee discussed and accepted the Field Inspection Report. The Committee decided to invite the proponent for presentation and directed the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- ii) *Recent survey map showing distance to residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned.*
- iii) *Area demarcated for afforestation.*
- iv) *Erect proper concrete pillars with the coordinates marked on it in black letters on yellow back ground*
- v) *A proper drainage plan showing the runoff water management systems, especially the connection to an external channel to avoid runoff through the road during rains*
- viii) *Two dumping area indicated. Dumping area on the top should be avoided*

12.SIA/KL/MIN/43756/2019, 1454/EC1/2019/SEIAA

Granite Building Stone Quarry of M/s. K L Granites”, over an extent of 1.2537 Ha. Re-Survey Block. No:35, Re-Survey. Nos. 368/3, 368/4, 374/3 (Patta Land) & 369/1

(Government land), Pulimath Village, Chirayinkeezhu Taluk, Thiruvananthapuram District, Kerala State, (Field Inspection Report received)

Decision: The Committee discussed and accepted the Field Inspection Report. The Committee decided to reject the proposal since there is no proper access road to the proposed site and found that the narrow access road is passing through residential areas and having curves making it difficult for material conveyance through the road.

13. SIA/KL/MIN/46290/2019, 1493/EC1/2019/SEIAA

Environmental Clearance for the Proposed Laterite (Building Stone) Quarry in Re-Survey No. 7/2of Koppam Village, Pattambi Taluk, Palakkad District, Kerala for an extent of 0.3500 Ha- Sameer Ali (Field Inspection Report received)

Decision: The Committee discussed and accepted the Field Inspection Report. The Committee decided to direct the proponent to submit the following additional documents/details:

- i) *Revised EMP incorporating the specific CER activities in physical terms to be undertaken by the proponent in consultation with the stakeholders as stipulated in the OM No.22-65/2017-IA.III dated 30/09/2020 and OM No. 22-65/2017-IA.III dated 20/10/2020 of the MoEF&CC, GOI instead of allocation of funds under CER. The CER activities incorporated in the EMP should be undertaken during the first two years of validity period of the EC so as to ensure that the maintenance of the interventions undertaken can be done by the proponent during the remaining validity period of the EC.*
- ii) *Recent survey map showing distance residential/public buildings, inhabited sites, canals, roads, electric lines, mobile towers, religious places etc., within 200 m. radius of the lease boundary certified by the Village Officer concerned*
- iii) *A consent letter from the owner of the property where access road falls and an affidavit regarding the maintenance.*

14. SIA/KL/MIN/54836/2019, 1796/EC2/2020/SEIAA

EIA study for renewal of mining lease of KMML block-III (Presentation)

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Shri.K.Krishna Panicker & Shri.M.Dileep Kumar for the field inspection and decided to direct the proponent to submit the following additional documents/details:

- i) CD of public hearing
- ii) Report of PCB relating to KMML and also Kerala Govt. decision regarding mining by KMML

iii) A revised plan in place of the afforestation of coastal area with *Casuarina*

15. SIA/KL/MIS/142532/2020, 1606/EC1/2020/SEIAA

Medical Devices Park at Life Science Park, Thonnakkal, Thiruvananthapuram (Presentation)

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Dr.P.S.Easa, Shri.M.Dileep Kumar & Dr.C.Bhaskaran for the field inspection.

16. A/KL/MIS/51114/2018, 1191(A)/EC2/2018/SEIAA

Proposes expansion of the existing Master Plan Development of an IT/ITES SEZ Township project of M/s SmartCity (Kochi) Infrastructure Pvt. Ltd. at Sy. Nos. 640/1, 640/2 & others in Kakkanad Village, (Presentation)

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Dr.S.Sreekumar, Dr.N.Ajithkumar, Shri.M.Dileep Kumar & Dr.P.S.Easa for the field inspection.

17. SIA/KL/MIS/52546/2018, 1202/EC2/2018/SEIAA

Environmental Clearance for proposed expansion of the Mixed Land Use (Master Plan) project by M/s Dragonstone Realty Pvt. Ltd. at Technopark Phase-3 Campus in Re-Sy. Nos. 290/2 part & others, Village (ADS received + Presentation)

Decision: The proponent and consultant were present. The consultant made the presentation. The Committee entrusted Shri.K.Krishna Panicker & Shri.G.Sankar for the field inspection.

CONSIDERATION OF TOR PROPOSALS

1. SIA/KL/MIN/44943/2019 , 1485/EC3/2019/SEIAA

Proposed Granite (Building Stone) Quarry with lease at Survey No. 91/1-7, 91/1-7-5,91/1-7-3,91/1-2-5,91/1-4-4,91/1-3,91/1-2-2 and 91/1-3-3in Enanalloor Village, Muvattupuzha Taluk, Ernakulam District, Kerala for an extent of 6.4496 Ha by Mr. M.A Mathai, M/s Mudakkalil Granites (P) Ltd (Additional document received)

Decision: Deferred

2. SIA/KL/MIN/39592/2019; 1412/EC2/2019/SEIAA.

Deleted since it is a repetition

3. SIA/KL/MIN/45589/2019, 1497/EC1/2019/SEIAA

Proposed Building Stone Quarry of Mr.Nizamudheen.S, ReSurvey No:- 83/12,96/1,96/12-1,96/13-1, in Nellanad Village, Nedumangad Taluk, Thiruvananthapuram District, Kerala, for an extent of 0.9275Ha. (Field Inspection Report received)

Decision: The Committee discussed the Field Inspection Report.The area is prone to rockfalls and the side slopes are very steep in nature. There are big boulders located in different sy No.s owned by different individuals. It will be very difficult to safely manage the boulders in this area. Hence, the Committee decided to reject the proposal.

4. SIA/KL/MIN/46586/2019, 1573/EC3/2019/SEIAA

Shri. Sainudheen C. K for M/s YESCO GRANITES is proposing a (Building Stone) Quarry with Permit at Survey No. 202/2 of Elankur Village, Ernad Taluk, Malappuram District, Kerala for an area of 0.9460 hectare (Additional document received)

Decision: Deferred

5. SIA/KL/MIN/52608/2020, 1764/EC6/2020/SEIAA

Building stone quarry situated at Survey Nos: 1019 / 3 / 4 / 5 / 6 / 7, 1021 / 6 / 8 / 9, 1027 Part, 1028 Part, 1029 Part & 1030 Part in Painkulam Village, Thalappilly Taluk, Thrissur District, Kerala State, extends over an area of 7.8000 Ha by M/s Southern Rock and Aggregate Mining Company (Fresh application)

Decision: Deferred

6. SIA/KL/MIN/39501/2019, 1410/EC2/2019/SEIAA

Mr. Abbas Haji, B K, Granite Building Stone Quarry over an extent of 0.4916 Ha at Re. Sy. No's: 82/2C, 82/2D of Panayal Village, Hosdurg Taluk, Kasaragod District, Kerala. (ADS+Presentation)

Decision: The consultant and proponent were present. The consultant made the presentation. The Committee scrutinized and discussed the documents submitted by the proponent and entrusted Dr.R.Ajayakumar Varma & Dr.N.Anilkumar for field inspection.

7. SIA/KL/MIN/48913/2019, 1820/EC6/2020/SEIAA

Mr. Kunhi Muhammed -Granite Building Stone quarry over an extent of 0.8939 Ha at survey No: 1065 in Melmuri Village, Ernad Taluk, Malappuram District (Fresh Application)

Decision: Deferred

8. SIA/KL/NCP/57523/2020, 1827/EC1/2020/SEIAA

**Proposed Hospital Project 'Ahalia Hospital' at Vadakarapathy Village, Chittur Taluk,
Palakkad District, Kerala (Fresh Application)**

Decision: The Committee decided to invite the proponent for hearing in the next SEAC meeting.

7th December, 2020.

**Sd/-
Umesh, N.S.K, IAS
Secretary**

**Sd/-
Dr.C.Bhaskaran
Chairman**