

Minutes of the

230th MEETING

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Date: 14.07.2017

Time: 12.30 PM

**MINUTES OF THE 230th MEETING OF THE STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY HELD ON 14.07.2017**

Agenda No.	Description	File No.	Minutes
a)	Confirmation of the minutes of the 229 th meeting of the Authority held on 10.07.2017		The minutes of the 229 th Meeting of the Authority held on 10.07.2017 was confirmed
b)	The Action taken on the decisions of the 229 th meeting of the Authority held on 10.07.2017		The Member Secretary tabled the action taken report on the decisions of the 229 th meeting and discussed.
1.	To consider the proposal for the grant of Environmental Clearance for Brick Earth Quarrying in at S.F No. 118/7, 118/9C, 118/9D, 118/8, 118/10, 118/11, 118/12 & 118/13 of Gangaikondan Village, Paramakudi Taluk, Ramanathapuram District by Thiru. N. Syed Abuthahir.	5110	Discussed in detail, the Authority decided to recommend the project for the issue of Environment Clearance with imposing the following conditions. 1. The mining operation shall not result to any adverse impact to agricultural lands and water bodies surrounding the site.
2.	To consider the proposal for the grant of Environmental Clearance for Brick Earth Quarrying in at S.F No. 12/2A, 12/2D1, 12/2D2A & 12/7 of Natham Group Village, Kamuthi Taluk, Ramanathapuram District by Thiru. R. Rajeshkanna.	5211	Discussed in detail, the Authority decided to recommend the project for the issue of Environment Clearance with imposing the following conditions. 1. The mining operation shall not result to any adverse impact to agricultural lands and water bodies surrounding the site.
3.	To consider the proposal for the grant of Environmental Clearance for Rouogh Stone and Gravel Quarrying in at S.F No. 91/1A(Part) of Kodangipalayam Village, Palladam Taluk, Tiruppur District by Tmt. P. Vasanthamani.	5789	Discussed in detail, the Authority decided to recommend the project for the issue of Environment Clearance with imposing the following conditions. 1. The Project Proponent has to perform resistivity survey and furnish the report to the district collector before execution of mining lease.


MEMBER SECRETARY


MEMBER


CHAIRMAN

4.	To consider the proposal for the grant of Environmental Clearance for Rough Stone Blue Metal & Gravel Quarrying in at S.F No. 210/2, 3, 210/4(P) of Kattukuthakai Karisalkulam Village, Kariyapatti Taluk, Virudhunagar District by Thiru G.P. Panneer.	2498	Discussed in detail, the Authority decided to recommend the project for the issue of Environment Clearance with imposing the following conditions. 1. No blue metal shall be produced by providing crushing units within the mining area.
5.	To consider the proposal for the grant of Environmental Clearance for Rough Stone Quarrying in at S.F No. 1269/2A of Kamandoddi Village, Hosur Taluk, Krishnagiri District by Thiru. C.Surendiran	5830	Discussed in detail, the Authority decided to recommend the project for the issue of Environment Clearance.
6.	To consider grant of Environmental Clearance for the Proposed Expansion of foundry by M/s. Sakthi Auto Ancillary (P) Ltd at Kurudampalayam Village, Coimbatore North Taluk, Coimbatore District, Tamil Nadu under Schedule No. 3(a).	5573	Discussed in detail, the Authority decided to get the following details clarified by presenting a power point presentation to the Authority members after submitting the following details. 1. The study should also include details of Ecology, detailed inventory and impact on flora and fauna & water source in and around area. 2. Project proponent has to obtain field study report from BSI/ZSI to indicate the non availability if endangered species of plants & animals. 3. EMP provided in the study report not matching the frequency of monitoring of Air quality as lay down in the EP Act. 4. Details on the Disaster Management plan.
7.	To consider grant of Environmental Clearance for the Proposed Expansion of Steel Melting Plant to enhance the production of MS Ingots / Billets from 1950 TPM to 7800 TPM for captive use in the existing steel melting and rolling mill of M/s. SLO Industries Limited at Chinnamedu	2589	Discussed in detail, the Authority decided to get the following details clarified by presenting a power point presentation to the Authority members after submitting the following details. 1. The study should also include details of Ecology impact on fauna, flora & water source in &

MEMBER SECRETARY

MEMBER

CHAIRMAN

	<p>Village, Ponneri Taluk, Thiruvallur District</p>	<p>around area.</p> <ol style="list-style-type: none"> 2. EMP provided in the study report not matching the frequency of monitoring of Air quality as lay down in the EP Act. 3. Details on the AAQ provided in the report not matching the standards prescribed by the Board. 4. Land use classification is reported as industrial land. Hence you are requested to furnish the document for Industrial use. 5. AAQ/Noise / Water quality monitoring report for the previous years shall be furnished. <p>Besides the Project Proponent is requested to furnish the following</p> <ol style="list-style-type: none"> 1. Details on Effectiveness of Control of noise in the industrial premises should be provided. 2. Rain water harvesting shall be re designed as per the CPWD/MoEF Guidelines. 3. To conduct hydro geological study/ pumping test for ground water. 4. To furnish material balance of raw material, products, waste generated for existing and proposed operations. 5. To furnish permission letter/ acknowledgment from competent authority for ground water. 6. It was reported in the
--	---	---


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>particulars submitted on 07.11.2016 that no agricultural activity within 5 km radius. But, supporting documents are inadequate, must produce data from competent authority. In the report, on Page No. 84, an area of 6408 ha is under irrigation/ double crops in 10 km radius from the project site. Similarly, the google map on page 82, show agricultural land close to the project site. Clarify the above.</p> <p>7. It is reported that Solar Evaporation pan sludge will be disposed in low lying area; this is not acceptable since the waste is Hazardous, must be handed over to TNPCB authorized facility.</p> <p>8. To furnish details of green belt provided in the factory premises</p>
8.	<p>To record the application submitted for Environmental Clearance by the Proponent for the Proposed Construction of M/s. Codissia Industrial Park Limited At S.F.No. 99/2, 101/3, 138, 141/2, 142/1B1, 142/1B2, 142/2B1, 142/2B2, 142/3A, 143/1, 143/2, 143/3, 143/4, 144/1, 144/2, 144/3, 144/4, 145/1, 146/1, 147/1, 147/3, 148/1, 148/2, 314, 315/1A, 315/1B, 315/2A, 315/2B, 315/3, 315/4, 316/1, 316/2, 316/3, 317/1, 317/2, 317/3, 317/4, 318/1, 318/2, 318/3, 320/1B, 320/2A, 320/2B, 320/2C, 320/2D, 320/2E & 320/2F, Kallapalayam Village, Sulur Taluk, Coimbatore District under Category B2 and Schedule S.NO. 8(a).</p>	5574	<p>Discussed in detail, the Authority decided to allow the withdrawal with a condition that if any industry under Category 'A' or 'B' is proposed that the industrial estate/individual units shall seek Environmental Clearance.</p>

MEMBER SECRETARY

MEMBER

CHAIRMAN

9.	To consider grant of Environmental Clearance for the Proposed construction of Residential Apartment at R.S. No.4, Block No.37, Koyambedu Village, Egmore-Nungambakkam Taluk, Chennai District by M/s. M/s. Radiance Realty Developers India Ltd.	6395	Discussed in detail, the Authority decided to recommend the project for the issue of Environment Clearance with the following additional conditions. <ol style="list-style-type: none"> 1. The project proponent has to provide rain water harvesting collection tank to the capacity of 336 KL in order to recover and reuse the rain water during normal rains. 2. The green belt proposed should maintain tree lungs in as many pockets as possible within the premises besides maintaining trees rows along the roads and the periphery of the building and boundary with local species in consultation with the DFO. 3. The solar plant shall be established to meet the power requirement of common lighting facility. 4. The proponent shall provide not less than 6 nos of car parking for the visitors. 5. The project proponent shall display in their website that the Block 'C' is not entitled for car parking facility.
10.	To consider grant of Environmental Clearance to M/s. KLP Projects Private Ltd & M/S. Sanklecha Infra Projects Private Limited for the Proposed Construction of Residential Apartment with a Built Up Area of – 25569.46 Sq.M at R.S.Nos.273/48 (Part) & 274/49 (Part), Block. No. 17 of Purasaiwalkam Village, Purasaiwakkam - Perambur Taluk, Chennai District Under Sl. No 8 (a) of the Schedule – Building And Construction Projects.	6393	Discussed in detail, the Authority decided to defer the project for want of following particulars. <ol style="list-style-type: none"> 1. The details of all the Biodiversity/Lakes/RF's located nearby the project site along with the current ecological plan and impact on ecology. 2. Existing Environmental study and the latest site plan showing present activity around the site. 3. For CSR activity, the portable Gen set and knowledge centre proposed to be donated to the Corporation Higher Secondary School, Perambur at a cost of Rs.

MEMBER SECRETARY

MEMBER

CHAIRMAN

			<p>20 Lakhs should be done within 1 year from the commencement of the project. Besides, the amount of Rs. 15 Lakhs should be paid to CRRT for restoration and desilting of Otteri Nullah and copy of the receipt should be submitted to SEIAA for the receipt of EC.</p> <p>4. Clear site plan showing DG set, STP, OWC, UG sump, etc shall be furnished.</p> <p>5. The DG set located at the boundary of the project site shall be relocated inside the project site.</p> <p>6. Site specific green belt plan with indigenous species shall be furnished.</p>
--	--	--	--


MEMBER SECRETARY


MEMBER


CHAIRMAN