

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 435th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 07.01.2021

The meeting of 435th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 07.01.20 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Agenda-A: -Complaints/letters –



1. **Sand/ Morum Mining on the river bed of Baghein River, at Gata No.-1169, 1858/3, 1133/4, 1161/3, 1949 in Village- Bhadwal, Tehsil- Atrra, Distt.- Banda, U.P., M/s Dijiyana Mining Corporation Pvt. Ltd, (Area 22.94 ha) File No. 3893**

SEIAA gone through the undated letter of Shri Shiv Chandra Tripathi, regarding transfer of Environmental Clearance to the above project issued by SEIAA vide letter no. 95/Parya/SEAC/3893/2017 dated 14.01.2018. SEIAA gone through documents and found that the above Environmental Clearance was issued to Shri Jitendra Singh M/s Dijiyana Mining Corporation Pvt Ltd, G-1 M3 Sapana Chambers South Tuko Ganj Indore. SEIAA noted that the previous lease issued to Shri Jitendra Singh was cancelled vide DM, Banda, order no. 3346/Khanij-30 Banda dated 30.12.2018 and another LOI was issued to Shri Shiv Chandra Tripathi S/o Ram Khelavan Tripathi M/s Tripathi Constructions Allahabad Road, Gandhiganj Karvi, Chitrakoot vide letter no. 3341/Khanan-30 Banda dated 05.01.2021 for six months and 1,14,700 m³ capacity. Hence SEIAA opined to transfer Environmental Clearance issued vide letter no. 95/Parya/SEAC/3893/2017 dated 14.01.2018 from Shri Jitendra Singh M/s Dijiyana Mining Corporation Pvt Ltd, G-1 M3 Sapana Chambers South Tuko Ganj Indore to Shiv Chandra Tripathi S/o Ram Khelavan Tripathi M/s Tripathi Constructions Allahabad Road, Gandhiganj Karvi, Chitrakoot with the condition that the EC will not be transferred further and after 6 months the EC will be null and void. Rest all the content of Environmental Clearance letter no. 95/Parya/SEAC/3893/2017 dated 14.01.2018 shall remain same.

Area mentioned in the previous EC is being transferred only. If there is a change in geo-coordinates of the area then EC will be null and void.

2. **Application regarding transfer of -Environment Clearance for sand mining area 4.048 ha at gata no. 982 village Veer Tehsil Mahrauni District Lalitpur,**

SEIAA gone through the undated letter of Shri Bihari Lal, regarding transfer of Environmental Clearance to the above project issued by DEIAA vide letter no.



68/Mines/DEAC/Sand/Lalitpur/2018-19 dated 04.06.2018. SEIAA gone through documents and found that the above Environmental Clearance was issued to Shri Naresh Kumar Pathak, Bamhauri Beldaran Mahavir Nagar, Charkhari, dated 04.06.2018. SEIAA noted that the previous lease issued to Shri Naresh Kumar Pathak was cancelled vide DM, Lalitpur, order no. 231/30-Mines/2019-20 dated 26.06.2019 and another LOI was issued to Shri Bihari Lal S/o Shri Ramdeen, Somaiya Nagar, Dhakauli, Barabanki Tehsil Nawabganj, UP vide letter no. 621/30 Mines/2020-21 dated 18.10.2020 for six months and 6072.00 m³ capacity. Hence SEIAA opined to transfer Environmental Clearance issued vide letter no. 68/Mines/DEAC/Sand/Lalitpur/2018-19 dated 04.06.2018 from Shri Naresh Kumar Pathak, Bamhauri Beldaran Mahavir Nagar, Charkhari, to Shri Bihari Lal S/o Shri Ramdeen, Somaiya Nagar, Dhakauli, Barabanki Tehsil Nawabganj, UP with the condition that the EC will not be transferred further and after 6 months the EC will be null and void. Rest all the content of Environmental Clearance letter no. 68/Mines/DEAC/Sand/Lalitpur/2018-19 dated 04.06.2018 shall remain same.

Area mentioned in the previous EC is being transferred only. If there is a change in geo-coordinates of the area then EC will be null and void.

3. Imarati Patthar, khanda, Gitti , Boulder, Mining at Gata No.-339, Khand-04, Village-Deherra, Tehsil & District- Mahoba, U.P., (Leased area- 1.609 ha.). File No. 5754/4813/Proposal No. SIA/UP/MIN/53932/2019

SEIAA gone through the letter of Smt. Malti Mishra dated 07.01.2020 regarding correction in mine area from 1.619 to 1.609 in EC issued vide letter no. 603/Parya/SEIAA/5754-4813/2020 dated 06.01.2021. SEIAA gone through the letter and found that correct mine area is 1.609 ha. Hence SEIAA agreed to correct the mine area as 1.609 ha in EC issued vide letter no. 603/Parya/SEIAA/5754-4813/2020 dated 06.01.2021.

Agenda-B: -Reply- Nil

Agenda-C: - Minutes of 511th SEAC Meeting Dated 11/12/2020

1. Institutional "Bennett University" at Plot No.- 8, 9, 10, & 11, Sector Techzone -II, Greater Noida Industrial Development Area District -Gautam Budha Nagar, U.P., M/s Bennett Institute of Higher Education. File No. 5933/Proposal No. SIA/UP/NCP/57279/2020

SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.



Madan Bhardwaj RPS, Ph

- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
- 8- All the additional condition for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
- 9- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

2. Revision & Expansion Group Housing at Plot No.- 8/GH-01, Sector- 08, Siddharth Vihar, Ghaziabad, U.P., M/s T and T Realtech Pvt. Ltd. File No. 5953/Proposal No. SIA/UP/NCP/57620/2020

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not circulate the documents to the members of SEAC on time. Hence it will be taken after submission of online request on prescribed portal.


3. Establishment of new Molasses/Cane Juice+ 80 KLD grain based distillery having Capacity:100 KLD along with 4.5 MW co-gen power at Plot No.- 01, UPSIDA, uSRA bAZAR, Village- Shalpur Navadiya, Katra, Tehsil- Rudrapur, Deoria, U.P., M/s Forever Distillery Pvt. Ltd. File No. 5948/Proposal No. SIA/UP/IND/57557/2020


SEIAA agreed with the recommendation of the SEAC that since the standard terms of reference for the proposal has already been granted through online portal on 08/11/2020 no action is required.


4. Common Bio Medical Waste Management and Treatment Facility by M/s Kavya Industries, Unit-2 at Village- Nadani Lahanpur, Tehsil- Lalganj, Mirzapur, U.P. File No. 5963/Proposal No. SIA/UP/NCP/57860/2020

SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-




- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.







- 3- MOU signed between the project proponent and the consultant should be submitted.
 - 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
 - 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
 - 6- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
 - 7- All the additional condition for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, GoI dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
 - 8- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
5. M/s Avadh Sugar & Energy Ltd., Sugar Unit Hargaon has proposed expansion/modernization of Sugar Cane Crushing Capacity from 10,000 TCD to 13,000 TCD, and Power Plant from 22.0 MW to 26.5 MW at Village- Hargaon, Sitapur. File No. 4783/Proposal No. SIA/UP/IND2/35296/2020
- SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding following specific condition as follows:-
1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
 2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
6. Onshore Oil & Gas Exploration & Appraisal and Early Production" in GV-ONHP-2017/1, Hydrocarbon Block falling in Kheri and Shahjahanpur Districts of U.P., M/s Vedanta Ltd. File No. 5902/Proposal No. SIA/UP/IND2/175859/2020
- SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.
7. Type-V, 100 Residence in 500 Bedded Super Specialty Block Ground, Tehsil- Saifai, District- Eatwah, U.P. File No. 5914/Proposal No. SIA/UP/MIS/177160/2020
- SEIAA noted that SEAC has recommended to grant EC to the above project SEIAA gone through file and documents and found that hard copy of the presentation is not present in the file. Secretariat informed that project proponent has been asked to submit the presentations/all relevant details in hard copy before SEAC meeting but it has not been submitted till date. SEIAA directed the Nodal Officer to put up the complete file along with all the documents as and when made available by project proponent and place it in the next meeting.


8. Expansion of Cement Production Capacity from 1.0 MTPA to 1.25 MTPA of Existing stand-alone clinker Grinding Unit at Plot No.- 19 & 20, UPSIDC Industrial Area, Sikandrabad, District- Bulandshahar, U.P., Shri K.V. Reddy, M/s Ultra Tech Cement Ltd. File No. 5928/Proposal No. SIA/UP/MIN/176615/2020


SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.


9. Commercial Complex at Plot No.- LS-05, Sector-Gamma-01, Greater Noida, District- Gautam Buddha Nagar, U.P., Shri Narendra Kumar, M/s Vardhman Infrabuild Pvt. Ltd. File No. 5929/Proposal No. SIA/UP/MIS/177732/2020

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.







10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

10. Rohit Colonizer Pvt. Ltd., 681/682, Village - Madiakon, Tehsil- Bakshi Ka Talap, Lucknow, U.P., Shri Narendra Kumar Maury, M/s Rohit Colonizer Pvt. Ltd. File No. 5938/Proposal No. SIA/UP/MIS/177931/2020

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project file should be closed and be opened only after request from the project proponent. Hence it will be taken after submission of online request on prescribed portal.


11. Model Exims (Unit-02), A-32, LTP Banthar, Unnao, U.P., Shri Zaid Alam, R/o- 16B/4E, Asharfabad, Sultan Tanners Compound, Jajmau, Kanpur, U.P. File No. 5939/Proposal No. SIA/UP/IND/172838/2020


SEIAA agreed with the recommendations of the SEAC to defer the matter as the project file should be closed and be opened only after request from the project proponent. Hence it will be taken after submission of online request on prescribed portal.


12. Institutional Building at Plot No-1A, Sector-142, District -Gautam Budha Nagar., Shri Shashikant Pandey, M/s Suryakiran Info Pvt. Ltd. File No. 5940/Proposal No. SIA/UP/MIS/178401/2020

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP










Pollution Control Board in the consent orders shall be followed by Project Proponent.

3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

13. Group Housing at Plot No.- 3/S9-10, Siddhart Vihar, Ghaziabad, U.P., Shri Anvishwar Sharm, M/s Shadbolt Build World Pvt. Ltd. File No. 5972/Proposal No. SIA/UP/MIS/181928/2020

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project file should be closed and be opened only after request from the project



proponent. Hence it will be taken after submission of online request on prescribed portal.

14. Institutional Building at Plot No.- A-09, Sector-132, Noida, Gautam Buddha Nagar, U.P., Shri V.K. Chadha, M/s Wellgrow Infotech Pvt. Ltd. File No. 5973/Proposal No. SIA/UP/MIS/182000/2020

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project file should be closed and be opened only after request from the project proponent. Hence it will be taken after submission of online request on prescribed portal.

15. Group Housing Project "Migsun Atharva-Plot C" at Khasra No.- 90 & 91, Village- Morta, Ghaziabad., Shri Rohit Aggarwal, M/s Mahaluxmi Buildtech Ltd. File No. 5980/Proposal No. SIA/UP/MIS/181696/2020

SEIAA noted that SEAC has recommended to grant EC to the above project SEIAA gone through file and documents and found that hard copy of the presentation is not present in the file. Secretariat informed that project proponent has been asked to submit the presentations/all relevant details in hard copy before SEAC meeting but it has not been submitted till date. SEIAA directed the Nodal Officer to put up the complete file along with all the documents as and when made available by project proponent and place it in the next meeting.

16. Common Effluent Treatment Plant for Tannery Cluster CETP Complex at Jaimau, District- Kanpur Nagar, U.P., Shri Ashraf Rizwan, M/s Jajmau Tannery Effluent Treatment Association. File No. 4445/Proposal No. SIA/UP/MIS/28592/2018




SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not circulate the documents to the members of SEAC on time. Hence it will be taken after submission of online request on prescribed portal.

17. Expansion of Logistic Park (Warehouse) at Gata No.-188 and 198, located at Village- Sikandrabad Dehat, Bulandshahar, U.P., M/s VRY Industrial Park LLP. File No. 4343/Proposal No. SIA/UP/NCP/22883/2018

SEIAA noted that SEAC has recommended to grant EC to the above project SEIAA gone through file and documents and found that hard copy of the presentation is not present in the file. Secretariat informed that project proponent has been asked to submit the presentations/all relevant details in hard copy before SEAC meeting but it has not been submitted till date. SEIAA directed the Nodal Officer to put up the complete file along with all the documents as and when made available by project proponent and place it in the next meeting.

18. "Gaur Yamuna City" at Sector-19, Yamuna Expressway, YEIDA, Greater Noida, District- Gautam Buddh Nagar, U.P. File No. 1657/Proposal No. SIA/UP/MIS/178551/2020

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not circulate the documents to the members of SEAC on time. Hence it will be taken after submission of online request on prescribed portal.


  RPS, 

19. कामन बायो-मेडिकल वेस्ट फैसिलिटी ऑपरेशन एसोशिएसन पनकी, कानपुर के शिकायती 05 कुल पाँच पत्रों (दिनांक 22.11.2020, 22.11.2020, 30.11.2020, 30.11.2020, एवं दिनांक 30.11.2020) पर समिति द्वारा विचार-विमर्श।


SEIAA agreed with the recommendations of the SEAC that the TOR/EC is recommended by SEAC as per EIA Notification, 2006 (as amended) by considering all aspects. Hence, the complaints are disposed off accordingly.

20. Complain letter of Shri Ravi Krishna


SEIAA noted that the above complaint was taken in its meeting dated 17.12.2020. Hence no further action is required.


08/01/2021

(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


08/01/2021

(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


08/01/2021

(Prof. Rana Pratap Singh)
Chairman
SEIAA