

## **Minutes of the 440<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 12.01.2021**

The meeting of 440<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 12.01.2021 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

- Chairman, SEIAA, U.P  
Member, SEIAA, U.P  
Member Secretary, SEIAA, U.P

**Agenda-A: -Complaints/letters –Nil**

**Agenda-B: -Reply- Nil**

**Agenda-C: - Minutes of 516<sup>th</sup> SEAC Meeting Dated 29/12/2020**

1. **Group Housing at Plot No.-76, Sector SIGMA IV, Greater Noida, U.P., M/s S S Awas Samiti Ltd. File No. 5892/Proposal No. SIA/UP/MIS/ 174016/2020**


SEIAA agreed with the recommendation of SEAC that the Secretariat shall put up the original application with summary of the project.


2. **Sand/Morrum Mining from Yamuna River bed at Gata No.-58, Village- Bilaspur, Tehsil- Sikandra, KanpurDehat, M/s Anandeshwar AgroFood Pvt.Ltd.,Area-8.275Ha. File No. 6046/5545/Proposal No. SIA/UP/MIN/59199/2020**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding following specific condition as follows:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than









ground water or legally valid source and permission from the competent authority shall be obtained to use it.

3. Building Stone (Khandas & Gitti, Boulder) Mining at Khanda No.- 22, Gata No.- 93, Village- Bari, Mahoba, Shri Ajay Raj Singh, Area-1.012 ha. File No. 4677/Proposal No. SIA/UP/MIN/31466/2019



SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding following specific condition as follows:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

4. Khanda, Gitti Mining at Araj No.-02/1, Khand-02, Village- Lakhanpura, Tehsil- Lalitpur, District- Lalitpur, U.P., Shri Lakshmi Shankar, area- 2.550 ha. File No. 6049/5070/Proposal No. SIA/UP/MIN/59250/2019

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file, documents and amendment of DSR issued by DM, Lalitpur vide letter no. 345-Kha/30-mines/2019-20 dated 11.09.2019. SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding following specific condition as follows:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.



**5. Sand Mining at Gata No.-21 Ka/20, at Village-Manjha Setuhee, Tehsil-Laharpur, Sitapur, Shri Satish Chandra Gupta, Area-1.0720 ha. File No. 6025/Proposal No. SIA/UP/MIN/187126/2020**



SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file, documents and amendment of DSR issued by DM, Sitapur vide letter no. 3687/DSR/2020-21 dated 24.12.2020. SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding following specific condition as follows:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

**6. Building Stone (Khanda, Boulder, Bailast & Gitti) Mining at Gata No.-426, at Village-Palka, Mahoba, U.P. Shti Mohammad Arshad Khan area-1.214 ha. File No. 6026/Proposal No. SIA/UP/MIN/187120/2020**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file, documents and amendment of DSR issued by Mines Officer Mahoba vide letter no. 7472/MMC/30/Khanij/2020-21 dated 22.12.2021. SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-

1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due



to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.

3. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.



**7. Building Stone (Khanda, Boulder, Bailast & Gitti ) Mining at Gata No.-50, at Village- Kumaharora, Mahoba, U.P., M/s Harishankar Rajput, area-0.635 ha. File No. 6028/Proposal No. SIA/UP/MIN/187181/2020**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file, documents and amended DSR letter no. 7353/MMC-30 Khanij/2020-21 dated 11.12.2020 of District Mines Officer and agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-

1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
3. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

**8. Building Stone (Khanda & Gitti, Boulder) Mining at Khasra No./ Plot No.- 719, Khand No.-01, at Village- Chhatahara Ghurehtha, Tehsil- Bara, District- Prayagraj, U.P., M/s Sarita Construction Company, Area- 2.024 ha. File No. 6030/Proposal No. SIA/UP/MIN/187471/2020**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that there is mismatch between the area applied for and mentioned in the DSR. Hence SEIAA opined that the project proponent shall submit copy of amended DSR.




**9. Building Stone (Khanda, Boulder, Bailast & Gitti ) Mining at Gata No.-664, at Village-Jailwara, Tehsil-Kulpahar, District -Mahoba, U.P. Shri Ashok Kumar, M/s Ashok Kumar Construction area-1.417 ha. File No. 6039/Proposal No. SIA/UP/MIN/187999/2020**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file, documents and amended DSR letter no. 7473/MMC-30 Khanij/2020-21 dated 22.12.2020 of DMO and agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-

1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
3. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

**10. Building Stone(Khanda,Boulder,Bailast&Gitti)Mining at Gata No.-593,Khand- 01, at Village-Mahobknath, Kulpahar, Mahoba, Shri Dheevant Singh,area-1.012 ha. File No. 6040/Proposal No. SIA/UP/MIN/188314/2020**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file, documents and amended DSR letter no. 7471/MMC-30 Khanij/2020-21 dated 22.12.2020 of DMO and agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-



Madan Bhandari RPSiph



1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
3. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.


**11. Building Stone (Khanda & Gitti, Boulder) Mining at Gata No.- 314, Khand No.- 01, Village-Pangara, Naraini, Banda, U.P., M/s Ram Krishan Garg, Area-1.20 ha). File No. 6047/Proposal No. SIA/UP/MIN/185987/2020**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that there is mismatch between the area applied for and mentioned in the DSR. Hence SEIAA opined that the project proponent shall submit copy of amended DSR.

**12. Building Stone Khanda, Boulder, Bailast & Gitti) Mining at Gata No.-978 Kha, at Village-Paswara, Mahoba., M/s Prem Enterprises, area-2.429 ha. File No. 6048/Proposal No. SIA/UP/MIN/188813/2020**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-

1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
3. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.



*Madan Bhardwaj RPS-74*



**13. Building Stone (Khanda, Boulder, Bailast & Gitti) Mining at Gata No.-3136, Khand No.-04 New, 02Old, at Village- Jaitpur, Tehsil-Kulpahar, Mahoba, U.P. , Shri Shashibhushan Richhariya, area-0.809 ha. File No. 6054/Proposal No. SIA/UP/MIN/189029/2020**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file, documents and amended DSR letter no. 7474/MMC-30 Khanij/2020-21 dated 22.12.2020 of DMO and agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-



1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
3. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

**14. Mixed use Development "Wave City Centre" at Sector- 32, Noida, District- Gautam Buddh Nagar, U.P., M/s Wave City Center. File No. 5197/4537/Proposal No. SIA/UP/MIS/ 125283/2018**

SEIAA noted that SEAC has recommended to grant EC to the above project SEIAA gone through file and documents and found that hard copy of the presentation is not present in the file. Secretariat informed that project proponent has been asked to submit the presentations/all relevant details in hard copy before SEAC meeting but it has not been submitted till date. SEIAA directed the Nodal Officer to put up the complete file along with all the documents as and when made available by project proponent and place it in the next meeting.

**15. New Cement (Clinker) Grinding unit capacity 90000 TPA (300 TPD) at Plot No.-B-34, SIDA, Industrial Area, Satharia, Jaunpur, M/s DLVK Cement Private Ltd. File No. 6029/5299/Proposal No. SIA/UP/IND/59024/2019**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding specific condition as follows:-





1. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
2. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

**16. "IT Park" at Plot No.-06, Sector-142, Noida, District-Gautam Buddha Nagar. Shri Sajan Behrani, M/s Splendor I.T. Pvt. Ltd. File No. 6041/Proposal No. SIA/UP/MIS/188448/2020**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the




site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.

10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

**17. Up Gradation of District Hospital from 300 to 500 Bedded at Tehsil & District -Bijnor., Chief Medical Superintendent, District Hospital, Bijnor. File No. 6052/Proposal No. SIA/UP/MIS/188760/2020**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. The project proponent shall submit within the next 3 months the schedule for training of various categories of employees involved in Bio-medical waste management at various levels of Bio-medical waste generation in hospital along with the name of experts etc.
2. The project proponent shall engage the agency authorized by UPPCB for Bio-medical waste collection, transportation, disposal and treatment.
3. The project proponent shall submit within the next 3 months the details on quantification of year wise CSR activities along with cost and other details. The CSR activities should be related to mitigation of environmental pollution and awareness for the same. CSR activities must not be less 2% of the project cost.
4. The project proponent shall install micro solar power plants in nearby villages, public place or school from CSR fund of the project for which E.C is granted in addition to toilets and water harvesting pits and carbon sequestration parks / designed ecosystems.
5. Project Proponent shall obtained authorization for disposal of Bio- medical waste under Bio- Medical waste management rules, 2016 from UPPCB.
6. The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
7. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
8. The project proponent shall submit within the next 3 months the details of







estimated construction waste generated during the construction period and its management plan.

9. The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
  10. The project proponent shall submit within the next 3 months the details of segregation plan of MSW/BMW.
  11. The project proponent shall install and ensure that waste water is properly treated in STP and should be reused for gardening flushing system irrigation purposes and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function.
  12. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
  13. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
  14. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 18. Establishment of New 80 KLD Grain/Molasses Based Distillery Unit RS/ENA/AA along with 3.0 MW Co.-Generation Power Plant at Khasra No.- 612/1, 564, 565, 566, 567, 589/1, 590, 600/1, 601, 602, 603, 604, 605/1, 606/1, 613/2, in Village- Derabarari, Tehsil- Bara, Prayagaraj., M/s Mahakaushal Agricrop India Pvt. Ltd. File No. 6055/Proposal No. SIA/UP/IND2/59292/2020**
- SEIAA noted that online standard TOR has already been issued on dated 21/12/2020.
- 19. Common Bio-medical Waste Management Facility in Muzzafarnagar at Khasra No.- 539/3, Village-Makhiyali, Muzafarnagar, U.P., M/s Rudra Waste Management (P) Ltd. File No. 5832/Proposal No. SIA/UP/MIS/56459/2020**
- SEIAA noted that SEAC has recommended to issue ToR to the above project SEIAA gone through file and documents and found that hard copy of the presentation is not present in the file. Secretariat informed that project proponent has been asked to submit the presentations/all relevant details in hard copy before SEAC meeting but it has not been submitted till date. SEIAA directed the Nodal Officer to put up the complete file along with all the documents as and when made available by project proponent and place it in the next meeting.
- 20. Building Stone (Khanda, Gitti & Boulder) Mine at Gata No.-19, Khand No.-05, at Village-Paraaichha, Teh-Moth,Jhansi, M/s M.C.C. Mahadev Construction, area-2.023 ha. File No. 5884/Proposal No. SIA/UP/MIN/175604/2020**

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA also noted that the lease area has not been included in DSR. SEIAA gone through file,



documents and letter no. 495/30 MMC/DSR/2020-21 dated 02.07.2020 of DM Jhansi, requesting Director Geology and Mining to include the above area. But the area has not been included in the DSR as per the documents available in the file. Hence SEIAA opined that the project proponent shall submit amended DSR.

21. श्री अजीत गुप्ता पुत्र श्री पी0आर0 गुप्ता, म0 नं0 568के/191, कृष्णा पल्ली, आलमबाग, लखनऊ के पत्र दिनांक 10.12.2020 (राजकीय मेडिकल कालेज, बांदा के सम्बन्ध में शिकायती पत्र) पर समिति द्वारा विचार-विमर्श।

SEIAA agreed with the recommendation of the SEAC that letter dated 10/12/2020 of Shri Ajit Gupta, S/o Shri P.R. Gupta shall be sent to RO, UPPCB, Banda for providing the factual report regarding Rajkiya Medical College, Banda within 30 days. The copy of the letter should also be sent to Project Proponent and Shri Ajit Gupta, S/o Shri P.R. Gupta for information.

22. जिलाधिकारी, बाँदा के पत्र दिनांक 25.11.2020 (सैण्ड-मोरम माइनिंग फाइल संख्या-4827/52298 के सम्बन्ध में शिकायती पत्र के कम में के कम में फक्चुअल रिपोर्ट) पर समिति द्वारा विचार-विमर्श।

SEIAA agreed with the recommendation of the SEAC that there is no need for reconsideration regarding environmental clearance. Accordingly, the complaint letter dated 28/08/2020 of Shri Vichitra Singh is disposed.

23. Proposed for Data Centre at Plot No.-21/D, Sec- Tech Zone- IV, Greater Noida West, District- Gautam Buddh Nagar, U.P., M/s Netmagic IT Services Pvt. Ltd. File No. 6071/Proposal No. SIA/UP/MIS/190060/2020


SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-


1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.


naresh Bhardwaj



6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

  
12.01.2021.  
(Shri Ashish Tiwari, IFS)  
Member-Secretary  
SEIAA

  
(Dr. (Smt.) Madhu Bhardwaj)  
Member  
SEIAA

  
12/01/21  
(Prof. Rana Pratap Singh)  
Chairman  
SEIAA