

Minutes of the 436th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 08.01.2021

The meeting of 436th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 08.01.20 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P.
Member, SEIAA, U.P.
Member Secretary, SEIAA, U.P.

Agenda-A: -Complaints/letters –

Agenda-B: -Reply- Nil


Agenda-C: - Minutes of 512th SEAC Meeting Dated 16/12/2020


1. **Group Housing Project "Eros Sampooranam" at Plot No.- GH-01, Sector-02, Greater Noida, Gautam Budha Nagar, U.P., M/s Ajay Enterprises Pvt. Ltd. File No. 5992/Proposal No. SIA/UP/NCP/58619/2020**

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.










- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
- 8- All the additional condition for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, GoI dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
- 9- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

2. Multi Modal Transport Hub at Village-Boraki, Junpat, Kathera, Pali, Palla, Thapkheda,- Dadri, Gautam Budha Nagar, U.P., M/s Integrated Industrial Township Ltd. File No. 5994/Proposal No. SIA/UP/MIS/58665/2020

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
- 8- All the additional condition for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, GoI dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
- 9- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

3. **Multi Modal Logistics Hub at Village-Dadri, Kathera, Pali, Palla, Chitehra, Tehsil-Dadri, Gautam Budha Nagar., M/s Integrated Industrial Township Ltd. File No. 5995/Proposal No. SIA/UP/MIS/58608/2020**

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
- 8- All the additional condition for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, GoI dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
- 9- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.


4. **Up gradation of District Hospital Building 300 bed into teaching hospital 500 bed of medical College & Construction of 200 bedded Hospital at District-Bijnor, U.P. Superintending Engineer Civil Building Cell UPPWD, Bijnor. File No. 5987/Proposal No. SIA/UP/MIS/184400/2020**


SEIAA agreed with the recommendation of the SEAC that the project should be revised and submitted online for appraisal.

5. **Medical College at District Referral Hospital at Village-Bans, District-Deoria, U.P. Principal Government Medical, Bans, Deoria, U.P. File No. 5996/Proposal No. SIA/UP/MIS/185464/2020**

SEIAA agreed with the recommendations of the SEAC to defer the matter as per request made by the project proponent. Hence it will be taken after submission of online request on prescribed portal.









6. Commercial Building at plot no. C1-D2, Sector-133, Noida, District-Gautam Buddha Nagar., Shri Shashikant Pandey, M/s Franklin Infratech Pvt. Ltd. File No. 6012/Proposal No. SIA/UP/MIS/186014/2020

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-


1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.









11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
 12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
7. **Commercial Development "Ithum's 73" at Plot No.- 04 Sector-73, Noida, District- Gautam Buddha Nagar, U.P., M/s Sifal Infotech Pvt. Ltd. File No. 6019/Proposal No. SIA/UP/MIS/184160/2020**
- SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that project proponent has submitted that 392 KLD waste water will be generated for which a STP of 450 KLD has been proposed. SEAC in its recommendation has mentioned that waste water generation is 118 KLD and STP capacity is 350 KLD. There is a mismatch in FAR calculation also. Area under green belt has not been clarified. SEIAA opined that project shall be referred back to SEAC for review/comments.
8. **Revision & Expansion of "IT Park" at Plot No.- 06, Sector-142, Noida, District- Gautam Buddha Nagar., Shri Sajan Behrani, M/s Splendor IT Pvt . Ltd. File No. 6020/Proposal No. SIA/UP/MIS/186792/2020**
- SEIAA agreed with the recommendation of the SEAC that project has to be submitted again as a fresh proposal.
9. **IT Park (Think Next Village) Plot No.- 20, Knowledge Park- III, Greater Noida, District- Gautam Buddha Nagar, U.P., Shri Umendra Kumar Gupta. File No. 6021/Proposal No. SIA/UP/MIS/186805/2020**
- SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-
1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
 2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
 3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.










4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

10. Group Housing Project at Plot No.-SC-01/C-AS,, Sector- 150, Greater Noida, District- Gautam Buddha Nagar, U.P. , M/s Augur Realtors Pvt. Ltd. File No. 5636/Proposal No. SIA/UP/MIS/ 150198/2020

SEIAA noted that SEAC has recommended to grant the environmental clearance for the above project. SEIAA gone through the file and documents and opined that the project proponent shall submit no construction certificate in the form of an affidavit along with the supporting documents.

11. 200 Bedded Mother & Child Hospital at Gata No.-365,368,369, Village- Motipur, kheri, Lakhimpur kheri. Chief Medical Officer, Kheri. Lakhimpur. File No. 4628/3796/Proposal No. SIA/UP/NCP/90276/2019

SEIAA noted that SEAC has recommended to grant EC to the above project SEIAA gone through file and documents and found that hard copy of the presentation is not present in the file. Secretariat informed that project proponent has been asked to submit the presentations/all relevant details in hard copy before SEAC meeting but it has not been submitted till date. SEIAA directed the Nodal Officer to put up the complete file along with all the documents as and when made available by project proponent and place it in the next meeting.

12. Dr. Ram Manohar Lohiya Institute of Medical Sciences, New Campus, Plot No.-7/31 and 7/32, Sector-07, Gomti Nagar, Lucknow. File No. 4331/Proposal No. SIA/UP/NCP/75354/2018

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
2. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
3. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
4. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
5. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
6. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
7. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
8. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.


FM


Madan Bhandari RPS

9. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
10. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
13. Mandola Vihar Yojana Multistoried Residential Flats at Sector- 7A, Delhi- Saharanpur Marg Yojana, Village- Mandola, Tehsil & District- Ghaziabad, U.P. Shri S.K. Srivastava, Executive Engineer, Uttar Pradesh Awas Evam Vikas Parishad. File No. 4280/Proposal No. SIA/UP//NCP/25562018
- SEIAA agreed with the recommendations of the SEAC to defer the matter since project proponent/consultant did not appear. The project file should be closed and be opened only after request from the project proponent; hence it will be taken after submission of online request on prescribed portal.
14. Awadh Vihar Bhoomi Vikas Evam Grasthan Yojana, Sultanpur Road, Village- Devanmau, Sarasvan, Barauli Khalilabad, Brauna, Ghausval Kala, Hariharpur, Sevain, District-Lucknow., Executive Engineer, U.P., Avas Vikas Parishad. File No. 4279/Proposal No. SIA/UP//NCP/25824/2018
- SEIAA agreed with the recommendations of the SEAC to defer the matter since project proponent/consultant did not appear. The project file should be closed and be opened only after request from the project proponent; hence it will be taken after submission of online request on prescribed portal.
15. Residential & Non Residential Building of VVIP Security Line (behind DLF), Gata No.- 634cha, 634jaha, Village-Purseni, Tehsil- Mohanlalganj, Lucknow, U.P., Addl. Director Geni. Of Police (Security), Suraksha Mukhyakaya, U.P., Lucknow. File No. 3928/Proposal No. SIA/UP/NCP/71735/2017
- SEIAA agreed with the recommendations of the SEAC to defer the matter since project proponent/consultant did not appear. The project file should be closed and be opened only after request from the project proponent; hence it will be taken after submission of online request on prescribed portal.
16. Expansion of Group Housing at Plot No.- GH- 05B, Sector- 16, Greater Noida, District- Gautam Budha Nagar., M/s Rudra Buildwell Constructions Pvt. Ltd. File No. 4718/Proposal No. SIA/UP/MIS/97656/2019

SEIAA noted that SEAC has recommended to grant EC to the above project SEIAA gone through file and documents and found that hard copy of the presentation is not present in the file. Secretariat informed that project proponent has been asked to submit the presentations/all relevant details in hard copy before SEAC meeting but it has not been submitted till date. SEIAA directed the Nodal Officer to put up the complete file along with all the documents as and when made available by project proponent and place it in the next meeting.







17. Expansion of Existing Sugar unit from 4600 TCD TO 6600 TCD (Earlier we filed an application for Expansion from 4600 TCD to 5500 TCD) at Village- Agwanpur, Moradabad, U.P, M/s Dewan Sugar Ltd. File No. 5010/Proposal No. SIA/UP/IND2/184839/2019

SEIAA agreed with the recommendation of the SEAC to amend the terms of reference (TOR) letter no. 271/Parya/SEAC/5010/2018 dated 31/08/2020 as per the details. Rest all the contents mentioned in terms of reference (TOR) letter dated 31/08/2020 shall remain same.

18. Group Housing "AVS Orchard" at Plot No-GH-03/C, Sector-77, NOIDA, Gautam Buddh Nagar, U.P., M/s AVP Buildtech Pvt. Ltd. File No. 1556/Proposal No. SIA/UP/MIS/177739/2020

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not circulate the documents to the members of SEAC on time. Hence it will be taken after submission of online request on prescribed portal.

19. Group Housing at Khasra No.- 397 Sa & 399 Vill-Ardaunamayu, Lucknow U.P. M/s Paarth Infrabuildtech. File No. 1824/Proposal No. SIA/UP/MIS/182290/2020

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent did not circulate the documents to the members of SEAC on time. Hence it will be taken after submission of online request on prescribed portal.

20. Group Housing at GH-F, Jaypee Green Sports City, SEZ, Sector-25, YEIDA area, Gautam Buddh Nagar, U.P., Shri Mushir Ahamad. File No. 2047/Proposal No. SIA/UP/MIS/184068/2020

SEIAA agreed with the recommendation of the SEAC to extend the validity of Environmental Clearance letter dated 12/10/2013 for the period of 03 years i.e. 11/10/2020 to 10/10/2023.


All the contents mentioned in Environmental Clearance letter no. 1916/PARYA/SEAC/ 2047/2013/AD(H) dated 12/10/2013 shall remain same.

With the permission of the Chairman:-


1. Expansion of Group Housing Project "Shere Shalimar Mannat" at Khasra No.-52, 53, 54A, 54B, 55, 59, 105, 110-119, 121, 123 at Village-Muhammadpur Nawabganj, Barabanki., M/s Shalimar Corp. Ltd. File No. 5865/5724/Proposal No. SIA/UP/MIS/174782/2020


SEIAA noted that the above project was taken in its meeting dated 29.12.2020 in which SEIAA opined that the case shall be put up along with the old file for clarity on the concerned previous documents. The required file was placed before SEIAA by the Secretariat. SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-


- 1- As proposed the project proponent shall ensure uninterrupted flow of unused treated waste water upto Sai River through the natural drain.
- 2- The project proponent shall submit within the next 3 months the details of solar

Page 9 of 10

- power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
 - 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
 - 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
 - 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
 - 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
 - 8- Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
 - 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 11- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.


(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


(Prof. Rana Pratap Singh)
Chairman
SEIAA