

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 819th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 11-06-2024 (Part-B)

The meeting of 819th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 11.06.2024 the Directorate of Environment. The following were present in the meeting:-

1. Smt. Mamta Sanjeev Dubey
2. Shri Paras Nath
3. Shri Sanjeev Kumar Singh

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

General Discussion

SEIAA noted that vide MoEFCC notification S.O.2210(E) dated 06.06.2024 the term of Chairman and Members of SEIAA/SEAC, UP is extended for a period upto 10.12.2024 or till the reconstitution of SEIAA/SEAC, UP.

Agenda-A- Minutes of 853rd SEAC-1 Meeting Dated 18/05/2024

1. Group Housing Complex Project at Sector-117, Noida, District- G.B. Nagar, M/s Unitech Limited., 8889/SIA/UP/INFRA2/467600/2024.

SEIAA noted that SEAC has recommended to issue the standard terms of reference for the preparation of EIA report prescribed by MoEF&CC along with some additional TOR Points. It is not clear why standard terms of reference were not issued by SEAC as per MOEFCC OM's SEIAA opined that in future the reason for not issuing standard terms of reference should be mentioned in the MoM of SEAC. SEIAA opined that the matter be referred back to SEAC for clarification.

2. Sand/Morrum Mining Project on Riverbed of Kane River" located at Gata No. 50/2, 50/2ख, 51, Village- SadiMadanpur, Tehsil- Pailani, District-Banda, Area- 18.490 ha., 8891/SIA/UP/MIN/467692/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

3. Residential Complex at Khasra No.- 527, Noor Nagar, Raj Nagar Extension, District- Ghaziabad, U.P., M/s Windsor Paradise Heights Private Limited., 8893/SIA/UP/INFRA2/467750/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC.

In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam,2023 and submit before the start of work.
- 9- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 10- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI

and others) anti-smog guns shall be installed to reduce dust during excavation.

- 14- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 15- The project proponent shall install organic bio converter.
- 16- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 17- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 18- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 19- The Bio Medical Waste shall be disposed in nearest CBWTF as per the Govt issued guidelines in this regard.

4. Sand / Bajri / Boulder (RBM) Mining Project at Gata No.-403, 404/1, 405, 406/1, 416/2, 421/1, 422/2, 423/2, 424/2, 429 and 431, Village- Sherpur Pelo, Tehsil Behat, District- Saharanpur, Area 6.475 Ha., 8895/SIA/UP/MIN/467844/2024.

SEIAA noted the comments of SEAC that Hon'ble NGT, New Delhi has passed an order dated 08/11/2023 in original application no. 188/2023 (I.A. No. 76/2023, I.A. No. 91/2023 & I.A. No. 92/2023) Gaurav Kumar Vs. State of Uttar Pradesh & Ors. The operating part of the order is as follows.

"...Having regard to the plea raised and argument advanced by the Counsel for the applicant, we are of the view that a case is made out by the applicant for grant of interim relief. Accordingly, we direct that the ECs will not be issued to the above newly added respondents by the competent authority without the leave of the Tribunal."

The committee is of the opinion that the SEIAA may decide that whether the terms of reference (TOR) for the mentioned projects may be granted or not.

SEIAA opined that ToR cannot be issued till the leave of the Tribunal. Hence SEIAA opined that Mining Department/Project proponent/DM, Saharanpur shall get the approval of Hon'ble NGT and apprise SEIAA of any order.

5. "Ordinary Sand Mining" Project at Gata No.- 36Ka, Village- FirozpurManjha, Tehsil- Sohawal, District- Ayodhya, Shri Vijay Pratap Singh, M/s Maa Jawla Traders, Area : 6.00 ha., 8897/7928/SIA/UP/MIN/467931/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

6. Riverbed Ordinary sand mining" along river Garra at Gata No.- 7, 8, 9, 10, 11, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 105, 106, 107, 115, 116, 117, Village – PariyalPanchshala, Tehsil - Shahabad, District -Hardoi, M/s Balaji Construction, Area- 6.8250 ha., 8899/7895/SIA/UP/MIN/467765/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

7. Building Stone (Granite) or Khanda, Gitty, Boulder, Ballast Mining Project at Gata No.: 669, Khand No- 22, Village: Khailar, Tehsil: Sadar, District: Jhansi, Area: 2.023 Ha., 8901/8090/SIA/UP/MIN/468039/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

8. "Building Stone (Granite) or Khanda, Boulder, Gitti, Ballast Mining Project" at Aaraji No.: 631, 632, Village: Goramachhiya, Tehsil: Sadar, District: Jhansi, Area: 1.780 Ha., 8903/SIA/UP/MIN/468120/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

9. Expansion of existing Sugar unit from 8000 TCD to 10000 TCD without change in Co gen power plant – 25.75 MW within existing premises at Village – Rauzagaon, Block-Rudauli, Tehsil- Rudauli, Distt.- Ayodhya, M/s Balrampur Chini Mills Limited (Unit: Rauzagaon), 8905/SIA/UP/IND2/468131/2024

SEIAA noted the comments of SEAC.

10. Expansion of Existing Standalone Grinding Unit with Cement production capacity from 1.0 Million TPA to 4.2 Million TPA at Villages: Kanaudha & Bihra, Tehsil: Tanda, District: Ambedkar Nagar, Uttar Pradesh by M/s. UltraTech Cement Ltd. (Unit: Tanda Cement Works), 8907/8413/SIA/UP/IND1/467985/2024

SEIAA agreed with the recommendation of SEAC to grant EC to the above project adding following conditions:-

1. Raw material handling should be such that there should be no Fugitive emission from the premises.
2. Compliance of Public hearing conditions should be ensured.
3. The project proponent shall establish CAAQMS within the premises. Details of existing CAAQMS, if any, be submitted within a period of three months.
4. Arrangement regarding loader and trucks should be made to avoid to conjunction.

11. Riverbed "Ordinary Sand Mining" on the riverbed of Ganga River at Aaraji No.- 2/5, Village- Nadini, Tehsil- Sadar, District- Mirzapur, Area 5.0 ha., 8909/8127/SIA/UP/MIN/468259/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

12. "River Bed Sand/ Morrum Mining from Betwa River" at Khand No.- 24/8 at Village – Chikasi, Tehsil – Sarila, District Hamirpur, Area: 20.242 ha., 8911/SIA/UP/MIN/468447/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

13. Integrated Township Project "Park Town" at Khasra No.- 1475-1482, 1488-1490, 1493-1495, 1508, 1541-1581, 1583-1604, 1607-1612, 1629-1667, 2059-2061, 2078, 2082, 2085-2095 of Village – Shahpur Bamheta and Khasra no. 603, 604, 607-610, 630-641, 675-692, 714, 728-735, 739, 740, 1356-1358, 1365 of Village - Mehrauli, Tehsil & District - Ghaziabad, M/s Utility Estates Private Limited., 8913/8306/SIA/UP/INFRA2/468011/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC.

In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- At least two Miyawaki forest/ dense forest with the consultation of forest department shall be developed and details uploaded on their website.
- 2- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 9- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam,2023 and submit before the start of work.
- 10- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 11- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 12- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 13- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.

- 14- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 15- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 16- The project proponent shall install organic bio converter.
- 17- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 18- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 19- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 20- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.

14. Medical College, Hospital, Hostel, Principal Residence by Government Institute of Medical Sciences (GIMS) at Greater Noida, District- Gautam Buddha Nagar., 8915/8761/SIA/UP/INFRA2/467738/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.

- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 9- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 10- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 14- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 15- The project proponent shall install organic bio converter.
- 16- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 17- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 18- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 19- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.

15. "Group Housing Complex" located at Plot No. - GH-D-04/A, Sector-44, Noida, District-Gautam Buddha Nagar, M/s Godrej Properties Limited., 8917/SIA/UP/INFRA2/468607/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

16. "Commercial Rukmani Vihar Avasiya Yojna" project at Plot no. S-3, Sector-03, Vrindavan Chhatikara Road, Vrindavan, Mathura, U.P., M/s KSONS BUILDWELL LLP., 8919/SIA/UP/INFRA2/468426/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 9- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 10- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.

- 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- The project proponent shall install organic bio converter.
- 14- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 15- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 16- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 17- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.

17. Affordable Housing and Commercial Project at Village- Sunarkh Banger, Vrindavan, District- Mathura, Shri Deepak Gupta, M/s Hitech Buildcon Pvt. Ltd., 8921/SIA/UP/INFRA2/468944/2024.

SEIAA noted the comments of SEAC to defer the matter and the matter will be discussed only after submission of online request on prescribed portal.

18. "Building Stone (Sand Stone Gitti, Boulder, Patiya)" Project at Gata No.- 141 (Sr. No.- 07), Village- Chiraiya, Tehsil- Chunar, District- Mirzapur, AVTECH INFRAVENTURE PRIVATE LIMITED, Shri Ajay Kumar Singh, Area : 0.809 ha., 8923/SIA/UP/MIN/468718/2024

SEIAA noted the comments of SEAC.

19. Medical College and Hospital at Plot no.- 6, Sector-17A, YEIDA, Yamuna Expressway, Greater Noida, District- Gautam Budh Nagar, U.P., 8925/SIA/UP/INFRA2/469535/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- At least two Miyawaki forest/ dense forest with the consultation of forest department shall be developed and details uploaded on their website.
- 2- No treated or untreated effluent shall be drained in any water body.
- 3- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least one school in the vicinity of project area should be provided with

rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.

- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 7- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhinyam, 2023 and submit before the start of work.
- 11- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 12- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 13- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 14- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 15- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 16- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 17- The project proponent shall install organic bio converter.
- 18- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 19- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.

- 20- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 21- The Bio Medical Waste shall be disposed in nearest CBWTF as per the govt issued guidelines in this regard.

20. Expansion of TCS Noida ITSEZ Campus at Plot No. 1, Sector-157, Noida, District- Gautam Budh Nagar, U.P., M/s Tata Consultancy Services, 7097/6891/SIA/UP/MIS/77107/2022

SEIAA agreed with the recommendation of SEAC to amend the EC identification no. EC23B039UP128426, dated 12/01/2023 as requested. SEIAA opined that the CER activities should be related to mitigation of Environmental Pollution in nearby areas like Miyawaki forest/ dense forest with the consultation of forest department shall be developed and details uploaded on their website, installation of micro solar plants in the villages, construction of toilet especially in public place and school and rain water harvesting pits in nearby areas, a part from activities proposed. Rest all of the contents mentioned in environmental clearance letter no. EC23B039UP128426, dated 12/01/2023 shall remain the same.

Agenda-B- Minutes of 854th SEAC-2 Meeting Dated 21/05/2024

1. Vashisth Kunj Township at Firozpur Uparhar, Ayodhya - Lucknow Road, District- Ayodhya U.P., 8726/SIA/UP/INFRA2/460168/2024.

SEIAA noted that SEAC has recommended to issue the standard terms of reference for the preparation of EIA report prescribed by MoEF&CC along with some additional TOR Points. It is not clear why standard terms of reference were not issued by SEAC as per MOEF&CC OM. SEIAA opined that in future the reason for not issuing standard terms of reference should be mentioned in the MoM of SEAC. SEIAA opined that the matter be referred back to SEAC for clarification.

2. "Harnarain Aeropolis" Housing (Dwelling Units -129no.s) at S.M. Plot No.- 64 & 65, Mauza- Sehmalpur, Pargana- Athgawa, Tehsil- Pindra, District- Varanasi, U.P., 8788/8281/SIA/UP/INFRA2/460763/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

3. "Group Housing Project" with Residential, Non Residential (Club) and Community Facilities at Arazi No.- 1670 to 1674,1662,1663,1675 part , 1676 part at Naubasta, District- Kanpur Nagar, U.P., M/s J P Realtor Pvt. Ltd., 8802/SIA/UP/INFRA2/463734/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- At least one Miyawaki forest/dense forest with the consultation of forest department shall be developed and details uploaded on their website.
- 2- SBR STP should be install as proposed.

- 3- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 7- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
- 11- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 12- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
- 13- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 14- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 15- The project proponent shall install organic bio converter.
- 16- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**

- 17- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 18- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
- 19- The Bio Medical Waste shall be disposed in nearest CBWTF as per the Govt issued guidelines in this regard.

4. Expansion of 32 KLD to 100 KLD Grain Based Distillery including Liquor Bottling at Village – Begumabad, Modinagar, District – Ghaziabad, Uttar Pradesh by M/s Modi Distillery, Modinagar, 8864/7368/SIA/UP/IN2/465737/2024

SEIAA agreed with the recommendation of SEAC to grant EC to the above project adding one condition:-

1. The plants shall be based on ZLD as proposed, Effluent will be treated through Condensate Polishing Unit. Raw stillage will be sent to decanter followed by MEE and dryer to produce DDGS.
2. The project proponent shall ensure compliance of CCR.
3. The project proponent shall submit plans for handling boiler ash in the compliance report.
4. The project proponent shall clearly specify the use of end product in the compliance report.

5. Building Stone (Khanda, Giiti, Boulder, Ballast) Mining Project” at Araj No.: 335, Khand No.:08, Village: Gauhari, Tehsil: Sadar, District: Mahoba, State: Uttar Pradesh, Area: 2.024 Ha, 8866/7473/SIA/UP/MIN/466377/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

6. Building Stone (Granite), Khanda-Boulder/ Gitti- Ballast Mining Project at Araz No.- 669 Mi, Khand No- 18, Village: Khailar, Tehsil: Sadar, District: Jhansi, State: Uttar Pradesh, Area: 2.023 Ha, 8868/SIA/UP/MIN/461029/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

7. River Bed Mining Project at Gata No. 45, Village- Shahalipur Gudad, Tehsil- Nagina, District- Bijnor (U.P), Leased Area-1.500 Ha., 8870/SIA/UP/MIN/466274/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

8. Expansion of Group Housing “Prateek Canary” at Plot No.- SC-02/A7, Sector - 150, Noida, District-Gautam Budha Nagar, Uttar Pradesh by M/s Strongbiz Propbuild Pvt. Ltd., 8872/8231/SIA/UP/INFRA2/465992/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

9. "Sand/Morrum Mining" at Gata No./ Khand No. A-10-302, 301, 296, 287, 270mi, 269mi, 260mi, 259, 258mi, 255, 254, 253, 291, 252, 251, 292, 290, 289, 288, 287, 294, 293, Village- Adhawal, Tehsil & District Fatehpur, Uttar Pradesh, Leased Area- 29.58 Ha, 8874/SIA/UP/MIN/466627/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

10. "Ordinary Earth Excavation Project" at Gata No.-90 in Village: Baurumau, Tehsil: Bakshi Ka Talab, District- Lucknow, Uttar Pradesh. (Lease Area: 0.756 Ha.), 8876/SIA/UP/MIN/466984/2024

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the LoI has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt

and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.

7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
-
11. **"Sand/ Bajri/ Boulder Excavation (RBM) Mining Project" at Gata No. 1, Village – Shahzadpur Bans Aht, Tehsil – Behat & District - Saharanpur, Uttar Pradesh, (Area- 13.0 Ha.) 8878/SIA/UP/MIN/466829/2024.**
In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.
 12. **"Sand/ Morrum Mining from Ken River bed" at Gata No.- 176 (Part) 179, 180, 177, 147 (Part), 144 (Part), 141 (Part), 143, 145, 142, 122, 121, 114 (Part) and 117 (Part), at Village – Sadikhadar, Tehsil – Pailani, District – Banda, U.P. (Leased Area: 46.00 ha.), 8880/SIA/UP/MIN/467071/2024.**
In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.
 13. **"Building Stone (Granite Khanda, Boulder, Bailast (Gitti))" Project at Gata No.- 36, Village- Naigawan, Tehsil- Mahoba, District- Mahoba, U.P. (Applied Area : 0.700 ha.) Riddhi Industry, Prop.- Smt. Divya W/o Shri Pushpendra Kumar., 8882/8177/SIA/UP/MIN/465492/2024.**
In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.
 14. **"Building Stone (Sand Stone Gitti, Boulder, Patiya)" Project at Gata No.- 141 (Sr. No.- 02), Village- Chiraiya, Tehsil- Chunar, District- Mirzapur, U.P. (Applied Area : 0.607 ha.), 8884/SIA/UP/MIN/467286/2024.**
In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

15. Medical college, rehabilitation centre and its allied services at the village- Arsenia, Tehsil -Kiraoli, District- Agra, UP by Shri Anand Swaroop Educational Trust, 8886/SIA/UP/INFRA2/464585/2024.

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

16. "Ordinary Earth Mine", at Gata No.- 821, 824, 825, 826 & 830 in Village- Amoli Hisampur, Tehsil- Ramnagar, District- Barabanki, Uttar Pradesh, Project Proponent- Shri Mahendra Vikram Singh, Area -0.754 ha., 8888/SIA/UP/MIN/467116/2024

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt

and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.

7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
 8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
 10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
 11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
17. **"Building Stone (Sandstone) Mining" at Arajai No. - 1533/6, 1533/7, 1533/8, 1533/9, 1533/10, 1533/11, 1533/12, 1533/17, 1533/18, 1533/19, 1533/20, 1533/21, 1533/22 & 1533/23, Village- Bahuti, Tehsil-Madihan, District: Mirzapur (U.P.), (Area- 4.858 Ha.), 8890/8006/SIA/UP/MIN/467676/2024.**

SEIAA agreed with the recommendations of SEAC to close/delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

18. **Building Stone (Khanda, Gitti, Boulder) Sand Stone Mine, Arajai number-669mi, Khand No.39, Village-Khailar, Tehsil-Sadar, District-Jhansi, Uttar Pradesh of M/s Sushil Stone Gramodyog, Area- 4.046 ha., 8892/8158/SIA/UP/MIN/467696/2024.**

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

19. **"Ordinary Earth Mine" at Village- Asdamau, Gata No.- 293, 294, 295 & 310, Tehsil-Haidargarh, District- Barabanki, Uttar Pradesh, Project Proponent- Shri Arvind Kumar, Area- 0.83 ha., 8894/SIA/UP/MIN/467842/2024.**

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

Minutes of the 819th Meeting of the SEIAA, UP held on 11.06.2024 (Part-B)

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

Agenda-C-Letter/Reply

1. Hon'ble NGT O.A. No. 440/2023 Naveen Kumar versus State Of Uttar Pradesh & Ors.

SEIAA gone through the order of Hon'ble NGT O.A. No. 440/2023 Naveen Kumar versus State of Uttar Pradesh & Ors. Relevant part of which is as follows:-

...5. In the OA, Applicant had taken the specific plea in paragraph 6 onwards relating to non-compliance of these conditions.

6. The respondent - SEIAA, UP has filed the reply dated 20.05.2024 but there is no response to the specific plea of the Applicant in respect of non-compliance of the EC conditions.

7. It is not in dispute before us that if the EC conditions are not complied with, then the SEIAA, UP is required to cancel the EC. SEIAA, UP has filed an evasive reply before the Tribunal by not responding to the main issue involved in the OA. Hence, we impose the cost of Rs. 10,000/- upon SEIAA, UP for filing such a response. The said cost be deposited with the Registrar General of the Tribunal within two weeks.

SEIAA noted that in office order no. J-11013/10/2009-IAI dated 30.09.2009 of MoEF it is stated that:-

The monitoring Cell in IA Division is the nodal point for monitoring and compliance of the stipulated conditions imposed on the industrial units/infrastructural project including CRZ, while granting Environmental Clearance (EC). A copy of the EC is endorsed to the concerned Regional Office of the MoEF for monitoring the compliance of the stipulated conditions, besides to the concerned State Pollution Control Board (SPCB) and Central Pollution Control Board (CPCB).

According to Appendix XI of MoEFCC notification S.O. 141(E) dated 15.01.2016 DEIAA, SEIAA, SPCB, CPCB, MoEFCC, agency nominated by MoEFCC are the authority to monitor EC compliance but MoEFCC has not formulated any procedure or mechanism to verify the EC conditions by SEIAA. It is also to bring in kind notice that SEIAA, UP consist of 3 members and does not have adequate infrastructure or finances to monitor EC compliance in every Districts.

Hence Hon'ble NGT may be requested to exempt cost of Rs. 10,000/- imposed on SEIAA.

A show cause notice be issued to project proponent regarding non-compliance of Environmental Clearance conditions as submitted by the petitioner. Project proponent is required to clarify the following within 15 days- As to why EC issued vide letter no. EC22B001UP110182 dated 18.11.2022 should not be cancelled.

A letter shall be send to RO, MoEFCC and UPPCB for monitoring of Environmental Clearance conditions.

2. Hon'ble NGT O.A. No. 528 of 2024 Farukh Chouhan & Anr. Versus SEIAA, Uttar Pradesh & Ors.

SEIAA noted that the above project relates to River Bed Sand Mining Project (Area - 20.34 ha.) in River Yamuna at Gata Number 621ma, 622ma, Village – Mandawar - 4, Tehsil - Kairana; District - Shamli, U.P. Hence SEIAA opined that a letter shall be send to RO, MoEFCC and UPPCB for monitoring of Environmental Clearance conditions.

3. Request for modification in the terms of EC of Group Housing Colony at Plot No.- GGNGH-02, Village Sarsawa, Pargana-Lucknow, Tehsil-Sarojini Nagar, Lucknow, Shri Amit Kumar, M/s Inception Buildtech Pvt. Ltd., 8339/SIA/UP/INFRA2/447291/2023.

SEIAA gone through the letter of the project proponent dated 26.12.2023 regarding modification in EC conditions no. 3 related to CER activities. SEIAA agreed with the request of the project proponent but the project proponent shall develop two Miyawaki forest/dense forest in consultation with Forest Department and upload the details on their website.

4. Request for modification in the terms of EC of Group Housing Project at GH-2C, Sector12, Greater Noida, District-Gautam Budh Nagar, U.P., M/s Eldeco Real Estate Limited, Shri Amit Kumar., 8370/SIA/UP/INFRA2/449220/2023.

SEIAA gone through the letter of the project proponent dated 26.12.2023 regarding modification in EC conditions no. 3 related to CER activities. SEIAA agreed with the request of the project proponent but the project proponent shall develop two Miyawaki forest/dense forest in consultation with Forest Department and upload the details on their website.

5. Reciprocal Warehousing at Village – Benti & Bhokapur, Tehsil- Sarojini Nagar, Lucknow, Shri Jay Ram Jalan, M/s Reciprocal Logistics LLP., 8453/SIA/UP/INFRA2/451434/2023.

SEIAA noted that the above project was taken in its 792th SEIAA meeting in which SEIAA opined that project proponent shall submit approved map from competent authority, purpose of 304 Permanent Residing Staff resident and objective of warehouse is not clear, proposal for disposal of biodegradable waste. The project proponent has submitted his reply vide letter dated 20.02.2024 SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall ensure to plant broad leaf trees of local and indigenous species and their maintenance. The CPCB guidelines in this regard shall be followed.
- 2- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 3- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 4- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 5- The project proponent shall ensure that waste water is properly treated in STP and

treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.

- 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
 - 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
 - 8- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhinyam, 2023 and submit before the start of work.
 - 9- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 10- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
 - 11- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
 - 13- The project proponent shall install organic bio converter.
 - 14- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 - 15- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
 - 16- The project proponent shall submit within the next 3 months the details of solar power plans for solar electrification beyond 10% within the project.
 - 17- The Bio Medical Waste shall be disposed in nearest CBWTF as per the Govt issued guidelines in this regard.
6. **Proposed CBTWF in Muzafarnagar at Khasra No.- 539/3, Village- Makhiyali, District- Muzafarnagar, U.P., M/s Rudra Waste Management (P) Ltd. File no- 5832.**

SEIAA noted that the above project was taken in its 803th SEIAA meeting in which SEIAA opined that project proponent shall submit gap analysis from UPPCB. The project proponent has submitted a letter dated 30.05.2024 along with report of RO, UPPCB, Muzafarnagar vide letter no. 205/lok sunvai/Rudra Waste Management/2024. Hence SEIAA agreed with the recommendation of 617th meeting of SEAC to grant EC to the above project.

7. Educational & Hostel Building "GNIOT" at Plot No.- 6 B, Knowledge Park-11, Greater Noida, District Gautam Buddha Nagar, Shri Prashant Mittal, M/s Vinayak Education Society., File No. 7543 /Proposal No. SIA/UP/INFRA2/414677/2023.

SEIAA gone through the letter of the project proponent regarding exemption of EC. In light of MoEFCC OM F.No. 3-85-2016-IA-III (E81594) dated 30.04.2024 the project proponent is advised to apply online for EC.

8. Expansion of Existing Rolling Mill of 100000 MTPA TMT Bar to Production of 200000 MTPA TMT Bar and 264000 MTPA Billets/Ingot/Rolling Mill at Khasra No. 1417/ 1418/ 1420/ 1422 ,Bisrakh Road, Chhapraula, Greater Noida (West), District- Gautam Budh Nagar, Shri Dhananjay Rathi., 8349/7362/SIA/UP/IND1/447654/2023.

SEIAA gone through the letter of the project proponent regarding the above subject and agreed with the request of the project proponent to mention the following in the issued EC vide no- EC24B008UP179515 dated 24.05.2024:-


"The project proponent propose to install 40X2=80 Ton capacity induction furnace with annual production capacity of 200000 MTPA TMT Bars & 264000 MTPA Billets/Ingot."

Nodal Officer

SEIAA, UP

MoM prepared by Secretariat in consultation with
Chairman & Members on the basis of decisions
taken by SEIAA during the meeting.

(Smt. Mamta Sanjeev Dubey)
Chairman
SEIAA


(Sanjeev Kumar Singh)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA