

Minutes of the 392nd Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 14/08/2020

The meeting of 392nd State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 14/08/2020 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh

Chairman, SEIAA, U.P

2. Dr. (Smt.) Madhu Bhardwaj

Member, SEIAA, U.P

3. Sri Ashish Tiwari

Member Secretary, SEIAA, U.P

Agenda-A: -Complaints/letters –

1. पर्यावरणीय अनापत्ति प्रमाण-पत्र को हस्तांतरित किये जाने के सम्बन्ध में।

SEIAA gone through the letter dated 20.07.2020 of Shri Sushil Parecha, Jhansi regarding transfer of Environmental Clearance for proposed Building Stone Granite (Khanda, Gitti, Boulder) Mining Project at Gata no. 310 Khand no. -01, Village Dangariyarund, Tehsil Jhansi, UP, (lease area 2.023 ha). SEIAA opined to refer the letter to SEAC for review/comments.

2. River Bed Sand Mining Project from Yamuna River of M/s Gurbaj Singh located at Gata(s) No.- 8 Mi, 9 Mi, 10 Mi, 11 Mi, 12 Mi, 13 Mi, 17 Mi, 18, 19, 20 Mi, 21 Mi, 22 Mi, 25 Mi, 26 Mi, 27 Mi, 30 Mi, 37 Mi, 38 Mi, 39 Mi, 40 Mi, 41 Mi, 53 Mi, Mi, 54 Mi, 55 Mi, 56 Mi, 57 Mi, 237 Mi, 238 Mi, 239 Mi, 240 Mi, From Village- Panchayara Khand-1, Tehsil- Loni, Distt.- Ghaziabad, U.P. , (Area 16.183 hac.), M/s Gurbaj Singh. File no-3886

SEIAA gone through the letter of Shri Mumtaj Ali, Jyotibaphule Nagar, dated 06.07.2020 regarding transfer of Environmental Clearance to the above project issued vide letter no. 91/Parya/SEAC/3886/2017 date 12.01.2018. SEIAA gone through the file and documents and found that the above Environmental Clearance was issued to Shri Gurbaj Singh, S/o Shri Major Singh R/o – House no. B-6/1379, Modern Colony, Jagadhari, Haryana. SEIAA noted that the previous lease issued to Shri Gurbaj Singh, was cancelled vide DM, Ghaziabad order dated 29.09.2018 and another LOI was issued to Shri Mumtaj Ali, Mohammdabad, Post- Bijora, Jyotibaphule Nagar vide letter no. 990/Khanan/E-nivida Seh E-nilami/2020 dated 23/06/2020. Hence SEIAA opined to transfer Environmental Clearance issued vide letter no. 91/Parya/SEAC/3886/2017 dated 12.01.2018 from Shri Gurbaj Singh, S/o Shri Major Singh R/o – House no. B-6/1379 Modern Colony Jagadhari, Haryana to Shri Mumtaj Ali, Mohammdabad, Post- Bijora, Jyotibaphule Nagar. Rest all the content of Environmental Clearance letter shall remain the same.



Madhu Bhardwaj

RPS

20/08/20

3. Luhargaon Sand Mine on Betwa River at Khand No.- 01, Village- Luhargaon, Tehsil- Tahrauli, District- Jhansi, (Leased Area-12.14 Ha) Shri Akarshit Sharma, File No. 4034/Proposal No. (SIA/UP/MIN/72666/2018)

SEIAA gone through the letter dated 06.07.2020 of Shri Sumit Singh Jhansi regarding transfer of Environmental Clearance to the above project issued vide letter no. 221/Parya/SEAC/4034/2018 date 08.03.2018. SEIAA gone through file and documents and found that previous lease cancellation letter has not been annexed. Hence SEIAA opined that the project proponent shall submit the same.

Agenda-B:-Replies-

1. Expansion of Group Housing Project at Khasra No.1104m, 1111m, 1116m & 1123m, Village- Noor Nagar, Pragna- Loni, NH-55, Raj Nagar Extension, Ghaziabad, U.P., M/s LR Infrahomes India Pvt Ltd. File No. 3858/Proposal No. SIA/UP/NCP/70731/2017.

SEIAA noted that the above project was taken in its meeting dated 29.05.2020 in which SEIAA opined that project proponent should submit compliance of shortcomings indicated in MoEF&CC compliance report dated 17-01-2019 in response to the report submitted by project proponent. The project proponent has submitted his reply vide letter dated 29.06.2020. After reviewing the reply, SEIAA agreed with the recommendation of the SEAC dated 15.05.2019 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional condition for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
7. The project proponent shall submit within the next 3 months the details of segregation plan of MSW.




8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
9. The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source.

Agenda-C:- Minutes of 479th SEAC Meeting Dated 27/07/2020

1. **Establishment of Clinker Grinding Unit of capacity: 2 MTPA and DG Set of 1.5 MW at Village-Dhauha, Paragana- Sakteshgarh, Tehsil- Chunar, District- Mirzapur, U.P. of M/s Eco Plus Cement Chunar Pvt. Ltd. File No. 5712/Proposal No. SIA/UP/IND/54294/2020**

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;

1. All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
2. Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
3. MOU signed between the project proponent and the consultant should be submitted.
4. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
5. The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment



Madan Bhardwaj

RPS
20/08/20

letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

6. Public hearing shall be conducted as per EIA notification, 2006 (as amended).
7. Since the proposed project is under Red/Orange category of Industrial sector and falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
8. All the additional condition for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
9. SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.



2. Expansion of Existing Tannery Unit from Capacity of 4.5 TPD of finished leather (wet blue to finished leather) to 5 TPD of Finished Leather (Raw To Finished Leather) at Plot No.-A-3/2 & A-3/3, Jainpur Industrial Area, Tehsil-Akbarpur, Kanpur Dehat, U.P., M/s Tirubala Exports (India) Pvt. Ltd. File No. 5713/Proposal No. SIA/UP/IND/ 54278/2020

SEIAA noted that the above project has already been issued ToR. Hence SEIAA agreed with the recommendation of the SEAC to dispose off the case.

3. Proposed Molasses / Grain based Distillery of Capacity 60 KLD (Rectified spirit/Extra Neutral Alcohol/Absolute Alcohol) along with 2.5 MW Co-Generation Power Plant at Village-Firozpur Hafiz, Block & Tehsil- Bijnor, District- Bijnor, U.P., M/s Mohit Petrochemicals Private Limited. File No. 5716/Proposal No. SIA/UP/IND2/54372/2020

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

1. All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
2. Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
3. MOU signed between the project proponent and the consultant should be submitted.
4. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
5. The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

6. Public hearing shall be conducted as per EIA notification, 2006 (as amended).
7. SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.




4. Common Bio-medical Waste Treatment Facility at Village-Visahnpur, Block-Hasangarh, Tehsil-Iglas, Aligarh., M/s Indo Tech Waste Solution. File No. 5722/Proposal No. SIA/UP/MIS/54535/2020

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.

5. Common Bio-medical Waste Management and Recycling Facility at Khasra No.-18 Kha/01, Village-Kuruhul, District-Sonbhadra, U.P., M/s Sonbhadra Common Bio-medical Solution. File No. 5726/Proposal No. SIA/UP/MIS/54644/2020

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR:-

1. All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
2. Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
3. MOU signed between the project proponent and the consultant should be submitted.
4. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
5. The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
6. Public hearing shall be conducted as per EIA notification, 2006 (as amended).
7. Since the proposed project is under Red/Orange category of Industrial sector and falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
8. All the additional condition for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
9. SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

6. Group Housing "Sushant Aquapolis" at Village- Doondaherra, Tehsil- Loni, Ghaziabad, U.P., M/s Ansal Properties & Infrastructure Ltd. File No. 5715/Proposal No. SIA/UP/NCP/54355/2020

SEIAA noted that the standard terms of reference (TOR) has already been issued through online portal of MoEF&CC, Gol. SEIAA opined to refer back the project to SEAC since it has not been clarified that whether any additional ToR is required or not.



7. Expansion of Group Housing "Shere Shalimar Mannat" at PKhasra No.- 52, 53, 54A, 54B, 55, 59, 105, 110-119, 121, 123-128, 131, 139-144, at Village-Muhammadpur Nawabganj, Barabanki, U.P., M/s Shalimar Corp. Ltd. File No. 5724/Proposal No. SIA/UP/NCP/54558/2020

SEIAA noted that the standard terms of reference (TOR) has already been issued through online portal of MoEF&CC, Gol. SEIAA opined to refer back the project to SEAC since it has not been clarified that whether any additional ToR is required or not.

8. Group Housing Project at Khasra No.-656, Sector-2 C, Vasundhara, District-Ghaziabad, U.P., M/s Metro Suites Homes LLP. File No. 5718/Proposal No. SIA/UP/MIS/127561/2019

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF&CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if

  RPS

discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.

9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

9. Expansion of Induction Furnace and Rolling Mills 53000 MT PA Induction furnace and 60000 MT TMT Bars to 2,25000 MT PA (115000 MT TMT Bars to 110000 MT TMT Bars), at Khasra No.-2074 & 2090, Village- Sujru, Muzaffarnagar., M/s Sarvottam Rolling Mills Pvt. Ltd. 5714/4629/Proposal No.SIA/UP/IND/160305/2020

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.




10. Residential Township at Village- Gopal Khera, Purseni, Tehsil- Mohan Lalganj, District- Lucknow,U.P., M/s Omega Infrabuild Pvt. Ltd. 5530/Proposal No. SIA/UP/MIS/143078/2020

SEIAA agreed with the recommendations of the SEAC to defer the file as the project proponent did not submit any document and open only after submission of online information on prescribed online portal.

11. Cement grinding unit project (Production 54000 Tons/annum) at Arajai No.-158Mi, Village-Mai, Post-Rampur, Tehsil-Mariyahu, District-Jaunpur, U.P. M/s J.P. Cement & Chemicals. 5684/Proposal No. SIA/UP/IND/ 53627/2020

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

1. All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.

   Page 7 of 8

2. Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
3. MOU signed between the project proponent and the consultant should be submitted.
4. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
5. Public hearing shall be conducted as per EIA notification, 2006 (as amended).
6. SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

Ashish Tiwari
20/08/2020
(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA

Madhu Bhardwaj
(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA

RPS, ph
20/08/2020
(Prof. Rana Pratap Singh)
Chairman
SEIAA