#### \_\_\*\*\*\_\_

# State Environment Impact Assessment Authority Pranisampad Bhawan, 5<sup>th</sup> Floor, Sector-III, Salt Lake, Kolkata - 700106 (West Bengal) Minutes of SEIAA Meeting

\_\_\*\*\*\_\_

#### Subject:- 79<sup>th</sup> meeting of SEIAA

Venue:- Conference Room of Environment Department, Prani Sampad Bhavan, 5<sup>th</sup> Floor, LB Block, Sector III, Salt Lake, Kolkata 700106.

From :- 10 Nov 2022

To :- 10 Nov 2022

#### 1. Proposal No. :- SIA/WB/IND/61389/2019 File No- EN/T-II-1/054/2019.

Proposed additional installation of 1x8 Tonnes Induction Furnace with production capacity of 24,960 Tons/Annum at Plot No.1459, 1460, 1461, 1467, 1466, 1462, 2686, 2843, 2827, JL No. 22, WBIDC Type- EC Plasto Steel Park, Vill – Kadasole, PO – Ghutgoria, PS – Barjora, Dist – Bankura, West Bengal by M/s. Surya Alloy Industries Ltd.

#### **INTRODUCTION**

The proponent made online application vide proposal no. SIA/WB/IND/61389/2019 dated 04 Mar 2021 along with copies of EIA/EMP seeking environment clearance under the provisions of the EIA Notification, 2006 for the above mentioned project. The proposed project activity is listed at SL.No. 3(a) Metallurgical industries (ferrous & non ferrous), under Category "B1" of EIA Notification 2006 and the proposal is appraised at State level.

The project proponent (PP) obtained ToR for the proposed project vide Memo No. 853-2N-45/2019(E) dated 30.07.2019 against proposal no. SIA/WB/IND/37451/2019.

SEAC recommended the proposed project for Environmental Clearance during its 50<sup>th</sup> meeting held on 31.08.2022 with the additional condition that the industry should take necessary measures to control fugitive emission in their existing unit.

#### PROJECT DETAILS

The project of M/s SURYA ALLOY INDUSTRIES LIMITED located in as follows :

| S      | State of the project |          |         |          |
|--------|----------------------|----------|---------|----------|
| S. No. | State                | District | Tehsil  | Village  |
| (1.)   | West Bengal          | Bankura  | Barjora | Kadasole |

The production details / project configuration is as follows :

| Contraction of the second second second |           | Project configuration/product details       |          |      |            |   |                            |  |  |  |
|---|-----------|---|----------|------|------------|---|----------------------------|--|--|--|
|   | S.<br>No. | Project<br>configuration/product<br>details | Quantity | Unit | Other Unit | Mode of<br>Transport/Transmission<br>of Product | Other Mode of<br>Transport |  |  |  |

| ······································ |       | ***** | R        |      |   |
|--|-------|-------|----------|------|---|
|  |       |       | 1        |      | é – – – – – – – – – – – – – – – – – – – |
| (1) MS Ingot                           | 42960 | 11    |          | Road | é – – – – – – – – – – – – – – – – – – – |
| (1.) MIS Ingot                         | 72700 | 1     |          | Roau | é – – – – – – – – – – – – – – – – – – – |
| L                                      | A     |       | <u> </u> |      | £                                       |

Raw Material Requirement is as follows :

|           | Raw Material Requirement details |                          |      |               |        |  |  |   |  |  |  |  |
|-----------|----------------------------------|--------------------------|------|---------------|--------|--|--|---|--|--|--|--|
| S.<br>No. | Item                             | Quantity<br>per<br>annum | Unit | Other<br>Unit | Source | Mode of<br>Source Transport/Transmission<br>of Product |  | Distance of<br>Source from<br>Project<br>Site(Kilometers) |  |  |  |  |
| (1.)      | Scrap                            | 8112                     | 1    |               | India  | Road   |  | 2   |  |  |  |  |
| (2.)      | Silico<br>Manganese              | 375                      | 1    |               | India  | Road   |  | 2   |  |  |  |  |
| (3.)      | sponge<br>Iron                   | 19968                    | 1    |               | India  | Road   |  | 2   |  |  |  |  |

### DELIBERATION IN SEIAA

SEIAA considered the recommendation of SEAC and observed the project proponent (PP) should submit the following in the PARIVESH Portal:-

- 1. In view of MoEF&CC O.M. vide F No. IA3-22/10/2022-IA.III[E 177258] dated 08.06.2022 a Certified Compliance Report (CCR) regarding compliance of all the conditions enlisted in the 'Consent to Operate' issued by the WBPCB.
- 2. A 'stack analysis study' report.
- 3. An Air Pollution Control Device (APCD) was not found to be in operation during the inspection conducted by WBPCB on 22.07.2022. The PP is required to ensure operation of APCD and submit compliance.
- 4. Challan of onetime processing fee as per Notification No 924/T-II-1/021/2022 dated 23.05.2022 issued by Dept. of Environment, GoWB after obtaining the Payment Ref. No. from the Dept. of Environment. Notification and details can be accessed in the link http://environmentwb.gov.in/pdf/Notification.

### **RECOMMENDATIONS OF SEIAA**

Therefore, the application for EC is deferred for additional information.

**Conclusion** 

Deferred

### 2. Proposal No. :- SIA/WB/IND/69795/2019 File No- EN/T-II-1/021/2019

Proposed project of installation of 2x10 Tonnes Induction Furnaces at JL No. 90, Touzi No. 1, C.S. Plot Nos. 33(P), 34(P), 35(F), 36(F), 37(F), 38(F), 57(P), 61(P), 596(P), 597(P), 698(P), 599(P), 600(P), 602(P), 604(P), 605(P), 606(P), 608(P), 609(P), 36/532, Touzi No. 10, C.S. Plot Nos. 37(P), 38(P), 39(F), 40(F), 41(P), 42(P), 579(P), 589(P), 590(P), 591(F), 593(P), 594(P), 595(P), 597(P), 427(F), Raturia, Angadpur Industrial Area, Dist – Paschim Bardhaman, Durgapur – 713215, West Bengal by M/s. C. P. Re-Rollers Limited.

### **INTRODUCTION**

The proponent made online application vide proposal no. SIA/WB/IND/69795/2019 dated 08 Dec 2021

Type-EC

along with copies of EIA/EMP seeking environment clearance under the provisions of the EIA Notification, 2006 for the above mentioned project. The proposed project activity is listed at SL.No. **3(a) Metallurgical industries** (ferrous & non ferrous), under Category "B1" of EIA Notification 2006 and the proposal is appraised at State level.

The project proponent obtained ToR for the proposed project vide Memo No. 414-2N-26/2019(E) dated 06.05.2019 against proposal no. SIA/WB/IND/30878/2019.

SEAC recommended the proposed project for Environmental Clearance during its 50<sup>th</sup> meeting held on 31.08.2022 with the additional conditions mentioned in O.M. issued by MoEF&CC vide F No. 22-23/2018.IA.III(Pt.) dated 31.10.2019 as the project is located within the municipal boundaries of Durgapur Municipal Corporation which is declared as Severely Polluted Area.

### PROJECT DETAILS

# The project of M/s C.P. RE-ROLLERS LIMITED located in as follows :

#### State of the project

| S. No. | State       | District          | Tehsil            | Village |
|--------|-------------|-------------------|-------------------|---------|
| (1.)   | West Bengal | Paschim Bardhaman | Faridpur-Durgapur | Raturia |

The production details / project configuration is as follows :

|           | Project configuration/product details       |          |      |            |   |                            |  |  |  |  |
|-----------|---|----------|------|------------|---|----------------------------|--|--|--|--|
| S.<br>No. | Project<br>configuration/product<br>details | Quantity | Unit | Other Unit | Mode of<br>Transport/Transmission<br>of Product | Other Mode of<br>Transport |  |  |  |  |
| (1.)      | M.S.Billet (Proposed)                       | 62000    | 1    |            | Road  |                            |  |  |  |  |
| (2.)      | M.S.Billet (Existing)                       | 60000    | 1    |            | Road  |                            |  |  |  |  |

### Raw Material Requirement is as follows :

|           | Raw Material Requirement details |                          |      |               |        |   |                               |   |  |  |  |
|-----------|----------------------------------|--------------------------|------|---------------|--------|---|-------------------------------|---|--|--|--|
| S.<br>No. | Item                             | Quantity<br>per<br>annum | Unit | Other<br>Unit | Source | Mode of<br>Transport/Transmission<br>of Product | Other<br>Mode of<br>Transport | Distance of<br>Source from<br>Project<br>Site(Kilometers) |  |  |  |
| (1.)      | sponge<br>Iron                   | 37200                    | 1    |               | India  | Road  |                               | 2   |  |  |  |
| (2.)      | Scrap                            | 13640                    | 1    |               | India  | Road  |                               | 2   |  |  |  |
| (3.)      | Ferro<br>Silicon                 | 1240                     | 1    |               | India  | Road  |                               | 2   |  |  |  |
| (4.)      | Pig Iron                         | 9300                     | 1    |               | India  | Road  |                               | 2   |  |  |  |
| (5.)      | Ferro<br>Manganese               | 620                      | 1    |               | India  | Road  |                               | 2   |  |  |  |

# **DELIBERATION IN SEIAA**

SEIAA considered the recommendation of SEAC and observed the PP should submit the following in the

#### **PARIVESH Portal:-**

- 1. In view of MoEF&CC O.M. vide F No. IA3-22/10/2022-IA.III[E 177258] dated 08.06.2022 a Certified Compliance Report (CCR) regarding compliance of all the conditions enlisted in the 'Consent to Operate' issued by the WBPCB.
  - 2. A 'stack analysis study' report.
  - 3. Plantation plan approved by DFO.
  - 4. In view of O.M. issued by MoEF&CC vide F No. 22-23/2018.IA.III(Pt.) dated 31.10.2019 as the project is located within the municipal boundaries of Durgapur Municipal Corporation which is declared as Severely Polluted Area, the PP should submit a declaration in detail for compliance of the additional conditions.
- 5. Challan of onetime processing fee as per Notification No 924/T-II-1/021/2022 dated 23.05.2022 issued by Dept. of Environment, GoWB after obtaining the Payment Ref. No. from the Dept. of Environment. Notification and details can be accessed in the link http://environmentwb.gov.in/pdf/Notification.

#### **RECOMMENDATIONS OF SEIAA**

Therefore, the application for EC is deferred for additional information.

Conclusion

Deferred

3. Proposal No. :- **SIA/WB/MIS/288934/2022** File No- **EN/T-II-1/012/2022** Proposed Residential Complex at 'Swayam City' at R.S. Dag No. 218, 219, 224, 225, 226, 229, 230, 231, 232, 233, 234, 235, 236, 238, 239, 240, 241, 242, 266, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 301, 302, 305 & 409, L.R. Dag No. 223, 224, 229, 230, 231, 234, 235, 236, 237, 238, 239, 240, 241, 243, 244, 245, 246, 247, 271, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 307, 308, 311, 423, Mouza – Bhasa, J.L. – 20 Under Bishnupur – 1 Gram Panchayat, P.S. – Bishnupur, South 24 Parganas, West Bengal by M/s. New Age Nirman LLP (VIOLATION CASE)

#### **INTRODUCTION**

The proponent made online application vide proposal no. SIA/WB/MIS/288934/2022 dated 24 Aug 2022 along with copies of EIA/EMP seeking environment clearance under the provisions of the EIA Notification, 2006 for the above mentioned project. The proposed project activity is listed at SL.No. 8(b) Townships and Area Development projects, under Category "B2" of EIA Notification 2006 and the proposal is appraised at State level.

The PP obtained ToR for the proposed project vide No. 706/EN/T-II-1/012/2022 dated 22.04.2022 against proposal no. SIA/WB/MIS/72299/2022.

SEAC recommended the proposed project for Environmental Clearance under violation category during its 53<sup>rd</sup> meeting held on 28.09.2022.

#### **PROJECT DETAILS**

The project of M/s NEW AGE NIRMAN LLP located in as follows :

| State of the project |             |                   |               |               |  |  |  |  |
|----------------------|-------------|-------------------|---------------|---------------|--|--|--|--|
| S. No.               | State       | District          | Tehsil        | Village       |  |  |  |  |
| (1.)                 | West Bengal | South 24 Parganas | Bishnupur - I | Mouza - Bhasa |  |  |  |  |

The production details / project configuration is as follows :

|   | Project configuration/product details  |   |  |  |  |  |  |  |  |  |
|---|--|---|--|--|--|--|--|--|--|--|
| S. No. Project Quantity Unit Other Unit Mode of Transport/Transmission of Product Other Transport/Transmission of Product |  |   |  |  |  |  |  |  |  |  |
| Resid<br>B1, I<br>storie<br>reside<br>comp<br>up a<br>4394<br>- 298   | dential Complex comprisin<br>32, B3, B4, C1, C2, C3, C<br>es buildings. The project<br>ential blocks to be develo<br>prises of different numbers<br>rea of the project is 526<br>0.41 sqm. Total No. of Flat<br>8, 3 BHK – 272). | g of Blocks<br>24, E1, E3, I<br>et comprise<br>ped in four<br>of residentia<br>70.12 sqm.<br>s 664 nos. ( | <ul> <li>A1, 2</li> <li>A1, G1</li> <li>A3, G1</li> <li>A3, G1</li> <li>A4, G1</li></ul> | A2, A3, A4,<br>& G2 : G+4<br>G+4 storied<br>Each phase<br>s. Total Built<br>and area of<br>- 94, 2 BHK |  |  |  |  |  |  |

### **DELIBERATION IN SEIAA**

SEIAA considered the recommendation of SEAC and accepted the same.

# **RECOMMENDATIONS OF SEIAA**

The application for EC is approved under violation category based on the Building Plan approved by the Additional Executive Officer, South 24 Parganas Zilla Parishad vide No. 1340/ZP/Engg/BP/22 dated 31.01.2022.

The amount for remediation plan, natural and community resource augmentation plan along with the penalty amount as decided by the SEAC is to be deposited by the PP.

#### **Conclusion**

### Recommended

| S.No |       | Conditions   |
|------|-------|--|
|      | I. St | atutory compliance:  |
|      | i.    | The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.                   |
|      | ii.   | The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.                            |
| (1)  | iii.  | The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.   |
|      | iv.   | The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.  |
|      | v.    | The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee. |
|      | vi.   | The project proponent shall obtain the necessary permission for drawl of ground water /surface water required for the project from the competent authority.  |
|      | vii.  | A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.  |

- viii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- ix. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- x. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
- xi. The project proponent shall comply with the EMP as proposed in terms of Office Memorandum issued by the MoEF & CC vide F. No. 22-65/2017-IA.III dated 30.09.2020.

### II. Air quality monitoring and preservation

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel is mandatory. The location of the DG sets may be decided in consultation with State Pollution Control Board.
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meters height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
- vii. Wet jet shall be provided for grinding and stone cutting.
- viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
- x. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- xii. For indoor air quality the ventilation provisions as per National Building Code of India.

### **III.** Water quality monitoring and preservation

- i. The natural drainage system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. Total fresh water use shall not exceed the proposed requirement as provided in the project details.

- iv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office of Ministry of Environment, Forest and Climate Change (MoEF&CC) along with State Level Environment Impact Assessment Authority (SEIAA) and West Bengal Pollution Control Board (WBPCB) along with six monthly Monitoring reports.
- v. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- vi. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vii. Installation of dual pipe plumbing for supply of recycled water and other for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. and for supplying fresh water for drinking, cooking and bathing etc. shall to be done.
- viii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc.) for water conservation shall be incorporated in the building plan.
  - ix. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
  - x. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- xi. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
- xii. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- xiii. All recharge should be limited to shallow aquifer.
- xiv. No ground water shall be used during construction phase of the project.
- xv. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the State Water Investigation Directorate (SWID) in the matter. Formal approval shall be taken from the SWID for any ground water abstraction or dewatering.
- xvi. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening.
- xvii. No sewage or untreated effluent water would be discharged through storm water drains.
- xviii. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Regional Office of MoEF&CC along with SEIAA and WBPCB before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by MoEF&CC. Natural treatment systems shall be promoted.
- xix. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- xx. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

# IV. Noise monitoring and prevention

- i. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried out as per the prescribed guidelines and report in this regard shall be submitted to Regional Office of the MoEF&CC along with SEIAA and WBPCB as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

### V. Energy Conservation measures

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- ii. Outdoor and common area lighting shall be LED.
- iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

### VI. Waste Management

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- v. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii. Fly ash should be used as building material in the construction as per the provision of Fly Ash

Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003 and 25<sup>th</sup> January, 2016. Ready mixed concrete must be used in building construction.

- ix. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- x. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

### VII. Water Body Conservation:-

i. Existing water body (if any) should not be lined and their embankments should not be cemented. The water body is to be kept in natural conditions without disturbing the ecological habitat.

### VIII. Green Cover

- i. The unit should strictly abide by The West Bengal Trees (Protection and Conservation in Non-Forest Areas) Act, 2006 and subsequent rules. The proponent should undertake plantation of trees over at least 20% of the total area.
- ii. No tree can be felled/transplanted unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- iii. The proponent should plant at least 880 nos. trees. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. The project proponent should follow plantation plan approved by DFO, 24 Parganas (South) Division vide Memo no. 494/13C-16 dated 17.03.2022.
- iv. Where the trees need to be cut with prior permission from the concerned Local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- v. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

### IX. Transport

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
  - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b. Traffic calming measures.
  - c. Proper design of entry and exit points.
  - d. Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and to be operated only during non-peak hours.
- iii. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

### X. Human health issues

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

# XI. Environment Management Plan (EMP)

- i. The project proponent should submit the proposed EMP on a six monthly basis. The Office Memorandum issued by the MoEF & CC vide F. No. 22-65/2017-IA.III dated 30.09.2020 should be strictly followed.
- ii. Need based activities for local people is part of the EMP. Details of such activities are submitted by the Project Proponent.
- iii. The project proponent shall install display board for display of all the environmental parameters including sensor-based air, water and noise quality monitoring stations within their premises.
- iv. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms /conditions. The company shall have defined system of reporting infringements /deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the Regional Office of MoEF&CC along with SEIAA and WBPCB as a part of six-monthly report.
- v. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of Senior Executive, who will directly report to the head of the organization.
- vi. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose.
- vii. Year wise progress of implementation of action plan shall be reported to the Regional Office of MoEF&CC along with SEIAA and WBPCB along with the Six-Monthly Compliance Report.

### XII. Miscellaneous

- i. The environmental clearance accorded shall be valid for a period of 10 years for the proposed project.
- ii. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- iii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the

Government who in turn has to display the same for 30 days from the date of receipt. iv. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis. The project proponent shall submit six-monthly reports on the status of the compliance of the v. stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at environment clearance portal with a copy to SEIAA and WBPCB. vi. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company. vii. The project proponent shall inform the Regional Office of the MoEF&CC along with SEIAA and WBPCB, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project. viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government. The project proponent shall abide by all the commitments and recommendations made in the ix. EIA/EMP report and also that during their presentation to the State Expert Appraisal Committee (SEAC). No further expansion or modifications in the plant shall be carried out without prior approval of the х. SEIAA. xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act. 1986. xii. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory. xiii. The SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions. xiv. The Regional Office of the MoEF&CC/SEIAA/WBPCB shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office of MoEF&CC / SEIAA/WBPCB by furnishing the requisite data / information/monitoring reports. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & XV. Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter. xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

#### 4. Proposal No. :- SIA/WB/INFRA2/401336/2022 File No- EN/T-II-1/048/2022.

Proposed setting up of Medical Institution and Hospital Building of All India Institute of Medical Sciences (AIIMS), Kalyani at Mouza – Basantpur, JL No. 90, LR Plot No. 83 & Mouza – Type- EC Ghoragacha, JL No. 91, LR Plot No. 124 & 389, PS – Chakdah, Dist – Nadia, West Bengal by M/s. HSCC India Limited (VIOLATION CASE).

#### **INTRODUCTION**

The proponent made online application vide proposal no. SIA/WB/INFRA2/401336/2022 dated 06 Oct 2022 along with copies of EIA/EMP seeking environment clearance under the provisions of the EIA Notification, 2006 for the above mentioned project. The proposed project activity is listed at SL.No. 8(b) Townships and Area Development projects under Category "B2" of EIA Notification 2006 and the proposal is appraised at State level.

The PP obtained ToR for the proposed project vide No. 1783/EN/T-II-1/048/2022 dated 23.08.2022 from SEIAA against proposal no. SIA/WB/MIS/80934/2022.

SEAC recommended the proposed project for Environmental Clearance under violation category during its 54<sup>th</sup> meeting held on 19.10.2022.

#### **PROJECT DETAILS**

The project of M/s HSCC India Limited located in as follows :

| S      | State of the project |          |        |         |  |  |  |  |  |
|--------|----------------------|----------|--------|---------|--|--|--|--|--|
| S. No. | State                | District | Tehsil | Village |  |  |  |  |  |
| (1.)   | West Bengal          | Nadia    |        |         |  |  |  |  |  |

The production details / project configuration is as follows :

|                | Project configuration/product details                     |                           |                       |                     |   |                            |  |  |  |  |
|----------------|---|---------------------------|-----------------------|---------------------|---|----------------------------|--|--|--|--|
| S.<br>No.      | Project<br>configuration/product<br>details               | Quantity                  | Unit                  | Other Unit          | Mode of<br>Transport/Transmission<br>of Product | Other Mode of<br>Transport |  |  |  |  |
| Setti<br>India | ng up of Medical Institution<br>Institute of Medical Scie | on and Hosp<br>nces (AIIM | oital Bui<br>S), Kaly | lding of All<br>ani |   |                            |  |  |  |  |

#### DELIBERATION IN SEIAA

SEIAA considered the recommendation of SEAC and observed the project proponent (PP) should submit the following in the PARIVESH Portal:-

- 1. Building permit mentioning sanction number issued by the Sanctioning Authority
- 2. Entire set of sanctioned drawings (all floor plans, sections, elevations) with seal and sign by the Sanctioning Authority.
- 3. Need based activities for local people as part of EMP as per as per Office Memorandum of MoEF & CC vide F. No. 22-65/2017.IA.III dated 30.09.2020.
- 4. The other two applications against the same project vide proposal nos. SIA/WB/NCP/30106/2018 and SIA/WB/NCP/30107/2018 are to be withdrawn by project proponent. In case of multiple applications by the PP, the EC cannot be issued.

#### **RECOMMENDATIONS OF SEIAA**

Therefore, the application for EC is deferred for additional information.

**Conclusion** 

### Deferred

5. Proposal No. :- SIA/WB/IND2/79688/2021 File No- EN/T-II-1/128/2021. Proposed addition of capacity from 52 KTPA to 67 KTPA at JL No. 85 & 92, (Plot No. mentioned in Annexure – 1), Vill – Sagarbhanga, Durgapur, Dist – Paschim Bardhaman, West Bengal by M/s. Graphite India Limited (VIOLATION CASE).

### **INTRODUCTION**

The proponent made online application vide proposal no. SIA/WB/IND2/79688/2021 dated 09 Jul 2022

along with copies of EIA/EMP seeking environment clearance under the provisions of the EIA Notification, 2006 for the above mentioned project. The proposed project activity is listed at SL.No. 5(e) Petrochemical based processing (processes other than cracking & reformation and not covered under the complexes) under Category "B1" of EIA Notification 2006 and the proposal is appraised at State level.

The PP obtained ToR vide No. 376/EN/T-II/128/2021 dated 10.03.2022 from SEIAA against proposal no. SIA/WB/IND2/67209/2021.

The PP applied for EC in prescribed format and uploaded final EIA report in the PARIVESH portal on 09.07.2022.

SEAC recommended for Environmental Clearance for the proposed project under violation category during its 53<sup>rd</sup> meeting held on 28.09.2022 with the following additional conditions :-

- i) The project proponent should comply with the conditions mentioned in O.M. issued by MoEF&CC vide F No. 22-23/2018.IA.III(Pt.) dated 31.10.2019 as the project is located within the municipal boundaries of Durgapur Municipal Corporation which is declared as Severely Polluted Area.
- ii) The project proponent shall install display board for display of all the environmental parameters including sensor-based air, water and noise quality monitoring stations as proposed within their premises.

#### PROJECT DETAILS

The project of M/s Graphite India Limited located in as follows :

| The second se | S      | tate of the project |                   |          |             |
|---|--------|---------------------|-------------------|----------|-------------|
|   | S. No. | State               | District          | Tehsil   | Village     |
| Annual and an annual and an   | (1.)   | West Bengal         | Paschim Bardhaman | Durgapur | Sagarbhanga |

The production details / project configuration is as follows :

|             | Project configuration/product details                                |                   |   |                            |  |  |  |  |  |
|-------------|--|-------------------|---|----------------------------|--|--|--|--|--|
| S.<br>No.   | Project<br>configuration/product Quantity Unit Other Unit<br>details |                   | Mode of<br>Transport/Transmission<br>of Product | Other Mode of<br>Transport |  |  |  |  |  |
| This<br>67K | is a proposal for addition<br>IPA of Graphite Electrod               | of capacity<br>es |   |                            |  |  |  |  |  |

#### **DELIBERATION IN SEIAA**

SEIAA considered the recommendation of SEAC and observed that in view of the following guidelines issued by MoEF&CC, the case may be sent to MoEF&CC for comments :

As per OM vide F. No. 22-23/2018-IA.III dated 30.12.2019 "In respect of the cases where partial deliberations or complete deliberations were made by SEAC or UTEAC, as the case may be (Class-II), the deliberation may be completed keeping in view of the additional conditions by the SEAC or UTEAC, as the case may be, and sent to the Ministry for comments. If the comments were not received within 15 days from the communication, may be deemed as accepted and disposed based on the recommendations of the SEAC".

In absence of any provision for transferring the case at this stage, to the MoEF&CC through PARIVESH portal, the case is being referred to MoEF&CC through email as well as hard copy being sent by speed post.

### **RECOMMENDATIONS OF SEIAA**

#### Referred to MoEF&CC for comments.

**Conclusion** 

#### For further consideration

#### MISCELLANEOUS

1. Engagement of a professional videographer.

In the event of any field inspection proposed to be done in connection with SEAC & SEIAA activities, a professional videographer should be engaged for recording of the activities during the inspection. He should submit the entire recording in a pen drive.

Page 14 of 14



-Alar

| and a construction as a construction of a construction of a construction of the  |  |
|--|--|
|  |  |
| 2.5. FLOT LOT NR. SOT DI TUUZI HON DE  |  |
| C.J.Flogan Pars 1233   |  |
| C.S. Detern Part 12411 Bart 1241 Bart 1241 Bart  |  |
| c.z. Plotin Farting in 1246  |  |
|  |  |
| C  |  |
| 1 1707 1   |  |
| C.S.71st 12 Jant 1350N 5075  |  |
| C.S.Flot in Part S129 532  |  |
| Cig. Flot in Part 5133   |  |
|  |  |
| a contractor and the second state of the secon |  |
|  |  |
|  |  |
| and a start of the |  |
| C.L.F161 15 1418 6.57 (1.1033 11.1)  |  |
| C.n. Pizz in Tuni Citiz ( 1933 ) (1933 )   |  |
| 2.5.P15t 1= Fuit 6103  |  |
| 1020 Pratice Full 6146   |  |
| C S Play 40 all 6145 1193  |  |
| 1123   |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
| 228 10 10 10 10 10 10 10 10 10 10 10 10 10   |  |
| 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   |  |
|  |  |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |  |
| 1. 2000 1. 2010 1. 2010 1. 2010  |  |
| 0.5.8354 in Pirt: 9154 N   |  |
| nie in Antonio and Antonio a   |  |
| الحت.  |  |
|  |  |

|   | · ·           |            |
|---|---------------|------------|
|   | :             |            |
| ANT C.S. PLUT SOL   | Tourt har.    |            |
|   |               |            |
| C.S. Floi in Part 6155  |               |            |
| C-5.Plot 17 Pert 6181N 1698   |               |            |
| C. J. FLOT to Parc 61824 3170, 3038   | 1             |            |
| C.C.Plot In Part 0213 N 603   | . 1           |            |
| C.S.Plet 11 Full 0214 Sa7/1,1254  | 1             |            |
| \$.5.Flow in Full 5215 89   | - 1           |            |
| C.U.Plot in juil cels   | 1             |            |
| C.S. Pict in Mil 6617   | <b>-</b>      |            |
| C.S.7101 17 7011 6218 544   |               | tar tar bi |
| C.C.Flot 16 Tull 6819   | 1             |            |
| Carles Contraction Tuli 6820 017/3,3256   | 1             |            |
| 1918 - 1918. Con Fail Cara - 4166   | <u>1</u>      |            |
|   | 1             |            |
| C.S.Flot In Fill 6723 2000  | 1             |            |
| n (n. 1971) G.E.Fland (n. 1911) G224 (n. 1972) State (n. 1973)<br>State (n. 1971) State (n. 1972) State (n. 1973) State (n. 1974) | 1             |            |
|   |               |            |
| C.S.Pict in Full 1927 83  |               |            |
| C. C. Plot in Full South 52   |               |            |
| D.S. flot in Full 6229 83   |               |            |
| 19.8. Plot 1n Full 62:0   |               |            |
| 6,5.Plc: 1a Full C231 5 68  | 3             |            |
| G.S. Piotin Full S232 33  |               |            |
| C.S.FlottheFull. 5233   |               |            |
| se se cleifict in fuille 231 i se   |               |            |
| A CALE PICE (N D) COS   |               |            |
| C.S. Plot in Full 6237 - 2663   | <b>1</b>      |            |
| C.5.11:: 19 Full 6205 4165  | 1             |            |
| Le C.S. Plot in Full 5E39 2789  | 1             | 728.0      |
| BC . S. Plet in full 5540 86  |               |            |
|   |               |            |
| C.S.Flot in Per   | <b>6.6848</b> |            |
|   |               |            |
|   |               |            |

فلايس





.....

| annanga gapahadar basanaga sa araba sa ar sa ESAF ar≢na sa STANNa sa  | ya pina awandang wasan kasa ng sa kasa k  | یوده در هایی دستند میتونهی<br>ا   |       |
|---|---|---|-------|
|   | <b>x</b>  |   |       |
| 12 Annual Constraints and the second seco   |   |   |       |
|   | K11   | TOJZT NO.   |       |
| P. C. Marsen H11 1061   |   | 4158  |       |
| C. C. 716 1 Full 1982   |   | 1.58  |       |
| 「「「「」」」。<br>「「」」」。<br>「」」」。<br>「」」」。<br>「」」」。<br>「」」」。<br>「」」」。<br>「」」」。<br>「」」」。<br>「」」)<br>「」」)<br>「」」)<br>「」)<br>「」)」<br>「」)<br>「」)」)<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」))<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)」<br>「」)<br>「」)  |   | 415E  |       |
|   | 900 - C   | 108 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100<br> |       |
| 1993  |   | 4258 × 1  |       |
| C. S. Plot. In Parts above  | 423<br>   | <b>415</b> 8  |       |
| C.S. Plot in Part 1086 M  | 2135, 2930, 2937, 2038  | <b>10</b>   |       |
| C.S.Pict 1. Part 1969N  |   | 4303  |       |
| C.E   |   | <b>0:-4 (158</b> )<br>  | - 100 |
| St. Plat in Pul 1 2091  | 402   |   |       |
|   | 474   | 4158  |       |
| 5.3.5191 15 Full 1995 C   | <u>682</u>  | 4753  |       |
| Constant in Coll jags   | 7026 ca 1011  |   |       |
| Constraints on the constraints  | 4 <u>04</u>   |   |       |
|   |   | 10 JO   |       |
| Cat. Plat in Part short []  | 2010 <b>1,1</b> 050,5400,5400   | <b>33</b>   |       |
|   |   |   |       |
| and a super |   | <b>*153</b>   |       |
| 1 2.5.2100 1. 11 2.001  |   | 4173  |       |
|   |   |   |       |
| Cisalo: in Fart cacsle  |   | 14<br>15  |       |
| Fridat in Shet care of State  | 1582,1785,1735,1821   | in a second   |       |
|   |   | 10  |       |
|   | 352,2732,2742   | 10  | 5.0   |
|   |   | <b>4153</b> (* 1918)  |       |
| Tensilat in more any  | 455   | 10  |       |
|   | <b>972</b>  | 4158  |       |
|   |   | 10  |       |
|   | 24 <sup>6</sup> 9,1703,0783   | <b>10</b>   |       |
| 1. 1. 10. In uit solo   |   | 10  |       |
|   | 1783,1657,1701  |   |       |
| A Pell in a   | 1005,1092,1352  | 20  |       |
|   | C.c. Mat +4 =   | ull 2021  |       |
|   | and a state of the state of th |   |       |

ę, ì

|  | <ul> <li>Marrier , tree, its date from the strong and the strong strong statement of the strong statement of the strong statement of the strong s</li></ul> | անը հեռնասին այն հերություն հեղասարանությունը է է է է է է է է է է է է է է է է է է է  |
|--|--|--|
|  |  | · · · · · · · · · · · · · · · · · · ·  |
|  |  |  |
|  |  |  |
| 2.8.1407 (m)   | then.  | JOJAL NO1  |
| P. J. S. a. Aler in Pull   | 2021   |  |
| They Plat in Juli  | 2022 1'01 to Jor   | 「「「「「「」」」、「「」」、「「」」、「「」」、「」、「」、「」、「」、「」、   |
|  | 2027 202,1065,1  | <b>10</b>  |
| L.J. Plat (n   sl)   | 2025 1001 Vo 100   | <b>10</b>  |
| 2.5.Plot in full   | 8725   | 30   |
| in s. f. flot in Fall  | 2067 727   | .10  |
| City City in Full  | 747  |  |
| C Tlet in fort   | 2035 É   | 4158   |
| C.L.Flet in Fart   | ana fit 2 503  | 4160   |
| Исста - сертиан  |  |  |
| A Picture 1 - Content  |  | 1.<br>1915 - 1915 1916 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1  |
| G.S. The in Pare   | 6519 No. 19  | na na guireanna.<br>G  |
|  |  |  |
| and the second |  |  |
|  |  | 2.<br>   |
|  | Anna an Calaberra<br>Anna an Anna an Anna an Anna  | n Maria da Arra da Arr<br>Arra da Arra da  |
|  | Adde - Adde - Adde AggeのAggeのAggeのAggeのAggeのAggeのAggeのAgg  | and a standard and a standard and a standard a standard a standard a standard a standard a standard a standard<br>A standard a standard a<br>A standard a |
|  |  |  |
|  |  | 1 <b>29</b>  |
| A F191 1B Fort   |  |  |
| C.Griot in dert  | 2150   |  |
|  |  |  |
|  | 217 21 Ce 1751,1   | 763 \$6  |
| A  | 2014 10C1 to 100   |  |
| s:t:noriniut   | 2020   | <b>10</b>  |
| 0  | 2029   | 20   |
| A.I. S.S.PL.: Icadare  | 230 575  | 1168 MAL   |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

ĺ,

Same and the second

# CENTRAL OF MUSR TATAL

Cordified that the ethic dry she Ard Marsh, 1995 esserved resserves of the hand of Ohri Musher Eantl Chekdhurt, Surveyon, Durgepur Development Authority of 50.45 mores of land mentioned in the schedule below situated in nouss -(belon theor, J. No. 55, and nouse Fedtha, J. No. 92, P.S. Durgepur Dist. Sardwan out of the even sometral under Declaration No.2000 5.4. dated the 3.12.50 published at pucks SECS\_3565, Part-I of Calcutt Constine "Fathordicary of the 4th Idea, for Development of Industries in Durgepur Area (Nech IZ" couth of Station Sepretch (and) and presses the delivated under Scalented F. 16.54 published at a date of the 4th Idea, for Development of Industries in Durgepur Area (Nech IZ" couth of Station Sepretch (and) and presses the delivated under Scalent IT(1) of the Listant 1 of 1804 under Oh. No. Market of the entities the terms and conditions of the feater of the entit and bolum finally soulied by the diffeletant & Planning (Surgepur Industries) Dept. Covt.

|  |                                       | PLATE.         |                  |             |
|--|---------------------------------------|----------------|------------------|-------------|
|  | Costnathpur, ii.                      | N. 185         |                  |             |
|  | 5.1.30. 4 34321 C                     | 1.5.Flat Ba.   | :.K.:le. (\$2    | іх.<br>12 - |
| · · · · · · · · · · · · · · · · · · ·  | 1550 1 %                              | s, Flot in Mil | 1227 2417        |             |
| on SiFlat in Fart 119  | 3094 · 1                              | e e Fart       | 1283 1969 3      |             |
| Weimet to Part 119   | 1002 1 C                              | C.Plot in Fart | J:241 633        |             |
| Constant for   |                                       | -FIGE IN TOTAL | 3.74.3 83.3      | 1           |
| 5.8.0101 10 14 12 323  | · · · · · · · · · · · · · · · · · · · | c.nict in ull  | 1577 615<br>7/14 |             |
|  |                                       | . Plat An Part | 1240 340         |             |
| C.4.7105 18-7511 121   | 1 4934 1                              | \$.101 10 Fr   | 1247 1707        |             |
| 2.1. Plot an Aul 122   | 3.55                                  | S.PIOL TE "art | 1200 2020        |             |
| C.S. Pot In Bary 123   | a sedo ji ka                          |                | 6]31 341         |             |
| C.C. Part Marker 1995  | s 2002 1 7.                           | 2.912t tallart | 61111 341        | 2           |
| C.S.Plat in Part ISI   |                                       |                |                  |             |
| ୍ମିକ କାର୍ଯ୍ୟ କ | Shire- 16 Part 1216                   |                |                  |             |

53

West\_Bangel.

¢ſ.

<u>р</u>э.

|  | r<br>F                                 |  | *  |   |  |
|--|--|--|--|---|--|
|  |  |  |  |   |  |
|  | ند.<br>مراجع م                         | <u>j</u> ų.  |  | :   |  |
| <b>i</b> fe <b>:</b> .   | A.II.Be.                               | ourl C.S.  | Plat IA  | 111,Xa.                                     | Touzi .<br>Re.                         |
|  |  |  | an a   | <b>na ana anisé ng sa sa sa sa sa</b><br>Ng | μαφα-παπ-<br>                          |
| . (r. far. 1216  |  | ್ಷ ದ್ವೇಷ್ಣ ಗಿಷ್ಟಿ  | ot in full 637   | 13 474                                      | 1                                      |
|  | 2.2845,2835,                           | פו:  | ot in Part 613   | 1025<br>1025                                | 3                                      |
|  | 2240                                   | 1 4.5.21   | ot in Fully 613  | <b>1</b> 69                                 | · · 1                                  |
| 1  | 3328                                   | 3 0.4.91   | or in 1411 6%  | 83 <u>8</u> 3                               | <b>1</b>                               |
| A. 10 2011 122   | 2271                                   | <u>a</u> g.s.s1  | 65 in 1911 62  | 93 4365                                     | 1                                      |
| 127  |  | 1 0.5.91   | ot in '11 62   | 24 89                                       | 1                                      |
| 111 in Juli 1261   | 2675                                   |  | st in toll 62  | 35 AJES                                     | 1                                      |
|  | 2 6 <b>13</b>                          | ្វា ខ.ភ.ព  | or in full 62  | 36 4165                                     | 2 <b>1</b> 1                           |
| Million Policity   | a 2392 <sup>sta</sup>                  | 1 0.5.22   | et 4n mil 62   | o <b>7</b> (2853                            |  |
| 1:4 in (11 150   | 6<br>6 <b>11</b> 742                   | 1 3.8.14   | bt in Pill 68  | <u>98 4166</u>                              | •••••••••••••••••••••••••••••••••••••• |
| 211: 17: 111 1EC   | 500 F32                                | ₩ <u>3</u> ° CP3   | or in Full 62  | 30 2789                                     |  |
| in Part 122  | e <b>e t</b>                           | -<br>  |  | নক <sup>া</sup> হা                          | <b>)</b> (1977) <b>1</b>               |
|  | 3                                      | . 1 3.14 <sup>0</sup> 3  | ist in Pull 62   | NI 397:                                     | 2 2 4                                  |
| ALL IN PULL 613  |  | 1 0.448  | ot in Part Sc  | 142 S. S.                                   | e e                                    |
| 8421 In full 615   |  | 4 1944   | tg: in Post de   | 40 321<br>510                               |  |
| in the first of the second sec |  | . 3  |  | 2015<br>2015                                | ())<br>75<br>7                         |
| a fin tail 612   | 9. <b>474</b>                          | 1  |  | 147<br>147                                  | 3 •<br>•<br>•<br>•                     |
| STAT IN FULL OIG   | 0 - 1022                               | <b>4</b> , 1<br>≢gita  |  | 353   |  |
|  | 122                                    |  | lot in Mart Ct   | 5a 400                                      |  |
|  |  |  | lot in Fax's 6   | 69 <b>7</b> 0                               | <b>9</b> 1 4                           |
|  | Jun nora                               |  |  | · · · · · · · · · · · · · · · · · · ·       |  |
|  |  | r n n≞tuir   | int in 1971 6:   | 35 105                                      | 1 2                                    |
|  | J 1123                                 |  | 162 (1992)   | 286 AB                                      | 3° "1, -                               |
|  |  |  | to: 14 1011 5  | ez <b>)</b> 92                              | 9° <b>1</b>                            |
|  |  |  | les te 2013 2  | <b>×</b> 9 02                               | <b>2</b> 1                             |
|  |  |  | and the second sec   | roa 75                                      | 4                                      |
|  |  |  | 2010 - 100 - | abh 76                                      |  |
|  |  |  | LING TH INAL P.  | 6350 E                                      |  |
| Rec. to wil 618  |  |  | ្តែ<br>ភូមិន និងខ្លាំង។ គួ   |   |  |
| Elbt in Hall C15   | 2 374 12 5                             | 1995.<br>78 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1993 - 1 | Time to \$1125 #   | 915 A10                                     |  |
| 761 IN Par 612   | 83 - 23 RO<br>                         |  |  |   |  |
|  |  | - <b>60</b>  |  |   |  |
| 2.311an  | ////////////////////////////////////// | • • •  |  | цэ́в.                                       |  |

and the second se

. . .

ł Ì

もなくいう

------

| C.S.Mot No the state  | Fit. Ro. 14 Foliat B. R. Alas I. R.  | ) +<br>  | Fil.Zo Touri                          | <b>2.</b> Plor |
|---|--|--|---------------------------------------|----------------|
| J.S. LOT IN FAIR 6155.  | terra yariha   | J. t. a. M.  |                                       | .12.01         |
| C.S. Plot ID Part 6156  |  | :  |                                       |                |
| C.S.Plos IS Part FIEL   | 1655 1 G Hot !!  | Fert 1937  | 159 10                                | 22.Flor        |
| D.T. Ples in Pert 6182  | 1170,0000 1 0.0  | Part 1941  | 158 18                                | Pio:           |
| 10.0.2100 15 Pert (218)   | 603 <b>1</b> 0.4.Plop in   | 0 <b>571 (19</b> 41) -   | 159 10 ()<br>199                      | .Plot          |
| 0.0.2 100 in Fall 6315  | 347/1,1256 1 C.I.Flat In   | Part 1945  | 1:7 10                                |                |
| 2,8.9101 fr. Full 6215  | 3. <b>59</b> -1. 1. <b>C.S. 10t 1</b> 9  | Part (1945)  | 8740,651 (* <b>10</b> %               | 2.7.ct         |
|   | 1048 1 0. 1916t in   | Port 1847  |                                       | *./1d1         |
|   | 》。10年後,19月1日1日(19月1日)(19月1日)(19月1日)<br>19月1日 - 「日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本   | Pert 3554  |                                       | i.Plst         |
| - 211.1·164、141(約11初年約15)。<br>- 1月第三日 - 181<br>- 1月第三日 - 181  |  | Pall 1955  |                                       |                |
|   | an Salan I - Maridos Ira   | お助しま、注号648<br>   | 1557,1858 19                          |                |
|   | una (no. 2 μ − μ − μ − μ − μ)<br>19 - La de la deserva de la<br>19 - La deserva de la dese<br>19 - La deserva de la deserva<br>19 - La deserva de la deserva<br>19 - La deserva deserva de la deserva de   | ೆಂಬರ್ಗ ಗರ್ಶಸ್  | ۲۵<br>۱۳۳۰<br>۱۳۳۰ - ۲۹               |                |
| ·····································   | y y matatany si sa ang sa  | 1988 - 1989<br>1978 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - | 200 - 200<br>200 - 200                |                |
| (a) An and a start of the st |  |  | · · · · · · · · · · · · · · · · · · · |                |
| ーー・インストンテム 1997年1月1日 日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日   | in the second second<br>I have been second s<br>I have been second s<br>I have been second s<br>I have been second |  |                                       |                |
|   |  | jula 12:4  | 492 A14                               |                |
| ALLANCE 10 Full STOR  | A.R. TAR   | n11 1995   | 10-2                                  |                |
| 0.5.F16: 15 Full 6227   |  |  |                                       | i di ci        |
| 2.5.1 los in 1412 6835  | Es 1 C.L. Not in   | M1 3976  | 29 26 - 1 <b>10</b>                   |                |
| C.N.P104 18 /011 -7244  | B3 3 CALLEL IP   | 1421 3007  | 1224,1820                             | ž P zi z       |
| 2.3.7185 fn 3111 (123)  | <b>1 BB</b> − 1  |  |                                       | 2000 B         |
| C.C.FIRTER Pert 2234  | 1 4005. 1 CPCD300 (*)<br>3 Sector (*)  | Cars 19080   | -831,251                              |                |
|   | an 52 - 2592 - G 21101 In  | 19123 10/24  |                                       | te e           |
| <b>3710571 [5791] \$2</b> %   |  | 1011 20-0  |                                       |                |
| C.:   |  | 1221 20114<br>   | 1012                                  |                |
| 0   |  |  |                                       |                |
| 2. Pot in 5111 6.67   |  |  |                                       |                |
|   |  | * 11 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | 1705, 1621                            |                |
|   |  | P#Pt 2100  | 0.06754                               |                |
|   | 1046 1 0.5.Plot 40   | Prit 2010  | 359,2371                              |                |
| C.L. Plat 1:: Tull 6777   | 1 <b>244</b>   |  |                                       |                |
|   | fn 1012 6267, 61   |  |                                       | i C.           |

····÷

a konser og som en sjonwere

...

and a second

~ .

Ņ,

| 1        |                 |                 |               |                   |            |  |   |                             |                 |                                 |                            |   |
|----------|-----------------|-----------------|---------------|-------------------|------------|--|---|-----------------------------|-----------------|---------------------------------|----------------------------|---|
|          |                 |                 |               |                   |            | 2<br>- 21                              |   |                             |                 | <b>.</b><br>                    |                            |   |
|          | .Flo            | 1.0             |               |                   | 11.30.     | Tourt                                  | S.A.Plot  | . tis.                      |                 | XII.230,                        | Zouzi                      |   |
|          | å.?1ot          | 10.<br>10.      |               | 6258              | 1040       |  | d.s. Mat  | tai Chat                    | 8)1]            | 478                             | 4259                       |   |
|          | <b>1</b> 5345   | nte,            | Tull          | . <b>02</b> 39    | 876        |  | 0.4.9.4.9 <b>10</b> 4   | In Port                     | \$23\$          | 465 <sup>- 2</sup>              | 200 /20<br>2 <b>0</b> -    |   |
| Real and | 2, <b>1</b> 20; | 11              | inli          | S:270             | -876,87    | 7                                      | 0.1.Plat  | ร้อ เพา                     | 2013            | 478                             | 4153                       |   |
|          |                 | In              | (ru).1        | 6171              | 1043       |  | C.J.Moz   | 111 ×1111                   | 2014            | 253                             | 30                         |   |
|          |                 | 2 1 <b>5</b>    | Z <b>211</b>  | 6278              | 3.33       | •••••••••••••••••••••••••••••••••••••• | 2.1420t   | 4m 2411                     | 2014            | 15-61 .27                       | 81                         |   |
|          | -710            | ្តីព្រះ         | Full          | 6273              | 1049       | 2                                      | · · · · · · · · · · · · · · · · · · ·                           | a. 5.57                     | 633 A           | 1763                            | 30<br>                     |   |
| à        | .71c 1          | 20              | Iv <u>i</u> 7 | 6274              | 1045       |  | n na standar se na na na se | 11- P 414                   | 8310            | .2973                           | 10<br>                     |   |
|          | i Plot          | <u>1</u> :n     | Fuil          | 6278              | 1046       | <b>1</b>                               | 0.0.Plot  | th Pull                     | 1019            | 1783,36                         | 65                         |   |
|          | i at            | ∰ md<br>den a 1 | -ul]          | 6276              | E. h. i    | 1                                      | C. T. Plot-   | in foll                     | .28100          | 1005.10                         | 00<br>10                   |   |
|          | .flor           | <b>1</b> :      | F#11          | 6277 -            | 1669       | <b>1</b>                               | •   | · · ·                       |                 | 1262                            | 10                         | ÷   |
|          | .rlot           | 1.5             | <b>11</b>     | E 278             | 1. ro 12   | 571 1                                  | o.n.plati   | In Full                     | 2087            | 1016                            | 15                         |   |
|          |                 | 1148)<br>1      | Yall          | QE                | 300        |  | C.s. Plat   | (n **11]                    | 2023            | 1001 to<br>7608                 |                            |   |
| ¥.       |                 | 4 n             | <u>ैश्राइ</u> | 13°80             | 93 I I     |  | 2.0.11et  | ₹72°25,15                   | <u>es 194</u> 1 | ាល់លេខ ឆ្នាំ។<br>កាល់លេខ ឆ្នាំ។ |                            |   |
| 1        | i ios           | 1. In 1         |               | 2091              | 1327       | 1                                      |   |                             |                 | 1268                            | 9 <b>1</b> 1 -             |   |
|          | alisti<br>Like  | 1-              |               |                   | 2276.35    | 227 . 2 .                              | W. J. Plet  | 4# . "HI]                   | 2X 7            | 1021.00                         | a∕ *∧ 4                    |   |
| 1        |                 | 1.₽°ī           |               | <b>6:20</b>       | 2512       |  | C. Filtzer  | in full                     | <b>SC</b> 22    | 1012                            |                            | 1   |
|          | - 105           | 15.             | <b>1</b> 11   | 6534              | * 1227 -   |  |   | te sait                     | 2027            | وميني معد وريد<br>در در در      | -                          |   |
|          |                 | ţin.            | <u>.</u> 1.)3 | <u>.</u>          |            |  | C.F. Mol.   | 1 n 5011                    | 000             | 2.2                             |                            |   |
|          | Fiot            | in i            |               | 3959 ·            | 463        | ្តុក                                   | 010.010   | n in the set                |                 |                                 | 27<br>27 50                |   |
|          | F151            | <b>L</b> n (7   | 'art.         | 1272              | \$ 251     | 10                                     | 0.000   | kasgarata.ye<br>Ing tot mar |                 |                                 |                            |   |
|          | Flot            | 1n.j            | <b>ul</b> ]   | 39734             | 273        | <b>an</b> 10 - 7                       |   | ¥                           |                 |                                 | <b>1104</b>                |   |
|          | 21ot            | in i            | 1-1<br>1      | 1274              | 251        |  |   |                             |                 |                                 |                            |   |
|          | 71 No           |                 | <b>11</b>     | 1975              | 1972       | <b>39</b>                              |   |                             |                 |                                 |                            |   |
|          |                 |                 |               | 2076              | 2993       | 30                                     |   | an in a' n<br>Sh            | ·               |                                 |                            |   |
|          | Plot            |                 | un -          | 1277              | 473        | 4158                                   |   |                             | *               | . , <b>V</b> ?                  |                            |   |
| S        | 7195            | ្រែះ ្          | u <u>17</u>   | 1978 -            | <b>203</b> | * <b>+1</b> 59                         |   |                             | 2.<br>2.        |                                 |                            |   |
|          | 101             | Late P          |               | 1070              | 420        |  |   |                             |                 |                                 | 3 <b>1</b> 8731.55<br>2015 |   |
|          | 101 (           | L: ř            | 61.1          | 1967 .            | 5.73       | <b>^26</b> 3                           |   |                             |                 |                                 |                            |   |
|          | <b>1.</b> 54    |                 | ωi            | ise)              | 492        | 4155                                   |   | iji ulate                   |                 |                                 |                            |   |
|          | 2003<br>        |                 | 11            | 1982              | 420        | 4129                                   |   |                             | <b>₹</b> ₩1.5   | :                               |                            | and the second se |
|          | 11.at 1         | <b>.</b>        | <b>u</b> n 7  | <u>к</u> і,       | 450        | e158                                   |   |                             |                 | ·                               |                            |   |
|          | tict 1          | R V             | <u>/11</u>    | 1 <del>85</del> 4 | 490        | <b>*1</b> 53                           | , i 62  |                             |                 | 844 L 1                         |                            |   |
|          |                 | Q,              | S., 92        | ist te            | iun s      | Жаран<br>Маралар                       |   | ÷                           |                 | ·. ·                            |                            |   |

「「「「「「「「」」」

| No sa mana ang ang ang ang ang ang ang ang ang   | · • · . · · . · · · · ·  |   |
|--|--|---|
|  |  |   |
|  |  |   |
|  | 22.<br>22.   |   |
|  |  |   |
|  | Non-my low-owners to the statement of th | · 为神秘节,没 <b>想动理想</b> 到了一些人感激了。 医水平  |
|  |  |   |
| 403 41   | 5.3  |   |
| 1937 1935 In Bert 1937 1938, 2038  |  |   |
| HAN-FLOT IN PART 1000  | 70 · · ·   |   |
| S.H.Plat in Part the same  |  |   |
| 2027 2027 2025 2027  |  |   |
|  |  |   |
| 11   | en<br>Begenne bener en   |   |
|  | PART IOS & E KDT VIV   |   |
| 22-01 lend dn Hala   |  |   |
|  |  |   |
|  | n de la composition d<br>Receix de la composition de la compositi  |   |
|  |  |   |
|  |  |   |
|  | C. Maor A. Cherk 1966  | and the second  |
|  | 4  | <ul> <li>A second sec<br/>second second sec</li></ul> |
|  | Callet Marsh This  |   |
|  | C. HINGER HALL SED.  |   |
| 1 11 111 6208 1671 1   | And Plot the Task reason   |   |
|  |  | 164 1721<br>2763  |
|  | C.N. Plot in thil Sois   | 1001 E  |
|  |  | 1/03  |
|  |  | 8597,252  |
|  | Para-7291 In Warn Street   |   |
|  | Article Contractor Andrew  |   |
|  |  | - 403 4158 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |
| B.) TAMT BELEVILLE   |  | 503 4158  |
| Televel LBCL'selite Vested ) And   | (shown to part 19 mg) -  |   |
|  | * 1.50 eoren   |   |
|  | elivitate  |   |
|  |  |   |
|  |  |   |
|  | a diameter   |   |
|  |  |   |
| and the second | nin a anta Nin<br>Nas  | A set of the set of             |
|  |  |   |
|  |  |   |

Altouther mesureling greenhard of fra- 20.47 gover bounded to rod solour in viewe Sonthechner, M. 20.85 and mound Notife, M. Ma. 13, 5.5. Publication and strand States Cooplicate, Parcela Silator a Vergetin, Vist-Director.

> Aret lohnded on the North by - Magarthenge Millone, Doubb by - Gost. sequired land (Milly.Alding Seat by - Geno long, Mangarthenga Millsg-Maat by - Microlan mod to Franco Churston (Samalisted) and Elementers Bet esteriat

Persentision "administer by : Afs: 23/- Second Lungu Dectores for Second Second

Partinentions datas formations. Partinentions datas for a second for a

- x: x;

Designaufree bete Designaufree bete Entat S.C. on F late Y C1/+ S. F. Stmle

Planession terror by:

Aris: For Predic Troin Lid., Pesignation: Loss conternutive. Date: 2.3.55

TTELITEUU BM-A.K. Cuptan Parcapur Levelopmen Authori Levelopmen