

Minutes of the 481st Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 05.08.2021

The meeting of 481st State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 05.08.2021 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg
2. Shri Paras Nath
3. Shri Ajay Sharma

- Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Agenda-A: -Complaints/letters -

- 1- **Expansion of Existing Products including addition of New API/ Bulk drugs/ Pharmaceutical Products, at Plot No.- 35, 35/1 & 36, South Side of G.T. Road, Industrial Area, Ghaziabad., Shri Sumit Goel, M/s Sara Exports Ltd. File No. 6255/Proposal No. SIA/UP/IND2/206483/2021 for Ec Correction**

SEIAA gone through the letter of the project proponent dated 30.06.2021 requesting inclusion of list of products and their respective quantities in the issued EC. SEIAA gone through the file and documents and found that though the list of products and their respective quantities were mentioned in Form-1 submitted and in the presentation made thereof but it was not recommended by SEAC in their minutes of meeting for grant of EC, thus this needs to be referred back to SEAC for seeking their opinion.

- 2- **Expansion of Existing Products including addition of New API/ Bulk drugs/Pharmaceutical Products, at Plot No.-20/3, Site-IV, Industrial Area, Sahibabad, District-Ghaziabad., Shri Sumit Goel, M/s Para Products Pvt. Ltd. File No. 6252/Proposal No.SIA/UP/IND2/205972/2021 for Ec Correction**

SEIAA gone through the letter of the project proponent dated 30.06.2021 requesting inclusion of list of products and their respective quantities in the issued EC. SEIAA gone through the file and documents and found that though the list of products and their respective quantities were mentioned in Form-1 submitted and in the presentation made thereof but it was not recommended by SEAC in their minutes of meeting for grant of EC, thus this needs to be referred back to SEAC for seeking their opinion.

- 3- **Manufacturing of Synthetic Organic Chemicals (API/Bulk Drugs/ Pharmaceutical Products) at Plot No.-G-3,G-4,H-41,H-42,H-43,H-44, UPSIDC Industrial Estate Jamour, Shahjahanpur., Smt. Poonam Vaish, M/s Organo Chem (India). File No. 6244/Proposal No. SIA/UP/MIS/204939/2021 for Ec Correction**

SEIAA gone through the letter of the project proponent dated 30.06.2021 requesting inclusion of list of products and their respective quantities in the issued EC. SEIAA gone through the file and documents and found that though the list of products and their respective quantities were mentioned in Form-1 submitted and in the presentation made thereof but it was



not recommended by SEAC in their minutes of meeting for grant of EC, thus this needs to be referred back to SEAC for seeking their opinion.

4- Violation of EIA notification for operating Government Medical College, Banda.

SEIAA gone through the undated letter of Shri Babu Ram Srivas Banda regarding the above subject and opined that the letter should be send to RO UPPCB Banda for review/comment.

5- Request for amendment in minable reserves in EC so as to further comply with its condition for the project- Sand/Morrum Mining at Khand No.-R-2,(Gata No.- 20, 42, 43, 45, 48, 21, 41, 40, 46, 47,29, 30, 39, 38, 37, 28, 31, 32, 33, 36, 27, 34) , Village- Ranipur, Tehsil-Khaga, District- Fatehpur, U.P., M/s Devvash Project & Infra-Structure Pvt. Ltd. ,(Leased Area- 32.38 ha). File No. 4453/Proposal No. SIA/UP/MIN/28750/2018

SEIAA gone through the letter of the project proponent regarding amendment in minable reserves in EC. SEIAA opined that the project proponent shall submit approval from Director, Department of Geology and Mining UP along with modified approved mining plan.

Agenda-B: - Reply-

1- Proposed of Institutional Building at Plot No.-A-09, Sector-132, Noida, U.P., M/s Wellgrow Infotech Pvt. Ltd. File No. 6242/Proposal No. SIA/UP/MIS/204856/2021

SEIAA noted that the above project was taken in its meeting dated 03.06.2021 in which SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that the ETP proposed is of inadequate capacity. Water balance submitted for monsoon and non-monsoon season also does not seem correct. Hence SEIAA opined that the project proponent shall submit revised proposal for ETP and water balance for monsoon / non-monsoon season. The project proponent has submitted his reply vide letter dated 22.06.2021. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.



- 7- Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which EC is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

2- Transfer of EC of Sand Moram Mining at Gata No.- 02 & 738, Village- Maub, Tehsil- Karvi, District- Chitrakoot, U.P. (Leased area 6.07 Ha) File no- 3890

SEIAA noted that the above project was taken in its meeting dated 09.06.2021 in which SEIAA noted that no documents regarding geo-coordinates of revised LOI and previous LOI have been submitted, hence SEIAA opined that the project proponent shall submit relevant documents. The project proponent has submitted his reply vide letter dated 24.06.2021 along with E-tender notice letter no. 1509/khanij/e-nivida/2020-21 dated 22.12.2020 mentioning the geo-coordinate of the new lease area. SEIAA found that there is an ambiguity in geo-coordinates. Hence SEIAA opined that the project proponent shall submit a corrected or modified geo-coordinate from competent authority along with certified compliance report of previous EC.

3- Transfer of EC of Sand Mining at Bagen River bed, Gata No.-42/3, 97, 80 kh, 320 & 2267 over an Area of 12.005 Ha Situated in Village- Garhi Ghat, Tehsil- Karvi, District- Chitrakoot, U.P., (Leased Area: 12.005 Ha) Shri Himanshu Agrahari File No. 4147/Proposal No. (SIA/UP/ MIN/73625/2018)

SEIAA noted that the above project was taken in its meeting dated 09.06.2021 in which SEIAA noted that no documents regarding geo-coordinates of revised LOI and previous LOI have been submitted, hence SEIAA opined that the project proponent shall submit relevant documents. The project proponent has submitted his reply vide letter dated 24.06.2021 along with E-tender notice letter no. 1509/khanij/e-nivida/2020-21 dated 22.12.2020 mentioning the geo-coordinate of the new lease area. SEIAA found that there is an ambiguity in geo-coordinates. Hence SEIAA opined that the project proponent shall submit a corrected or modified geo-coordinate from competent authority along with certified compliance report of previous EC.



- 4- Revision and Expansion the Group Housing Project "Flora Heritage Tower-03" at Plot No.-GH-16B, Sector-01, Greater Noida, Gautam Buddha Nagar., M/s Solaris Realtech Pvt. Ltd. File No. 5665/Proposal No. SIA/UP/MIS/153829/2020

SEIAA noted that the above project was taken in its meeting dated 06.04.2021 in which SEIAA found that it is a revision and expansion of group housing. It is not clear which part of the project is being revised/amended and what extra part is being added. SEIAA opined that project proponent shall clearly submit the details of areas being revised and being expanded along with all the other related information. The project proponent has submitted his reply vide letter dated 30-06-2021. SEIAA opined that the project requires a detailed scrutiny which is not possible through video conferencing. Hence SEIAA opined that this project shall be taken when the meeting is held in person at Directorate of Environment, Lucknow.

- 5- Residential Complex "Gulmohar Residency" at Khasra No.-527/1, 519, Village- Kanawani, Distt.- Ghaziabad, U.P., M/s SVP Builders (I) Ltd. File No. 4881/Proposal No. SIA/UP/MIS/108734/2018 (298 SEIAA meeting dated 01/08/2019)

SEIAA noted that the above project was taken in its meeting dated 08.06.2021 in which SEIAA opined that the copy of the reply submitted by project proponent to MoEF&CC for non-compliance of EC is not available in the file and hence compliance report shall be submitted to SEIAA by the project proponent. The project proponent has submitted his reply vide letter dated 30-06-2021. SEIAA opined that the project requires a detailed scrutiny which is not possible through video conferencing. Hence SEIAA opined that this project shall be taken when the meeting is held in person at Directorate of Environment, Lucknow. SEIAA opined that a site visit shall be conducted by a committee comprising of RO Ghaziabad UPPCB and a SEAC-2 member.

- 6- Group Housing Project "Sushant Aquapolis" at Village- Doondaherra, Tehsil- Loni, District- Ghaziabad., M/s Ansal Properties & Infrastructure Ltd. File No. 5831/5715 Proposal No. SIA/UP/MIS/56492/2020

SEIAA noted that the above project was taken in its meeting dated 06.04.2021 in which SEIAA found that the water balance submitted mentions that 2169 KLD of domestic waste water will be generated for which a STP of 2600 KLD has been proposed. It has also been mentioned that 50 KLD waste water will be generated from the 100 bedded hospital for which 60 KL of ETP is proposed. Project proponent has submitted the details of STP proposed but not of ETP for the biomedical liquid effluent. Project proponent has also not submitted details of temporary storage for BMW. SEIAA opined that project proponent shall submit the information on the above. The project proponent has submitted his reply vide letter dated 30-06-2021. SEIAA opined that the project requires a detailed scrutiny which is not possible through video conferencing. Hence SEIAA opined that this project shall be taken when the meeting is held in person at Directorate of Environment, Lucknow. SEIAA opined that a site visit shall be conducted by a committee comprising of RO Ghaziabad UPPCB and a SEAC-2 member.

- 7- Expansion of Cement Production Capacity from 1.0 MTPA to 1.25 MTPA of Existing stand-alone clinker Grinding Unit at Plot No.- 19 & 20, UPSIDC Industrial Area, Sikandrabad, Bulandshahar., Shri K.V. Reddy, M/s Ultra Tech Cement Ltd. File No. 5928/Proposal No. SIA/UP/MIN/176615/2020

SEIAA noted that the above project was taken in its meeting dated 10-03-2021 in which SEIAA found that there is no mention of public hearing conducted. Hence SEIAA opined that the project proponent shall clarify the same. The project proponent has submitted his reply vide letter dated 02-07-2021 in which it is mentioned that – "It is an existing standalone grinding unit for which Environmental Clearance was obtained from SEIAA-UP vide letter dated 07th October 2009. Now, we have proposed only 25% expansion in cement production capacity (1.0 MTPA to 1.25 MTPA) by way of process optimization & modification in the existing Clinker

A

Grinding unit under para 7(ii) EIA Notification, 2006 & as amended thereof, wherein Public Hearing is exempted/not required." SEIAA opined that since the project was granted EC previously the project proponent should submitted certified compliance report from MOEF &CC along with details, in tabular form, of queries raised during public hearing and how they were addressed by the Project Proponent.

1- Stone (Khanda, Gitti, Boulder & Red Morrum) Mining at Gata No.-384, Village-Tooka, Rath, Hamirpur., Shri Jagdish Singh, Area-0.701 Ha. File No. 6177/Proposal No. SIA/UP/MIN/60641/2021

SEIAA noted that the above project was taken in its meeting dated 26-05-2021 in which the SEIAA noted that SEAC has recommended to issue the additional ToR for conducting EIA studies. SEIAA gone through file and documents and found that the area is not present in the DSR. Hence SEIAA opined that the project proponent shall submit the required documents. The project proponent has submitted his reply vide letter dated 05-07-2021. After reviewing the reply The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR for conducting EIA studies. SEIAA also added the following points to TOR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 5- KML file for the area and mining lease area should be provided.
- 6- Status of leases granted/to be granted in various mining khandas along with production since the formulation of DSR, duly certified by competent authority should be submitted.
- 7- Plan for using the mine-void for productive use, in consultation with local administration and gram-panchayat.
- 8- Plan for the development of three tier green shelter belt of 7.5m width on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipment or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- In case of brown field project environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CtE and CtO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.

13-Observation raised in public hearing, replies submitted by project proponent, suitable modification carried out in EIA-EMP report.

2- Proposed Hospital Project at F-16, Sector-50, Noida, District- Gautam Buddha Nagar, U.P., Shri Manoj Kumar Shukla, M/s Global Health Pvt. Ltd. File No. 6261/Proposal No. SIA/UP/MIS/205044/2021

SEIAA noted that the above project was taken in its meeting dated 10-06-2021 in which SEIAA noted that SEAC has recommended to grant the prior Environmental Clearance to the proposed project. SEIAA gone through file and documents and found that the project proponent has mentioned ETP of 30 KLD shall be installed for treatment of liquid biomedical effluents which will be recycled after treatment but the project proponent has not submitted any details of ETP proposed. SEIAA opined that as liquid biomedical effluent is proposed to be recycled project proponent shall submit details of ETP including the type of treatment, unit capacity and technology. The project proponent has submitted his reply vide letter dated 08-07-2021. SEIAA opined that the project requires a detailed scrutiny which is not possible through video conferencing. Hence SEIAA opined that this project shall be taken when the meeting is offline.

Agenda-C: - (1) Minutes of 547th SEAC Meeting Dated 08/07/2021

3- "Building Stone (Khanda, Gitti & Boulder) Mine" at Gata No.- 339, Khand No.-09, at Village- Daharra, Mahoba, U.P., M/s Shivam Granite, Area -0.809 ha. File No. 6116/5132/Proposal No. SIA/UP/MIN/ 59752/2019

The SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding following conditions:-

1. A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
2. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
3. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
4. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh

A

water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

6. Plan for using the mine-void for productive use, in consultation with local administration and gram-panchayat.

4- T T S Cement at Plot No.- D-11, UPSIDE, Shidhwan Industrial, District- Jaunpur, U.P., Shri Prakash Singh, M/s T T S Cement. File No. 4865/Proposal No. SIA/UP/IND/37675/2019

SEIAA agreed with the recommendations of the SEAC to defer the matter as the project proponent has requested. Hence it will be taken after submission of online request on prescribed portal.

5- Stone (Khanda, Gitti, Boulder) Mining at Gata No.-442 Ga, Khand No.-02, at Village-Dongri, Tehsil-Sadar, Jhansi. Shri Vinay Kumar., Area-1.618 ha. File No. 5984/Proposal No. SIA/UP/MIN/181359/2020

SEIAA noted that the committee observed that in allotment letter of District Magistrate letter dated 02/09/2020 it has been mentioned that the project proponent shall follow all the order passed by the Hon'ble High Court. The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions. However, the grant of this EC will be subject to the decision of Hon'ble High Court as mentioned in the said letter of District Magistrate. SEIAA opined that it should be cleared from Director, Department of Geology and Mining whether above area is included in DSR. SEIAA opined that the matter shall be referred to Director, Department of Geology and Mining, UP for comments.

6- "Mega Leather Cluster" at Village- Kuraina Bahadurnagar & Senpurab Para Near Ramaipur, Kanpur. Sri Ashraf Rizwan, Director, M/s Mega Leather Cluster. File No. 2070

SEIAA noted that the above project has already been taken in its meeting dated 30-07-2021 SEIAA opined to add following specific condition:-

- 1- The project proponent shall obtain permission from Airport Authority before starting any work.

7- Stone Crusher at Khasra No.-54 & 254, Village- Bartha Korsi, Paragana-Faizabad, Tehsil-Behat, Saharanpur., M/s Sanjay Construction. File No. 5838

SEIAA noted that the project proponent has requested for some change in issued EC. SEIAA also noted that stone crusher category is not mentioned in EIA notification 2006(As amended). Hence SEIAA opined that this project shall be taken when the meeting is held in person at Directorate of Environment, Lucknow.

8- Stone Crusher at Khasra No.-57/1 & 51/2, Village-Said Mohammadpur, Paragana-Faizabad, Tehsil-Behat, Saharanpur., M/s Neelkanth Stone. File No. 5839

SEIAA noted that the project proponent has requested for some change in issued EC. SEIAA also noted that stone crusher category is not mentioned in EIA notification 2006(As amended). Hence SEIAA opined that this project shall be taken when the meeting is held in person at Directorate of Environment, Lucknow.

9- Proposed Sand and Bolder mining at Gata No.1939, Village-Pahara, District-Mahoba, Lease area-3.0 acres. File No. 1598

The SEIAA gone through the SEAC recommendations regarding the matter and noted that the project proponent did not appear in the SEAC meeting, so that the recommendation of the SEAC to close the case is accepted. It can be reopened, only if a request to this effect is received

A

from the project proponent. The file shall not be treated as pending. The SEIAA agreed with the recommendation of SEAC.

10- Sand Mining from Betwa River Bed at Khand No.-23/7, Village- Bhedi Kharka, Tehsil- Sarila, Hamirpur. M/s Pehalwan Traders, Area: 12.145 ha. File No. 4141/Proposal No. SIA/UP/MIN/ 22490/2018

The SEIAA gone through the SEAC recommendations regarding the matter and noted that the project proponent did not appear in the SEAC meeting, so that the recommendation of the SEAC to close the case is accepted. It can be reopened, only if a request to this effect is received from the project proponent. The file shall not be treated as pending. The SEIAA agreed with the recommendation of SEAC.

11- Stone (Khanda, Gitti & Boulder) Mine at Gata No./Araji No./Plot No.-719, Khand No.-30, at Village- Goramachhiya, Jhansi, Shri Ashish Kumar Singh., M/s Ashish Enterprises, Area -1.214 ha. File No. 4852/Proposal No. SIA/UP/MIN/37042/2019

SEIAA noted that SEAC has recommended to grant environmental clearance to the project SEIAA gone through file and documents and found that bench height and width are same in mining plan. Hence SEIAA opined that the project proponent shall clarify discrepancy regarding bench height and width in reference to, submitted mine plan and mining plan approval letter approved by DGM,UP.

12- Stone (Khanda, Gitti & Boulder) Mining at Gata No./Araji No./ Plot No.-643, Khanda No.-17, at Village- Goramachhiya, Tehsil & District- Jhansi, U.P., Shri Sanjay Kumar Gupta., Area -2.306 ha. File No. 4892/Proposal No. SIA/UP/MIN/36975/2019

SEIAA noted that SEAC has recommended to grant environmental clearance to the project SEIAA gone through file and documents and found that bench height and width are same in mining plan. Hence SEIAA opined that the project proponent shall clarify discrepancy regarding bench height and width in reference to, submitted mine plan and mining plan approval letter approved by DGM,UP.

13- Establishment of New B-heavy Molasses/Sugar Syrup or C-heavy Molasses based distillery having capacity: 100 KLD along with 2.5 MW Co-gen power at Khasra No.-1237, 1244, 1238, 1240, 1241, 1243 at Village- Agwanpur , Tehsil & District-Moradabad, U.P, M/s Dewan Sugar Ltd. File No. 6348/Proposal No. SIA/UP/IND2/63004/2021

SEIAA noted that SEAC has recommended to issue the terms of reference (TOR). SEIAA gone through file and documents and opined that following points should be added:-

- 1- The project proponent shall clarify fuel sources and its quantity separately in EIA.
- 2- The project proponent shall submit details of ESP in EIA
- 3- The project proponent shall demarcate in layout plan site for fly ash disposal.
- 4- The project proponent shall submit sustainability report.
- 5- The project proponent shall submit proposal to switch over to cleaner fuel.
- 6- Environment management cell headed by a qualified Environment Health and safety (EHS) expert shall be proposed in EIA.

14- Establishment of grain based Distillery of capacity: 60 KLD along with 3.0 MW Cogeneration Power plant at Khasra No.-3139, 3141, 3142, 3146, 3147, 3148, 3152, 3153, 3154, 3155, 3156, 3159, 3161, 3160, 3158, 3157, 3144, 3145, Village- Shamli , Tehsil & District-Shamli , U.P, M/s Shamli Distillery & Chemical Works (unit of Sir Shadi Lal Enterprises Limited). File No. 6353/Proposal No. SIA/UP/IND2/63887/2021

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after getting the information on prescribed online portal.

A

15- Establishment of New Distillery Unit (Grain Based) (RS/ENA/ETHANOL) & Power : 2.0 MW at Village- Khiwai, Block: Sarurpur, Tehsil-Sardhana, District-Meerut, U.P., M/s RCP Distilleries (India) Pvt. Ltd. File No. 6387/Proposal No. SIA/UP/IND2/64086/2021

SEIAA noted that SEAC has recommended to issue the terms of reference (TOR). SEIAA gone through file and documents and opined that following points should be added:-

- 1- The project proponent shall submit details of ESP in EIA
- 2- The project proponent shall demarcate in layout plan site for fly ash disposal.
- 3- The project proponent shall submit sustainability report.
- 4- The project proponent shall submit proposal to switch over to cleaner fuel.
- 5- Environment management cell headed by a qualified Environment Health and safety (EHS) expert shall be proposed in EIA.

With the permission of the Chairman: -

- 1- SEIAA discussed and opined to add additional Tor to sand mining projects in its 476th meeting Dated: 15-07-2021 and in future : -

Replenishment study, duly approved by the competent authority for approving DSR for the district should be submitted.

- 2- **Regarding Cancel/Revoke the Environment Clearance of Group Housing Project "Palm Olympia" at Plot no. GH-02, Sector- 16C Greater Noida which has been granted without Compliance of Condition mentioned in First EC.**

SEIAA gone through the legal notice dated 25-07-2021 of Shri Arvind Kumar Rai, Advocate regarding above subject. SEIAA opined to send the above notice/show cause notice to project proponent for clarification.

- 3- **Regarding Cancellation of the Environment Clearance issued on dated 12-10-2013 for expansion of residential Township Project "Crossing Republik" Village- Dundhare NH-24, By Pass Ghaziabad, U.P. M/s Crossing Infrastructure Pvt. Ltd.**

SEIAA gone through the legal notice dated 20-07-2021 and 22-07-2021 of Shri Arvind Kumar Rai, Advocate regarding above subject. SEIAA opined to send the above notice/show cause notice to project proponent for clarification.

- 4- **Regarding Inform and Allow me or my representative to participate in Spot Verification.**

SEIAA gone through the letter dated 26-07-2021 of Shri Arvind Kumar Rai, Advocate regarding above subject. SEIAA opined that there is no such provision in EIA notification 2006 (As amended).

- 5- **Regarding Shut down the below mentioned Project which has been constructed without Environment Clearance and running without ETP/CTO (Air & Water).**

SEIAA gone through the legal notice dated 24-07-2021 of Shri Arvind Kumar Rai, Advocate addressed to CEO 1 UPPCB Lucknow and endorsed to Chairman SEIAA UP regarding above subject. SEIAA opined that the above notice shall be sent to MS UPPCB for necessary action.

- 6- **Khanda, Gitti, Boulders & Red Morrum Mining at Gata No.-526, Village- Khadakhar, Tehsil-Rath, Hamirpur., Shri Sapan Kumar Agrawal. Area-0.80 ha. File No. 6229/Proposal No. SIA/UP/MIN/200237/2021**

SEIAA noted that the above project was granted EC in its meeting dated 30.07.2021. SEIAA opined to add one more specific condition:-



1. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.



(Shri Ajay Sharma)
Member-Secretary
SEIAA

(Shri Paras Nath)
Member
SEIAA

(Dr.Rajiv Kumar Garg)
Chairman
SEIAA