

Minutes of the 583rd Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 13.04.2022

The meeting of 583rd State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 13.04.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg	Chairman, SEIAA, U.P
2. Shri Paras Nath	Member, SEIAA, U.P
3. Shri Ajay Kumar Sharma	Member Secretary, SEIAA, U.P

Nodal Officer SEIAA informed that agenda is prepared by Secretariat and approved by MS SEIAA which is hereby put up for the consideration of SEIAA and placed files and documents related to below mentioned projects before SEIAA.

Agenda-A: -Minutes of 634th SEAC 1 Meeting Dated 08/03/2022

1. Sand/morram Mining at Gata No.- 195/1, Village Bahadurpur Syodha, Tehsil- & District- Banda., Shri Omprakash Bharadwaj Area 14.3850 ha., File No. 6871/Proposal No. SIA/UP/MIN/71095/2022

SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 5- KML file for the area and mining lease area should be provided.
- 6- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 7- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.

- 8- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 9- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA EMP report.
- 10- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 11- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 12- Replenishment study, duly approved by the competent authority for approving DSR for the district should be submitted.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 15,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 75 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

2. **Stone (Khanda, Boulder Gitti) Sandstone Mining at Araj No. /Plot No. Gata No-174, Khand No.-B/3, Village-Bangliya, Tehsil-Meja, Prayagraj, Shri Nirmal Kumar Chaubey, Area- 2.0240 ha., File No. 6872/Proposal No. SIA/UP/MIN/ 71121/2022**

SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per FIA notification, 2006 (as amended)
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.

- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 15 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
3. **Establishment of Grain Based Distillery of Capacity 150 KLD (RS/ENA/ Ethanol) along with 4 MW at Khasra No. 22 aa mi, 22 mi, 24 mi, 24 mi, 19 aa, 19 mi, 17 & 18, Village Chhata, Tehsil- Chhata, Mathura, U.P., Shri Mahendra Nathani, M/s PTI Distilleries & Beverages Pvt. Ltd., File No. 6293/Proposal No. SIA/UP/IND2/ 62879/2021**
- SEIAA agreed with the recommendation of the SEAC to grant EC to the above project adding following additional conditions:
1. The project proponent shall ensure that the distillery shall be on ZLD basis with incineration of spent wash in slop boiler. As proposed treated waste water should be completely recycled /reused and ZLD should be achieved. Under no circumstances treated waste water and effluent shall be discharged to any drain/sewer line/ inland surface water/Nala etc.
 2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
4. **Stone (Khanda, Boulder, Ballast (Gitti) & Pahari Red Morram" Mining at Gata No.-199, Khand No.- 01, Village- Naigawan, Tehsil- Sadar, Mahoba. Shri Ashwani Rawat, M/s PNC Infratech Ltd. Area : 4.0 ha., File No. 6874/Proposal No. SIA/UP/MIN/71143/2022**
- SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-
- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
 - 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
 - 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
 - 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
 - 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
 - 6- KML file for the area and mining lease area should be provided.
 - 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.

A

- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

5. Khandas-Boulder /Gitti-Ballast Mining at Gata No-22(Khand No.-15, Village: Dunara, Tehsil: Sadar, Jhansi., Shri Mukul Yadav, Area: 2.0 Ha, File No. 6875/Proposal No. SIA/UP/MIN/71143/2022

SEIAA agreed with the recommendations of the SEAC to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Jhansi to ensure that no mining activity is started until valid EC is obtained and in case mining has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

6. Stone Mining at Gata No.- 83 G, Sl. No. 04, in Village- Bhusi Pathraha, Tehsil- Lalganj, Mirzapur, M/s Divya Stone Works,Area 2.23 ha., File No. 6877/Proposal No. SIA/UP/MIN/71163/2022

RESOLUTION AGAINST AGENDA NO-06

SEIAA agreed with the recommendations of the SEAC to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Mirzapur to ensure that no mining activity is started until valid EC is obtained and in case mining has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

7. Stone Mining at Gata No.- 83 G, Sl. No. 05, Village- Bhusi Pathraha, Tehsil-Lalganj, Mirzapur, M/s Divya Stone Works, Area 2.83 ha., File No. 6878/Proposal No. SIA/UP/MIN/71163/2022

SEIAA agreed with the recommendations of the SEAC to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Mirzapur to ensure that no mining activity is started until valid EC is obtained and in case mining has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

8. Stone (Khandas, Boulder, Bailast Gitti & Pahari Red Morram) Mining at Gata No.2456Kh, Khand No.2.0, Village-Pahra, Mahoba. Shri Abhinandan Jain & Shri Anirudha Jain, M/s Ideal Buildtech Pvt, Ltd., Area : 4.0 ha., File No. 6879/Proposal No. SIA/UP/MIN/71173/2022

SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/

- amendment letter from competent authority shall be submitted along with EIA, CIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
 - 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
 - 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
 - 6- KML file for the area and mining lease area should be provided.
 - 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
 - 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
 - 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
 - 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
 - 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
 - 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
 - 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank

account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.

- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 16- Department of Geology & Mines, GoUP In consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 - 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
9. Stone (Khanda, Boulder, Bailast (Gitti) & Pahari Red Morram" Minig at Gata No.-2456 Kh, Khand No.- 01, Village- Pahra, Tehsil- & District- Mahoba, U.P. Shri Abhinandan Jain & Shri Anirudha Jain Area :4.0 ha., File No. 6880/Proposal No. SIA/UP/MIN/71141/2022

SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting GIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/LIA/LMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road,

- permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
- (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
- a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

10. Stone, Khanda, Boulder, Ballast (Gitty) (Granite) Mining at Arajai No. 989, Khand No.- 15, Village-Makarbai, Tehsil- Sadar, District- Mahoba, Shri Mahendra Kumar Pandey, Area- 1.214 Ha., File No. 6883/Proposal No. SIA/UP/MIN/71237/2022

SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with CIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4 Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.



- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToI while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

Assistant Nodal/Nodal Officer
SEIAA, UP



(Ajay Kumar Sharma)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA

(Dr. Rajiv Kumar Garg)
Chairman
SEIAA