

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 717th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 05.04.2023

The meeting of 717th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 05.04.2023 the Directorate of Environment. The following were present in the meeting:-

1. Shri Paras Nath

Member, SEIAA, U.P

2. Shri Ajay Kumar Sharma

Member Secretary, SEIAA, U.P

Chairman SEIAA did not participate in the meeting. 717th State Level Environment Impact Assessment Authority, UP (SEIAA) meeting was convened and conducted in reference to the letter no. 135/81-7-2023-103(parya)/2007 dated 7-2-2023 of Department of Environment Forest and Climate Change, GoUP.

Agenda:-A- Review-

1. Proposed of Ordinary sand mining from river bed of Ganga, at Khand No. 22, at Village – Devrakh/Chhatnag, Tehsil- Karchhana, District- Prayagraj, Uttar Pradesh of M/s Sarita Construction Company, Area-5.0 ha File no- 7538

SEIAA reviewed the above case and found that in its 709th meeting SEIAA granted EC which was issued vide letter no. EC23B001UP155287 dated 07.04.2023. Inadvertently in its 714th meeting SEIAA took the same case in its meeting. Hence now no further action is required.

2. "Building Stone (Khanda, Giiti, Boulder, Ballast) Mining Project" at Araj No.:712, Khand No.:01, Village:Chhikhara, Tehsil & District: Mahoba, State: Smt. Beena Bajpai, Area: 2.024 Ha., File No. 7535/ 6971/ Proposal No. SIA/UP/MIN/414237/2023

SEIAA noted that the above case was taken in its 711th meeting in which SEIAA inadvertently agreed to issue ToR to the above project. Although SEAC in its 728th meeting recommended EC. Hence In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said



project along with all the general and specific conditions as suggested by SEAC adding following specific conditions:-

1. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier After this period the EC will become null and void.
2. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
4. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
5. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
6. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
7. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
8. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
9. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 15 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
10. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.

11. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
12. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
13. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
14. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
15. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.

Agenda:-A(i) Minutes of 723th SEAC-2 Meeting Dated 24/01/2023

1. Group Housing Project at Plot No: GH-10, Sector- 4, New Moradabad Scheme, District-Moradabad, U.P., Prabhleen Singh Saggu., 7499/SIA/UP/INFRA2/412260/2022

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- Project proponent shall install Organic bio convertor and follow E-Waste (Management) Rules, 2022 Battery Waste Management Rules, 2022.
- 2- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and

- maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
 - 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
 - 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
 - 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.

2. Group Housing at Khasra No.- 83, 84, 88 &90, Village- Malookpurkh, Tehsil – Mohanlalganj, Lucknow, Shri Ariz Abbas, M/s Dragon Age Realtors Pvt. Ltd., 7505/SIA/UP/INFRA2/412890/2023

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- Project proponent shall install Organic bio convertor and follow E-Waste (Management) Rules, 2022 Battery Waste Management Rules, 2022.
- 2- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation



of Environmental Pollution and awareness for the same.

- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.

3. (7) Group Housing Project "Roma Entertainment City" at Plot No.- 169,170,174 Village-Visokhar, Pargana-Dehat Amanat, District- Varanasi, M/s Roma Builders & Promoters Private Limited., 7520/SIA/UP/INFRA2/413742/2023 (EC)

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- Project proponent shall install Organic bio convertor and follow E-Waste (Management)



Rules, 2022 Battery Waste Management Rules, 2022.

- 2- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.



4. (08) Group Housing Project "URBANAC SKY MANSION" at Khasra No.- 477, 478, 479KA, 611, 612 Village - Mastemau, Tehsil - Mohanlalganj, Lucknow, M/s Chinmay Developers. 7521/SIA/UP/ INFRA2/413744/2023

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- Project proponent shall install Organic bio convertor and follow E-Waste (Management) Rules, 2022 Battery Waste Management Rules, 2022.
- 2- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 3- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 4- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 5- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 6- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 7- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 8- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 9- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 10- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 11- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of Gol / GoUP should be

A

submitted within the next 3 months.

- 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
5. (9) Expansion of Phase-II of Housing Scheme "ELDECO IMPERIA" at Khasra No.- 119, 122, 123, 124, 125, 126, 129, 131, 138,139, 140, 293SA at Village - Jaitikhera, Pargana - Bijnaur, Tehsil- Sarojininagar, Lucknow, U.P., M/s Eldeco Housing And Industries Limited., 7522/SIA/UP/INFRA2/ 413798/2023

SEIAA took note of the comments recorded by SEAC.

6. (10) Factory Building Project at Plot No: 66, Udyog Vihar, Greater Noida, District- Gautam Buddha Naga, M/s Palika Town LLP, Shri Ram Sankar., 7525/7190/SIA/UP/INFRA2/ 408356/2022

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste

Management Rules.

- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 16- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.

Agenda:-A(ii) Minutes of 724th SEAC-2 Meeting Dated 03/02/2023

7. (8) Expansion of Existing Rolling Mill of 100000 MTPA TMT Bar to Production of 200000 MTPA TMT Bar and 264000 MTPA Billets/Ingot/Rolling Mill Khasra No. 1417/1418/1420/1422 Bsrakh Road, Chhapraula, Greater Noida (West), Gautam Budh Nagar, K L Rathi Steels Ltd., File No. 7362/ Proposal No. SIA/UP/IND1/406102/2022

SEIAA agreed with the recommendation of SEAC-1 to issue standard ToR adding following points:-

1. Project proponent shall submit secondary induction process details.
2. Certified compliance report of earlier EC from IRO, MoEFCC Lucknow shall be submitted.
3. Certified compliance report of existing CtE and CtO from UPSPCB shall be submitted.
4. All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
5. Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
6. MOU signed between the project proponent and the consultant should be submitted.



7. A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
8. Public hearing shall be conducted as per EIA notification, 2006 (as amended).
9. Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted.
10. Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

Agenda:-A(iii) Minutes of 725th SEAC-1 Meeting Dated 06/02/2023

1. **(5) Group Housing Project "Central Park Apartment" at Arazi No.: 2/3/2, Mauza: Rudra Panchmahal, Tubewell Road, Khati Baba, Jhansi, Shri Azad Ahmad Khan., File No. 7478/ Proposal No. SIA/UP/ INFRA2/411397/2022 (INFO)**

SEIAA agreed with the recommendations of SEAC to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

2. **(11) Extension of validity of proposed Group Housing Township and Area Development Project at Plot No. GH 03 Sector CHI-V, Greater Noida, DP Goyal., File No. 1091/Proposal No. SIA/UP/MIS/ 295027/2022 (Validity)**

SEIAA agreed to rectify the aforesaid typographical error and issued a corrigendum letter mentioning the validity of Environmental Clearance letter dated 24/12/2012 for the period of 03 years i.e. 23/12/2019 to 22/12/2022.

All the other contents mentioned in Environmental Clearance letter no. 2857/SEAC/1091/2011/ AA(S) dated 24th December, 2012 and validity extension letter no. 140/Parya/1091/2019 dated 23rd June, 2020 shall remain the same.

3. **Proposed Hi-Tech City, Mathura at Villages Jait, Sunrakh Bangar and Chhatikara, District- Mathura, Shri Ashish Kumar Jain, M/s Suncity Hi Tech Projects Private Limited., File No. 7549/ Proposal No. SIA/UP/MIS/296593/2023 (Amendment)**

SEIAA agreed to amend the environmental clearance letter no. F.No. 21-53/2017-IA-III, dated 18/07/2018 as requested. All the other contents mentioned in Environmental Clearance letter dated 18/07/2018 shall remain the same.



Agenda –B Minutes of 734th SEAC-1 Meeting Dated 14/03/2023

1. Building Stone Mining project at Gata No.- 737, Sl. No.- 44,Village- Bhagauti Dei, Tehsil- Chunar, District- Mirzapur, Shri Satyapal Singh, Area-1.212 ha. File No. 7616/ Proposal No. SIA/UP/MIN /417165/2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.

- c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.
2. "Riverbed Ordinary Sand mining" from Riverbed of Ghaghara River located at Khand No. Gha.-6/2 Gata No. 62, Village - Dewaippear, Tehsil - Gola, District - Gorakhpur, Uttar Pradesh by M/s Ankit Enterprises, Smt. Shushila Devi, Area- 8.6 Ha. File No. 7617/ Proposal No. SIA/UP/MIN/ 417255 /2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.



- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 9,000 plants, either



on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.

- 15- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 45 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 16- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

3. River Bed Sand/ Morrum Mining Project from Yamuna River for located at Khand No.- 16/23 to 16/25, Village- Mahewa, Tehsil- Manjhanpur, District- Kaushambi, Shri Adarsh Kumar Singh, Area: 16.50 ha. File No. 7618/6538/ Proposal No. SIA/UP/MIN/416549/2023
SEIAA took note of the comments recorded by SEAC.

4. Building Stone, Khanda, Boulder, Baillast (Gitti) Mining Project at Arazi No.-953 Village: Daharra, Tehsil: Sadar, District: Mahoba, Shri Amar Singh, Area- 0.809. File No. 7620/6332/ Proposal No. SIA/UP/MIN/415879/2023

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that mining plan approval letter is not as per available quantity. Hence SEIAA opined that the project proponent shall submit the correct documents.

5. "Building Stone (Granite Khanda, Boulder, Bailast (Gitti))" Project at Gata No.- 93 (Khand No.- 05), Village- Bari, Tehsil- Mahoba, District- Mahoba, Shri Mamta, Area : 1.012 ha. File No. 7621/ Proposal No. SIA/UP/MIN/417143/2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).



- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.

- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 - 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.
6. **"Building Stone (Granite Khanda, Boulder, Bailast (Gitti))" Project at Gata No.- 2561 (Khand No.- 05), Village- Pahra, Tehsil- Mahoba, Mahoba, Shri Harpal Singh, Area : 4.00 ha. File No. 7622/ Proposal No. SIA/UP/MIN/417327/2023**
- SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-
- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
 - 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
 - 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
 - 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
 - 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
 - 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
 - 7- KML file for the area and mining lease area should be provided.
 - 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
 - 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated



Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.

- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised



during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.

- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

7. **"Building Stone (Granite Khanda, Boulder, Bailast (Gitti))" Project at Gata No.- 2561 (Khand No.- 04), Village- Pahra, Tehsil- Mahoba, District- Mahoba, Shri Shil Chandel, Area : 4.00 ha. 7623/ Proposal No. SIA/UP/MIN/417339/2023**

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.

- (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
- a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

8. Common Bio Medical Waste Treatment Facility (CBWTF) VRBA Bio Waste Solution Pvt. Ltd. E-46, Industrial area, Ramnagar, Phase-1, District- Chandauli, Shri Ratan Deo Singh, M/s VRBA Bio Waste Solution Pvt. Ltd. File No. 7624/7222/ Proposal No. SIA/UP/INFRA2/417371/2023

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.

9. Chikasi Sand/Morrum Mining Project on Betwa River at Khand No. 24/12, Village- Chikasi, Tehsil- Sarila, District- Hamirpur, Shri Gulab Dangi, Area- 8.316 ha. 7629/ Proposal No. SIA/UP/MIN/ 417425/2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 5- KML file for the area and mining lease area should be provided.
- 6- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 7- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 8- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 9- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 10- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.



- b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 11- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 12- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 9,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 45 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
- 15- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 16- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 17- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
10. Manufacturing of synthetic organic chemicals for the existing production capacity of 1 TPD Crotonaldehyde Violation Category at Plot No. A-20, UPSIDC, Phase-2, Industrial Area Sandila, Hardoi, M/s The Lakshmiji Organics Pvt. Ltd. File No. 7282/ Proposal No. SIA/UP/IND3/400435/2022

SEIAA noted that the project proponent has submitted incomplete information.

11. Ordinary Sand Mining Project on Kura River at Gata No.-117, Village- Gujraulia, Tehsil- Naugarh, District- Siddharth Nagar, Shri Manish Jaiswal, M/s Kabir Nirman Private Limited, Area-4.84 Ha. File No. 7272/ Proposal No. SIA/UP/MIN/400909/2022

In light of discussion held in 731st SEAC meeting and SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC but SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
5. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 5,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
6. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 25-ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
7. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance,

if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.

8. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
9. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
12. **"Building Stone (Boulder, Khanda / Gitti-Ballast" at Gata No. 115 (Khand No.- 02), Village- Habupura, Tehsil- Garautha & District- Jhansi, Smt. Rachna Khatri, Area- 3.238 Ha. File No. 6808/ 6024/Proposal No. SIA/UP/MIN/70159/2020**

SEIAA agreed with the recommendations of SEAC to defer the matter in next SEAC meeting dated 15/03/2023 due to incomplete documents and open only after submission of online request on prescribed online portal.

13. **Ordinary Sand Mining from river bed of Devha at Gata No-199, 228, 229 & 429, Village – Pakariya Naugawan Ehtmal, Tehsil and District- Pilibhit, Shri Achal Kumar Sharma, Area – 2.190 ha. File No. 7300/ Proposal No. SIA/UP/MIN/404035/2022**

In light of discussion held in 731st SEAC meeting and SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC but SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. District Mining Officer shall ensure that if mineable quantity mentioned in LOI is amended as per replenishment study report the project proponent shall seek amended/fresh EC.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh

Minutes of the 717th Meeting of the SEIAA, UP held on 05.04.2023

water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.

5. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 3,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
6. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 15-ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
7. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
8. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
9. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.

**Nodal Officer
SEIAA, UP**

MoM prepared by Secretariat in consultation with
MS& Member on the basis of decisions
taken by SEIAA during the meeting.



**(Ajay Kumar Sharma)
Member-Secretary
SEIAA**

**(Paras Nath)
Member
SEIAA**