

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow-226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 716th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 04.04.2023

The meeting of 716th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 04.04.2023 the Directorate of Environment. The following were present in the meeting:-

1. Shri Paras Nath

Member, SEIAA, U.P

2. Shri Ajay Kumar Sharma

Member Secretary, SEIAA, U.P

Chairman SEIAA did not participate in the meeting. 716th State Level Environment Impact Assessment Authority, UP (SEIAA) meeting was convened and conducted in reference to the letter no. 135/81-7-2023-103(parya)/2007 dated 7-2-2023 of Department of Environment Forest and Climate Change, GoUP.

Agenda- A(i)- Minutes of 721st SEAC-1 Meeting Dated 20/01/2023

1. **(11) Commercial Building Project at Plot No.- C3, Koyal Enclave Yojana, District-Ghaziabad, M/s Oxy Heightz Infra LLP. Shri Parveen Kumar Gupta, File No. 7411/SIA/UP/INFRA2/408683/2022 (EC)**

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation



plan of MSW.

- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
 - 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
 - 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
 - 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
 - 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
 - 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. .
 - 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
 - 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
 - 16- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
2. (12) Expansion of Group Housing Complex Panchsheel Primrose at Village- Harsaon, NH-24, Ghaziabad, U.P., M/s Panchsheel Buildtech Pvt. Ltd., File No. 6889/7119/SIA/UP/MIS/77433/2010
- SEIAA took note of the comments recorded by SEAC.



Minutes of 722th SEAC-2 Meeting Dated 23/01/2023

1. (1) Expansion of Hospital Blocks in the Name of KMC Digital Hospital (Unit of Shanti Foundation for New Medical College under PPP Mode with Govt. of Uttar Pradesh) at Village - Mahuwa & Rudrapur, Tapp-Kathara, Pragana- Haveli, Tehsil- Sadar, Farenda Road, District- Maharaiganj, Shri Vinay Kumar Srivastava, M/s Shanti Foundation-Trust. File No. 7462/ Proposal No. SIA/UP/INFRA2/ 411044/2022

SEIAA agreed with the recommendations of SEAC to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

2. (03) Expansion of Proposed Group Housing Project at Khasra No. 69m, 70m, 70mi, 71m, 71mi, 72m, 72mi, 73m, 73mi, 76m, 76mi, 77/2, 79mi at Village Chhajarsi, Tehsil- Dadri, District- Gautam Buddha Naga, Shri Sudeep Yadav, M/s Ramprastha Urban Development Pvt. Ltd., File No. 7475/7180/ Proposal No. SIA/UP/INFRA2/411628/2022

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.



- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
 - 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
 - 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
 - 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
 - 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
 - 16- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
3. (07) Manufacturing of Inks, Coatings, Adhesives and Speciality Chemicals at Plot no 1779, Sector 32, Yamuna Expressway, District- Gautam Budh Nagar, Shri Ramakrushna Sahu, M/s UFLEX Limited., File No. 7493/6864/ Proposal No. SIA/UP/IND3/411864/2022
SEIAA agreed to grant EC to the above project as recommended by SEAC.
4. (10) Industrial Project "Dixon Technologies (India) Limited" at Plot No. 06, Sector-151, Noida, District- Gautam Budh Nagar, U.P., Shri Suneel Kumar Singh., File No. 7203/ Proposal No. SIA/UP/MIS/ 284758/2022 (EC)
In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-
- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
 - 2- The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
 - 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
 - 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
 - 5- The project proponent shall submit within the next 3 months the details of segregation



plan of MSW.

- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge.
- 7- Under any circumstances untreated sewage shall not be discharged to municipal sewer line.
- 8- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 9- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 10- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
- 11- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation. .
- 12- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
- 13- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted within the next 3 months.
- 14- PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and to be given every six month to residents / occupants of the building.
- 15- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 16- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.

5. **(12) Expansion of Group Housing Project "Shree Shalimar Mannat at Village Muhammadpur Nawabganj, District- Barabanki, U.P., File No. 7547/7345/Proposal No. SIA/UP/INFRA2/414710/ 2023**

SEIAA agreed with the recommendations of SEAC that the project proponent to submit certified compliance report from IRO, MoEFCC, Luknow for the existing environment clearance issued by SEIAA, U.P. for further consideration of the matter and open only after submission of online request on prescribed online portal.



Agenda- B- Minutes of 733rd SEAC-1 Meeting Dated 03/03/2023

1. Building stone Sand Stone Mining Project at Gata No 997mi, Sl. No. 09, Village- Sindhora, Tehsil- Sadar, District- Mirzapur, U.P., Smt. Nilama Singh, Area 1.010 ha., File No. 7600/ Proposal No. SIA/UP/MIN/416029/2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, Gol, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier



- d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
 - 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
 - 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 10 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
 - 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 - 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 - 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
 - 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.
2. **Sand/Morrum Mining Project on River Betwa Location of the Project- Gata No.- 267 & 268, Khand No. 02, Village- Kyotara, Tehsil- Kapli, District- Jalaun, Shri Anwar Alam Khan, Area : 18.218 ha., File No. 7602/5546/ Proposal No. SIA/UP/MIN/412289/2022**

SEIAA noted the recommendation of the SEAC to grant EC to the above project. SEIAA gone through file and documents and found that in DSR Gata no. is different. Hence SEIAA opined that the project proponent shall submit correction in DSR from DM, Jalaun, Office.

3. **Building Stone (Sand Stone) Mine at Arazi No.- 1311/1312, Village- Dadiram, Tehsil- Sadar, District- Mirzapur, Shri Shyamji Tripathi, Area 1.416 ha., File No. 7604/ Proposal No. SIA/UP/MIN/416047/2023**

SEIAA noted the recommendation of the SEAC to grant EC to the above project. SEIAA gone through file and documents and found that the production capacity mentioned in LOI



and mining plan approval letter is different. Hence the project proponent shall submit the amendment.

4. Building Stone (Sand Stone) Mine at Arazi No.- 579 & 580, Village- Dadiram, Tehsil- Sadar, District- Mirzapur, Shri Sushil Singh, Area 0.404 ha., File No. 7605/Proposal No. SIA/UP /MIN/416057/2023

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC but SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/ Horticulture Department/Agriculture University.
5. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
6. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
7. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.



8. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 5-ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 9. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 10. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.
 11. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 12. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 13. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 14. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
5. Sand/Morum mining project riverbed of Yamuna River, on the at Khand- K2, Gata No.- 381, 378, 383, 382, 384, 385, 386Mi, 391, Village- Kurra Kanak, Tehsil & District- Fatehpur, Shri Kanwar Pal Singh, Area 40.48 Ha., File No. 7606/4379/ Proposal No. SIA/UP/MIN/416653 /2023
- SEIAA agreed with the recommendations of SEAC to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.
6. "Sand/Morrum Mining" Project at Gata No.- 1055, 1107Mi., Village- Chelra, Tehsil- Moth, District- Jhansi, Shri Laxmi Rajpoot, Area : 16.181 ha., File No. 7608/ Proposal No. SIA/UP/MIN/416713/2023

SEIAA agreed with the recommendation of SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- Since no intimation has been submitted regarding available monitoring data, hence data will be collected after issuance of ToR.

- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- PP / consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 17,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of



the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.

- 15- In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 85 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 - 16- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
7. **"Ordinary Soil Excavation" Project at Gata No.- 373, 375, 376, 377, 379, 399 in the Village- Faridnagar, Tehsil-Thakurdwara District- Moradabad, Shri Raziuddin, Area : 1.3836 ha., File No. 7611/ Proposal No. SIA/UP/MIN/416829/2023**

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC but SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.



5. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
 6. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 10- ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 7. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 8. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 9. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
8. **"Building Stone (Sand stone) Mining Project" at Village- Shista Khurd, Tehsil- Sadar, District- Mirzapur, Shri Vijay Bahadur Singh, Area 0.747 ha., File No. 7613/ Proposal No. SIA/UP/ MIN/416035/2023**

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC but SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. Validity period of this EC is 5 years from the date of issue as the Lol has been issued for a period of 5 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest



clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.

3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/ Horticulture Department/Agriculture University.
5. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
6. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
7. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
8. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 5-ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
9. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
10. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
11. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
12. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.

AP

13. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
14. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.

9. **"Building Stone Khanda, Boulders, Ballast (Gitti) Mining Project" located at Arazi No. 953, Khand No. - 05, in Village- Daharra, Tehsil- Sadar & District- Mahoba, Shri Amar Singh, Area- 1.214 ha., File No. 6966/6341/ Proposal No. SIA/UP/MIN/72927/2021**

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC but SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. Validity period of this EC is 2 years from the date of issue as the Lol has been issued for a period of 2 years or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. Three tier green shelter belt of 7.5m width should be developed on the periphery of mine lease area. Local and native species should be planted in consultation with Forest/Horticulture Department/Agriculture University.
5. Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
6. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
7. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 2,000 plants, either



on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.

8. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 10-ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
 9. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
 10. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
 11. Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
 12. Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
 13. Large number of mining projects are ongoing as well as new mining leases are coming up in the district. A reference be sent to DGM and MS, SPCB for preparing mitigation plan for controlling air pollution in the district especially in mining areas.
 14. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.
10. Building Stone (Sand stone) mine, at Gata No./Araji No. /Plot no. – 188mi, Village – Lahaura, Tehsil- Chunar, District- Mirzapur, Smt. Sunita Devi, Area 1.01 ha., File No. 4743/ Proposal No. SIA/UP/MIN/34683/2019

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through the file and documents and found that ToR is 3 years old. Hence SEIAA opined that matter shall be refer back to SEAC for review.



11. **"Building Stone (Khanda, Gitti , Boulder & Red Morrum) Mining" Project at Gata No.-384, at Village-Tooka, Tehsil-Rath, District- Hamirpur, Shri Jagdish Singh, Area- 0.701 Ha., File No. 6177/ Proposal No. SIA/UP/MIN/60641/2021**

SEIAA agreed with the recommendations of SEAC to defer the matter as the project proponent did not appear and open only after submission of online request on prescribed online portal.

12. **Common Bio-Medical Waste Treatment Facility at Village –Kumraua, Block – Soron, Tehsil & District- Kasganj, U.P., M/s Indo Tech Waste Solution., File No. 6191/ Proposal No. SIA/UP/MIS/60737/2021 (NEXT SEAC)**

SEIAA agreed with the recommendations of SEAC to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.

13. **Integrated Industrial Township "Trans Ganga City" Sankarpur Sarai, Kanhwapur, Manbhauna Villages, District- Unnao Shri Neeraj Khare, M/s Uttar Pradesh State Industrial Development Authority., File No. 7533/7122/ Proposal No. SIA/UP/INFRA2/414041/2023**

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.

14. **Building Stone (Sand stone) Mining Project" at Arazi No.-1424, Village- Digara, Tehsil & District- Jhansi, Shri Manish Jain, Area 4.04 ha., 7614/SIA/UP/MIN/297313/2023**

SEIAA agreed with the recommendation of the SEAC to amend the environmental clearance letter no. 82/Parya/DEIAA/2017-18, dated 13/11/2017 issued by DEIAA as per below project details:-

| | | | |
|--|--|------|--------|
| 1. On-line proposal No. | SIA/UP/MIN/297313/2023 | | |
| 2. File No. allotted by SEIAA, UP | 7614 | | |
| 3. Name of Proponent | Shri Manish Jain S/o Shri Banwari Lal Jain | | |
| 4. Full correspondence address of proponent and mobile no. | R/o- 95/18, Civil Line, Tehsil & District- Jhansi (U.P). | | |
| 5. Name of Project | Building Stone (Gitti Ballast/Khanda Boulder)Mining Project | | |
| 6. Project location (Plot/Khasra/Gata No.) | Arazi No. 1424 | | |
| 7. Name of River | NA | | |
| 8. Name of Village | Digara | | |
| 9. Tehsil | Jhansi | | |
| 10.District | Jhansi (U.P.) | | |
| 11.Name of Minor Mineral | Building Stone (Gitti Ballast/Khanda Boulder)Project | | |
| 12.Sanctioned Lease Area (in Ha.) | 4.04 Ha. | | |
| 13.Mineable Area (in Ha.) | 3.09 ha.(Safety Area 0.95 Ha) | | |
| 14.Zero level mRL | NA | | |
| 15.Max. & Min mrl within lease area | The highest and lowest point in the leasehold is 220.0 mRL and 184.15 mRL. | | |
| 16.Pillar Coordinates (Verified by DMO) | | e(N) | ide(E) |



Minutes of the 716th Meeting of the SEIAA, UP held on 04.04.2023

| | | | |
|---|--|-------------------|---------------|
| | A | 25°26'47.12"N | 78°39'26.05"E |
| | B | 25°26'44.49"N | 78°39'37.70"E |
| | C | 25°26'40.48"N | 78°39'35.38"E |
| | D | 25°26'43.43"N | 78°39'25.01"E |
| 17.Total Geological Reserves | 1207985 m ³ | | |
| 18.Total Mineable Reserves | 603540 m ³ as per approved mining plan | | |
| 19.Total Proposed Production | 600000 m ³ for three years as per approved mining Note: life of mine is 36 months | | |
| 20.Proposed Production/year | 2,00,000 m ³ per year | | |
| 21.Sanctioned Period of Mine lease | 10 Years | | |
| 22.Method of Mining | Open cast, Semi Mechanized | | |
| 23.No. of working days | 300 | | |
| 24.Working hours/day | 8 hours/day | | |
| 25.No. Of workers | Approximately 44 workers per day as per approved plan | | |
| 26.No. Of vehicles movement/day | 44-48 Vehicles movement/day | | |
| 27.Type of Land | Govt. land | | |
| 28.Ultimate Depth of Mining | 48 m as per approved mining plan | | |
| 29.Nearest metalled road from site | NH-27 at 2.0 km, diversion takes place from village Goramachiya by metalled road. | | |
| 30.Water Requirement | PURPOSE | REQUIREMENT (KLD) | |
| | Drinking water | LD | |
| | Suppression of dust | LD | |
| | Plantation | LD | |
| | Others (if any) | - | |
| | Total | 5.0 KLD approx. | |
| 31.Name of QCI Accredited Consultant with QCI No And period of validity. | Environmental Research and Analysis, Lucknow (U.P) Certificate No. NABET/ EIA/ 1922/RA 0200 (Rev01) Valid up to 21 January, 2024 | | |
| 32.Any litigation pending against the project or land in any court | No | | |
| 33.Details of 500 m Cluster Map & certificate issued by Mining Officer | Letter No. Letter No:1389/30M.M.C/(2022-23),Dated 16.12.2022 | | |
| 34.Details of Lease Area in approved DSR | - | | |
| 35.Proposed EMP cost | 1.50 lakhs/annum | | |
| 36.Proposed Total Project cost | Rs. 95,00,000/- | | |
| 37. Length and breadth of Haul Road | 500 m length and 6.0 m width | | |
| 38.No. of Trees to be Planted | 300 | | |

All the contents mentioned in Environmental Clearance letter no. 82//Parya/DEIAA/2017-18, dated 13/11/2017 shall remain the same. EC shall remain valid till 11.12.2025.

15. Ordinary Soil Excavation Project at Gata no. 773, Village-Shahpur, Tehsil & District-Sitapur, U.P., (Leased Area : 0.942 ha). File No. 7644/ Proposal no. SIA/UP/MIN/ 297313 /2023

In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022. SEIAA opined to accept the recommendation of SEAC-1 and grant EC to the said project along with all the general and specific conditions as suggested by SEAC but **EC will be issued after submission**

of notarized agreement between lease holder and land owner. SEIAA replaces the specific condition regarding cluster certificate as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate" and adding following conditions:-

1. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
2. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
3. The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora fauna etc.
4. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
5. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
6. In consultation with District Environment Authority or an Authority nominated by concerned DM, project proponent will prepared a conservation and management plan for rejuvenation and management of water bodies having total surface area of more than 5 ha. Funds for the same will be kept in a separate bank account and six monthly compliance status will be presented by project proponent before the nominated authority in the District.
7. Department of Geology and Mines, Government of Uttar Pradesh and / or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.
8. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, Gol, Lucknow.



Minutes of the 716th Meeting of the SEIAA, UP held on 04.04.2023

9. If the air quality deteriorates due to mining, then District Administration & Directorate of Mining should ensure that mining be stopped immediately. Adequate measures be taken for restoring air quality and mining should commence only when air quality attains the prescribed standards.

Nodal Officer

SEIAA, UP

MoM prepared by Secretariat in consultation with MS& Member on the basis of decisions taken by SEIAA during the meeting.



(Ajay Kumar Sharma)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA