

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : docuplko@yahoo.com

Website : www.seiaaup.com

### Minutes of the 820<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 18-06-2024

The meeting of 820<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 18.06.2024 the Directorate of Environment. The following were present in the meeting: -

1. Smt. Mamta Sanjeev Dubey
2. Shri Paras Nath
3. Shri Sanjeev Kumar Singh

Chairman, SEIAA, U.P  
Member, SEIAA, U.P  
Member Secretary, SEIAA, U.P

### Agenda-A- Minutes of 855th SEAC-2 Meeting Dated 22/05/2024

1. Sand stone located at Araj No./Plot No./Gata No.- 2098, Khand No.-39, Village-Bhatauti, Tehsil- Meja, District- Prayagraj, Uttar Pradesh of M/s Vindh Construction Company, Area 2.024 ha., 8896/6979/SIA/UP/MIN/467860/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

2. Building stone (Khanda, Boulder, Ballast) Sandstone Mining Project at Araj No.-515 (Khand No-01) Village-Sirbo, Tehsil-Garautha, District- Jhansi, U. P. of M/s Sushil Stone, Prop. Shri Mayank Gupta, Leased Area-2.023 ha., 8898/SIA/UP/MIN/465315/2024.

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

3. Commercial and Residential Project "Purvanchal Royal Atlantis" at Plot No.- F-7, C.G. City, Chak Ganajaria, Sultanpur Road, Lucknow, Uttar Pradesh by M/s Purvanchal Projects Pvt. Ltd., 8900/SIA/UP/INFRA2/468042/2024

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions: -

- 1- The project proponent shall ensure to submit details of pond rejuvenation (as proposed in the CER by project) progress along with compliance report.
- 2- Details of rain water harvesting (number, capacity and location of rain water harvesting structures) shall be submitted along with periodic compliance report.
- 3- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the close vicinity of project site and details uploaded on project website. Details will also be submitted with periodic compliance report.

- 4- The project proponent shall submit the details of activities undertaken as part of CER with periodic compliance report. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks/designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant. Toilets shall be constructed in public places or in schools of nearby villages and if there is a girl's school then girl's toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
  - 5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
  - 6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
  - 7- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
  - 8- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
  - 9- The project proponent shall install organic bio converter.
  - 10- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
  - 11- PP should display EC granted to them on their website
  - 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 13- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
4. **Group Housing at Plot No.- GH-01A, Sec-G, Pocket-5, Golf City, Sultanpur Road, District-Lucknow, UP developed by M/s Privue Builder Pvt. Ltd., 8902/8697/SIA/UP/INFRA2/468045/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit details of desalting, budding and plantation along the Ponds in Village: Tantaha as proposed by the project proponent along with periodic compliance report.
- 2- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the vicinity of the project site and details uploaded on their



website and submitted along with periodic compliance report.

- 3- The project proponent shall submit the details of activities undertaken as part of CER with periodic compliance report. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks/designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant. Toilets shall be constructed in public place or in school of nearby villages and if there is a girl's school then girl's toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 4- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 5- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 6- The project proponent shall install organic bio converter.
- 7- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 8- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
- 9- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
- 10- The project proponent shall ensure to install sufficient no. of charging points for electrical vehicles in the parking area.
- 11- PP should display EC granted to them on their website.
- 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**

**5. "Granite (Gitti, Boulder, Khandas) Mining" at Gata No.- 1078/20, Village- Gonda, Tehsil- Karwi, District-Chitrakoot, State- Uttar Pradesh (Area- 2.024ha), 8904/7652/SIA/UP/MIN/468129/2024.**

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

**6. "Ordinary Earth Excavation/Mining Project" at Gata No.- 26 Sa, 29, 25 Sa, 7 in Village: Dasdoi, Tehsil: Sadar, District- Lucknow, Uttar Pradesh. (Lease Area: 1.25 Ha.), 8906/SIA/UP/MIN/468290/2024.**

As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal



Committee concerned. Hence in light of all these facts EC is being granted to the title proposal.

**SEIAA noted the comments of SEAC that EC must be subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India.** SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC taking into consideration discussion held in SEIAA meeting no. 597 dated 05.05.2022 regarding reply of SEAC-1 and SEAC-2 for compliance/action taken on TOR/Public hearing, adding following specific conditions:-

1. If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate.
2. Validity period of this EC is 3 months from the date of issue as the Lol has been issued for a period of 3 months or co-terminus with the validity of current mine plan or current lease period whichever is earlier. After this period the EC will become null and void.
3. A certificate from Forest Department shall be obtained that no forest land is involved in mining or as a route and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
4. The mining lease holders shall ensure to comply with mine reclamation plan as submitted.
5. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
6. Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or district plantation committee, for planting at least 2,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt and polygon should be attached and submitted within a month. Survival of plants should not be less than the survival rate notified by Uttar Pradesh Forest Department otherwise it will be treated as violation of EC condition.
7. The project proponent shall ensure that water bodies do not get polluted due to mining activity.
8. Department of Geology and Mines, Government of Uttar Pradesh and /or concerned district administration, before releasing the security deposit to Project Proponent will ensure that Project Proponent has fully complied with the EC conditions. Non-compliance, if any, should be reported to UPSPCB for appropriate legal action and recovery of compensation.



9. Any application for transfer of this EC, during its validity period unless it is cancelled by a competent authority, has to be necessarily accompanied with status of compliance of EC conditions duly certified by IRO, MoEFCC, GoI, Lucknow.
10. The project proponent shall install rooftop solar plant in one school in the vicinity of project area and construct toilets especially in girls' school as part of CER activity.
11. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
12. This EC shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.

**7. Silica Sand Mining Project at Khasra/Gata No.- 1428 का भाग, 1429 का भाग, 1431 का भाग, 1432 का भाग, 1433 का भाग, 1434 का भाग, 1435 का भाग, 1438 का भाग, 1391 का भाग, 1389 का भाग, 1388 का भाग, 1387 का भाग, 1386 का भाग, 1385 का भाग, 1390 का भाग, Khand No. 04, Tehsil: Mau, District: Chitrakoot (U.P.). By M/s Gold Plus Glass Industry Limited, Area: 37.20 Ha, 8908/8172/SIA/UP/MIN/468202/2024.**

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

**8. Residential Township Project "Crossing Republik" at Village Dunadhera, NH 24 bypass, District- Ghaziabad, U.P., M/s Crossings Infrastructure Pvt. Ltd., 8910/SIA/UP/INFRA2/468425/2024.**

SEIAA agreed with the recommendation of SEAC to issue the ToR to the title proposal for conducting EIA studies. SEIAA also added following points to ToR:-

- 1- The project proponent shall submit CCR/ATR along with EIA.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 4- MOU signed between the project proponent and the consultant should be submitted.
- 5- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 6- Provisions for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted.
- 7- Along with the EIA-EMP report, PP/consultant will also submit in tabular form as to how they have addressed entire ToR and a presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 8- The project proponent shall submit along with EIA the details of Villages/ Schools adopted for CER activities. These must focus on providing roof top solar plant and toilets in at least one school.
- 9- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) proposal for anti- smog guns to reduce dust shall be submitted.
- 10- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be



submitted.

- 11- Details of plantation to be carried out, including provision made for protection and upkeep shall be submitted.
- 12- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans at time of presentation of EIA-EMP months.

**9. Construction of Residential & Non-Residential Buildings PAC Battalion at Village- Unchagaon, Tehsil- Kairana, District- Shamli, State- Uttar Pradesh by Commandant of 6th Battalion PAC, Meerut., 8912/SIA/UP/INFRA2/466663/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions: -

- 1- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed and details uploaded on website of the project and submitted with periodic compliance report.
- 2- The project proponent shall ensure to submit details of rejuvenation work undertaken in identified ponds- Johad Pond, Nawab Talab, Pond and Gangeru proposed in CER along with periodic compliance report.
- 3- The project proponent shall submit the details of activities undertaken as part of CER with periodic compliance report. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant. Toilets shall be constructed in public place or in school of nearby villages and if there is a girl's school then girl's toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report.
- 4- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 5- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 6- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
- 7- The project proponent shall install organic bio converter.
- 8- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 9- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.



- 10- PP should display EC granted to them on their website.
- 11- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 12- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
- 13- The Bio Medical Waste shall be disposed in nearest CBWTF as per the Govt issued guidelines in this regard.

**10. Aingawa Kachhar Morrum Mining Project Gata No.-49 & 50 (Khand No.- 11/45 to 11/47) Village Aingawa Kachhar, Tehsil: Manjhanpur, District- Kaushambi, State :- Uttar Pradesh, Area: 18.0 Ha., 8914/SIA/UP/MIN/465960/2024**

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

**11. "Sand/Morrum Mining" on the riverbed of Betwa River at Gata No.- 1782, 1783, Khand No.- 03, Village- Mohana, Tehsil- Orai, District Jalaun, Uttar Pradesh, M/s Om Shree Radhe- Radhe Traders, Area- 8.906 ha., 8916/SIA/UP/MIN/468453/2024**

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- TOR is subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with that mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- Latest KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.

- 9- Road network to be used by the project should be clearly shown on Survey of India topo sheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
  - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
  - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 13- PP/consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 9,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
- 16- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 17- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
- 18- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.



- 12. River Bed Morrum Mining” along river Kanhar at Gata no/Araji no. - 1 at Village - Bodhadih, Tehsil- Duddhi, District- Sonbhadra, U. P. of M/s Shree Mangal Stone Crusher Private Limited., Area- 6.072 ha., 8918/SIA/UP/MIN/468744/2024.**

In light of Hon’ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

- 13. Expansion of Galgotia University at Plot No.-2, Sector -17A, Yamuna Expressway, Greater Noida, U.P., 8920/8715/SIA/UP/INFRA2/468891/2024.**

SEIAA noted the comments of SEAC.

- 14. “Building Stone (Sand Stone Gitti, Boulder, Patiya)” Project at Gata No.- 141 (Sr. No.- 06), Village- Chiraiya, Tehsil- Chunar, District- Mirzapur, U.P. (Applied Area : 3.434 ha.) AVTECH INFRAVENTURE PRIVATE LIMITED Director- Shri Ajay Kumar Singh., 8922/SIA/UP/MIN/468694/2024.**

In light of Hon’ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

- 15. “Building Stone Sand Stone” Project at Gata No.- 997Mi (Sr. No.- 01) , Village- Sindhora, Tehsil- Sadar, District- Mirzapur, U.P. (Applied Area : 1.82 ha.), M/s M.C.C. Mahadev Construction Pvt. Ltd. Managing Director- Shri Anoop Kumar Singh S/o Shri Dharamjeet Singh., 8924/SIA/UP/MIN/469381/2024.**

In light of Hon’ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

- 16. Commercial Project at Plot No. SDC- H-01, Sector-105, Noida, District- Gautam Budh Nagar, U.P. by M/s Business Bay Fin Infra Private Limited., 8926/SIA/UP/INFRA2/469522/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions: -

- 1- At least one Miyawaki forest/dense forest in consultation with forest department shall be developed inside or in the vicinity of project site and details uploaded on website of project and details submitted along with periodic compliance report.
- 2- The project proponent shall submit the details of activities undertaken as part of CER with periodic compliance report. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks /designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant. Toilets shall be constructed in public place or in school of nearby villages and if there is a girl’s school then girl’s toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted along with periodic compliance report.
- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For



reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.

- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 5- The project proponent shall install organic bio converter.
- 6- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 7- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
- 8- PP should display EC granted to them on their website.
- 9- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 10- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 11- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 12- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
- 13- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**

**17. Billi Markundi Khanda, Boulder (Dolostone) Mining Project at Arazi No.- 7405 Ka , 7406 Ka, Village: Billi Markundi Tehsil- Obra, District: Sonbhadra State :- Uttar Pradesh, Area: 1.383 Ha, 8928/8431/SIA/UP/MIN/469481/2024.**

In light of Hon'ble NGT order in OA no. 120/2024 dated 02.04.2024 and OA no. 747/2023 dated 09.05.2024 SEIAA opined to refer back the matter to SEAC for review.

**18. Multi-Speciality Hospital at Plot No - E-1, Public/Semi Public Facility (Hospital), Koyal Enclave Residential Scheme Loni, District - Ghaziabad, Uttar Pradesh., 8930/SIA/UP/INFRA2/469815/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- At least one Miyawaki forest/dense forest with the consultation of forest department shall be developed in the vicinity of or on the project site and details uploaded on project website and submitted along with periodic compliance report website.
- 2- The project proponent shall submit the details of activities undertaken as part of CER with periodic compliance report. The CER activities should be related to mitigation of



Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks/ designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant. Toilets shall be constructed in public place or in school of nearby villages and if there is a girl's school then girl's toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report. Awareness programs should be conducted for residents of surrounding areas regarding importance of maintaining personal hygiene and keeping the surroundings clean. First Aid training camps shall be organized in schools in the vicinity of project area and details should be included in periodic compliance report.

- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 5- The project proponent shall install organic bio converter.
- 6- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 7- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
- 8- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
- 9- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 10- The Bio Medical Waste shall be disposed in nearest CBWTF as per the Govt issued guidelines in this regard.
- 11- PP should display EC granted to them on their website.
- 12- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 13- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 14- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**

**19. Expansion of Existing Sahara Hospital at Viraj Khand, Gomti Nagar, Lucknow, U.P., 8932/SIA/UP/INFRA2/469899/2024**

SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no.



597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions: -

- 1- The project proponent shall submit CTE within 15 days and compliance of current CTO within a month.
- 2- The project proponent shall submit the details of activities undertaken as part of CER with periodic compliance report. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks/designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant. Toilets shall be constructed in public place or in school of nearby villages and if there is a girl's school then girl's toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA. Awareness programs should be conducted for residents of surrounding areas regarding importance of maintaining personal hygiene and keeping the surroundings clean. First Aid training camps shall be organized in schools in the vicinity of project area.
- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 5- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 6- The project proponent shall install organic bio converter.
- 7- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
- 8- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
- 9- The Bio Medical Waste shall be disposed in nearest CBWTF as per the Govt. issued guidelines in this regard.
- 10- PP should display EC granted to them on their website.
- 11- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
- 12- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**



20. "Sand/ Morrum Mining" Project at Gata No.- 58, 107, 108, 109, 110, 111, & 114, Village- Madauli Khurd Khadar, Tehsil- Pailani, District- Banda, U.P. (Applied Area : 7.053 ha.) 8818/8452/SIA/UP/MIN/464843/2024, के सम्बन्ध में मो0 अशलम, सुनील त्रिपाठी के शिकायती पत्र पर विचार विमर्श हेतु।

SEIAA noted the comments of SEAC.

#### Agenda-B-Letter/Reply

1. "Sand/Morrum Mining Project", at Gata No. 317Mi, Khand No. 05, Village/Ghat-Kurauna, Tehsil- Orai, Distt- Jalaun, State-Uttar Pradesh, M/s Saksham Contractors & Suppliers, Area-12.12 Ha., 6862/SIA/UP/MIN/70942/2022.

The issue was deliberated upon in depth and SEIAA noted that the DSRs were being updated by Geology and Mining Department Uttar Pradesh before 4/12/2023 on the basis of extant notifications and guidelines and leases had been auctioned and proposals for ToR had been uploaded on Parivesh portal. These proposals have also been appraised and recommended for grant of ToR by SEAC. As per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. Hence in light of all these facts ToR is being granted to the title proposal for conducting EIA studies. SEIAA added following points to ToR-

- 1- TOR is subject to any order passed by Hon'ble Courts and to any guidelines issued by MoEF&CC, Govt. of India.
- 2- Proposed production per annum shall be as per approved replenishment study report and it should be submitted to SEIAA, UPPCB and IRO, MoEFCC.
- 3- Since no intimation has been regarding available monitoring data, hence data will be collected after issuance of ToR.
- 4- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 5- The lease area its address and production per annum should match with that mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 6- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 7- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 8- Latest KML file for the area and mining lease area should be provided.
- 9- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 10- In case project proponent intends to temporarily store mined out material or any tools, equipment's or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 11- Road network to be used by the project should be clearly shown on Survey of India topo sheet in 1:50,000 scale. In case road network involves forest road, permission



- should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 12- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
- (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
  - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 13- In case of expansion / renewal of earlier EC, following information should be submitted
- a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
  - b. Copy of CTE and CTO issued by SPCB.
  - c. Status of submission of six-monthly compliance report to EC granted earlier
  - d. Court cases, if any.
- 14- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out should be mentioned in EIA-EMP report.
- 15- PP/consultant in compliance to Hon'ble NGT order dated 06.05.2022 in OA no. 141/2021 (With report dated 31.03.2022) Raj Kumar Vs. State of UP and Others and with OA no. 141/2021 Rajkaran Karn Vs. State of UP and Others, will submit replenishment study, duly approved by DGM, along with EIA-EMP report for seeking EC.
- 16- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants /ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 13,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Also, the coordinates of area earmarked for plantation should be clearly spelt in the EIA/EMP and polygon should be attached. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 17- The project proponent shall ensure that water bodies do not get polluted due to mining activity.
- 18- Along with the EIA-EMP report, PP/consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- The project proponent shall submit along with EIA the details of School in the vicinity of project area in which rooftop solar plant, toilets will be constructed specially girl school under CER activities.
- 20- These TORs shall be subject to any order from any court/tribunal or any guidelines issued by MOEFCC.
- 2. Email from Kranti Kumar Regarding proposal No. 28/Parya/DEIAA/SBR/2016 and proposal no. SIA/UP/MIN/456397.**

SEIAA gone through the E-mail of Kranti Kumar regarding proposal No. 28/Parya/DEIAA/SBR/2016 and proposal no. SIA/UP/MIN/456397. SEIAA opined that a



committee comprising of a member from- RO, MoEFCC, Lucknow, RO, UPPCB and District Magistrate shall submit factual report of this complaint. Hence a letter shall be send to RO, MoEFCC, Lucknow, RO, UPPCB, Sonebhadra and District Magistrate, Sonebhadra

**3. Proposed commercial complex at Plot No.- 08, Sushant Golf City, Ansal API, Tehsil – Sarojini Nagar, District Lucknow, U.P. developed by M/s Urbanac Developers & Co. File no- 8346.**

SEIAA noted that the above project was taken in its 803th meeting in which SEIAA opined that the project proponent shall seek and submit fire NoC within one month. The project proponent has submitted his reply vide letter dated 01.04.2024. SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions:-

- 1- At least one Miyawaki forest/dense forest in consultation with forest department either onsite or in the vicinity of project area shall be developed and details uploaded on their website and submitted along with periodic compliance report.
- 2- The project proponent shall submit the details of activities undertaken as part of CER with periodic compliance report. The CER activities should be related to mitigation of Environmental Pollution and creating awareness for the same like water harvesting pits and carbon sequestration parks/designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant. Toilets shall be constructed in public place or in school of nearby villages and if there is a girl's school then girl's toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted along with periodic compliance report.
- 3- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 4- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.
- 5- The project proponent shall install organic bio converter.
- 6- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
- 7- Provision for charging of electric vehicles as per the guidelines of GoI /GoUP should be submitted within the next 3 months.
- 8- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
- 9- PP should display EC granted to them on their website.
- 10- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.



11- Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.

4. Commercial Project "Lotus Nikko Hotel & Convention Centre Unit" at Plot No: 1, Circuit House Road, Padleygunj, Gorakhpur, M/s Lotus Trans Travel Pvt. Ltd., 8057/SIA/UP/INFRA2/439572/2023.

SEIAA noted that the above project was taken in its 792th meeting in which SEIAA opined that the project proponent shall submit prior permission for discharge of treated sewage in public sewer from competent authority. The project proponent has submitted his reply vide letter dated 12.03.2024 along with the letter no. 153/M.pra/Jalkal/2023-24 dated 12.03.2024 of assistant Engineer (Jal) Nagar Nigam, Gorakhpur which state that:-

1. प्रस्तावित निर्माण स्थल/भूखण्ड के पास जलकल विभाग की वर्तमान में कोई पेयजल/सीवर लाइन नहीं है। भविष्य में पेयजल/सीवर लाइन डाली जायेगी तत्समय नियमानुसार पेयजल/सीवर संयोजन लेना होगा।

Hence SEIAA opined that the project proponent shall clarify where treated sewage will be discharged, in the absence of sewer line.

5. Group Housing Project "R. G. Luxury Homes" at Plot No.GH-07 A, Sector-16B, Greater Noida, Uttar Pradesh File no- 7333-4622.

SEIAA noted that the above project was taken in its 792th meeting in which SEIAA opined that the project proponent should submit relevant documents regarding action taken report certified from IRO, the project proponent has submitted ATR vide E-mail dated 25.04.2024. SEIAA noted that as per para 8(ii) of EIA notification 2006 -The regulatory authority shall normally accept the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned. In light of discussion held in SEIAA meeting no. 597 dated 05.05.2022 SEIAA opined to accept the recommendation of SEAC and grant EC to the said project along with all the general and specific conditions as suggested by SEAC. In addition to the conditions imposed by SEAC, SEIAA added following additional specific conditions: -

- 1- The project proponent shall submit the details of activities undertaken as part of CER with periodic compliance report. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks/designed ecosystems. At least one school in the vicinity of project area should be provided with rooftop solar plant. Toilets shall be constructed in public place or in school of nearby villages and if there is a girl's school then girl's toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted to SEIAA.
- 2- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge and shall be done with necessary permissions from concerned authorities.
- 3- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body.



- 4- The project proponent shall install organic bio converter.
  - 5- The effluent from STP after tertiary treatment shall be subjected to ozonation to avoid foul smell.
  - 6- The project proponent shall explore the possibility of solar electrification beyond 10% and if it is possible, shall submit the details of solar power plans within the next 3 months.
  - 7- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be submitted within the next 3 months.
  - 8- DG sets shall be gas based and Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
  - 9- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
  - 10- PP should display EC granted to them on their website.
  - 11- EC is granted with the condition that EC is valid only for the building plan which has been submitted by PP for seeking EC. In case approved building plan is different from the one submitted for seeking EC then this EC will stand null and void.
  - 12- **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
6. **Group Housing Project (Type-E (Saya S Class) at Plot No.10 (10/2), Vaibhav Khand, Indirapuram, Ghaziabad (U.P.) M/s Shipra Estate Ltd. File No. 7024/Proposal No. SIA/UP/MIS/266903/2022.**
- SEIAA gone through the letter dated 17.01.2024 of the project proponent regarding issuance of EC SEIAA noted that the above project was taken in its 620th meeting in which it was decided that a letter be send to MS, UPPCB for submitting factual report on the status of project. Factual report has not been submitted yet hence SEIAA is of the opinion that a reminder be send to UPPCB.
7. **Establishment of New Tannery Unit of Capacity 1750 hides per day (Raw Hide to finished Leather) at Gata No-1698, 1726, 1729, 1735, 1736 & 1739, Vill-Banthar, District-Unnao, U.P., and M/s Model Exims (India) Pvt Ltd. File No. 5127/3479/Proposal No. SIA/UP/IND/44735/2019.**
- SEIAA gone through the reply of the project proponent submitted on Parivesh Portal on 03.02.2024 and noted that the above issue has been referred to UPPCB for comments regarding ZLD in tannery. SEIAA noted that comments from UPPCB is still awaited. Hence SEIAA opined that a reminder letter shall be send to UPPCB.
8. **Wave Distilleries and Breweries Limited Reg: 90 KLPD Molasses based Distillery at Village Ahmadpura, Tehsil Atrauli District Aligarh, Shri Manish Singh, M/s. FCL Technologies and Products Limited regarding change in name to M/s. UFLEX limited and subsequently its distillery division transferred to M/s. UBIO Chemicals Limited Transfer of Environment Clearance from M/s. UBIO Chemicals Limited to M/s. Wave Distilleries and Breweries Ltd., 8737/SIA/UP/IND2/460016/2024. Name Change.**
- SEIAA gone through the letter of Authorised Signatory of M/s Wave Distilleries and Breweries Ltd. Aligarh dated 27.01.2024 regarding Transfer of Environment Clearance from M/s. UBIO Chemicals Limited to M/s. Wave Distilleries and Breweries Ltd. SEIAA



opined that the project proponent must clarify the sequence of events and what is required.

9. "Riverbed Ordinary Sand Mining" Project Riverbed of Yamuna river at Araji No/Gata No.- 22mi, Khand-2, Village – Khartla Katri, Tehsil -Bhognipur, District- Kanpur Dehat, Shri Vivek Verma, M/s Shri Bala Ji Enterprises, Area – 12.00 ha., 8632/8021/SIA/UP/MIN/456568/2023.

SEIAA gone through the letter dated 04.03.2024 of Shri Sushil Singh, Advocate, Delhi regarding the above subject and opined to refer it to DM, Kanpur Dehat and DGM for factual report.

**Nodal Officer**

**SEIAA, UP**

MoM prepared by Secretariat in consultation with  
Chairman & Members on the basis of decisions  
taken by SEIAA during the meeting.

(Smt. Mamta Sanjeev Dubey)  
Chairman  
SEIAA

  
( Sanjeev Kumar Singh)  
Member-Secretary  
SEIAA

(Paras Nath)  
Member  
SEIAA