

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.in

### Minutes of the 312<sup>th</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 18/10/2019

The meeting of 312<sup>th</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 18/10/2019 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P.  
Member, SEIAA, U.P.  
Member Secretary, SEIAA, U.P.

**General-** SEIAA noted that minutes of the public hearing received from UPPCB office sometimes does not have photocopies of both the News Paper cuttings of notices publish. Hence SEIAA decided that Nodal officer SEIAA should write a letter to UPPCB that photocopies of two News Paper cuttings of the notices published in the News Papers shall also be sent with the minutes of public hearing meeting.




**Agenda-A; Complaints/letters –Nil**

**Agenda-B; Replies/ Presentation case-**

- 1- Residential Complex "Gulmohar Residency" at Khasra No.-527/1, 519, Village- Kanawani, Distt.- Ghaziabad, U.P., M/s SVP Builders (I) Ltd. File No. 4881/Proposal No. SIA/UP/MIS/108734/2018 (298 SEIAA meeting dated 01/08/2019)

SEIAA noted that above project was taken in its meeting dated 1/08/2019 in which SEIAA observed that *the project proponent has applied for expansion under violation category. Certified compliance report of previous EC has not been submitted. Waste water generated is mentioned as 165 KLD whereas STP of 100 KLD is being proposed which is under capacity. The water balance for monsoon and non-monsoon season should be recalculated. Information submitted regarding remediation plan and its implementation is not very clear. Structure stability measures taken care for the revision plan is also not clear. Hence SEIAA opined that the project proponent shall be called to make a presentation of the project before SEIAA.*

The project proponent along with the consultant presented their case. During presentation SEIAA found that the project proponent has proposed to install STP of 100 KLD and the water balance submitted mentions that 90 KLD untreated sewage will be discharged to municipal sewer line for further treatment by GDA but has not submitted any MOU/consent letter/agreement signed with GDA in this regard. Project proponent has not submitted certified compliance report from MOEF&CC which is necessary for expansion. Hence SEIAA opined that the project proponent shall submit the above information along with the relevant documents.



Minutes of the 312<sup>th</sup> Meeting of the SEIAA held on 18/10/2019

**2- Proposed Proposed Group Housing Project" Paalm Paradise", Taramandal Road, District- Gorakhpur, U.P. File no- 4842 ( 307 SEIAA meeting dated 19/09/2019)**

SEIAA noted that the project proponent did not appear for the presentation. SEIAA opined that the project proponent should be given another chance for the presentation.

**Agenda- C- 419th SEAC Meeting Dated 13/09/2019**

**1. Brick Earth Mining at Gata No.-413/1, 413/2, 414, 415, at Village- Shernagar Bangar, Tehsil- Chhata, District- Mathura, U.P., M/s Shiv Bricks Field, (Leased Area: 4.737 Ha). File No. 4956/Proposal No. SIA/UP/MIN/ 39970/2019**

SEIAA agreed with the recommendation of SEAC to close the file and discuss the matter after submission of online request on prescribed portal about availability of coordinator/FAE.

**2. Brick Earth Mining at Gata No.-322, 750, 808, 810, 1478, 411, 1417, 268, 1420, 86, at Village- Kiriya, Tehsil- Mohammdi, District- Kheri, U.P., M/s Khan Bricks Field, (Leased Area: 4.334 Ha) File No. 4957/Proposal No. SIA/UP/MIN/ 39967/2019**

The SEIAA agreed with the recommendation of SEAC to defer the matter till online information is received.

**3. Brick Earth Mining at Gata No.-263, at Village- Raipur Bangar, Tehsil- Mat, District- Mathura, U.P., M/s Dauji Ent Udhog, Area: 2.8820 Ha. File No. 4958/Proposal No. SIA/UP/MIN/39963/2019**

SEIAA agreed with the recommendation of SEAC to close the file and discuss the matter after submission of online request on prescribed portal about availability of coordinator/FAE.

**4. Brick Earth Mining at Village-Naushepur, Naujheel Bangar, Tehsil- Mat, District- Mathura, U.P., M/s K.P.S. Ent Udhog, Area: 3.426Ha. File No. 4959/Proposal No. SIA/UP/MIN/40001/2019**




SEIAA agreed with the recommendation of SEAC to close the file and discuss the matter after submission of online request on prescribed portal about availability of coordinator/FAE.

**5. River Bed Sand Mining at Gata No./Khand No.-413Da/1mi, 412mi, 412Da mi, 413Ka/53, at Village- Bardiya Lohar, Tehsil- Harraiya, District- Basti, U.P., M/s Anthracite Infra Pvt. Ltd., (Leased Area-4.34 Ha). File No. 4960/Proposal No. SIA/UP/MIN/40042/2019**

The SEIAA agreed with the recommendation of SEAC to defer the matter till online information is received.

**6. Brick Earth Mining in Khasra/Gata No.-340, 30/2, 34, 409/1, 404, 202, 29, 406, Maheshpur Bithra, Naujheel Bangar, Tehsil & District- Pilibhit, U.P., (Leased Area: 3.8809Ha). File No. 4965/Proposal No. SIA/UP/MIN/33662/2019**

SEIAA noted that SEAC has recommended to grant EC to the above project along with all general and specific condition. SEIAA gone through file and documents and found that the

   Page 2 of 9



**Minutes of the 312<sup>th</sup> Meeting of the SEIAA held on 18/10/2019**

Khasara Map submitted is not signed by the competent authority. Hence SEIAA opined that the project proponent should submit Khasara Map signed by the competent authority.

7. **Brick Earth Mining at Gata No.-64, 67, 68, 75, at Village-Kaulan Bangar, Tehsil-Mat, District-Mathura, U.P., M/s Shri Radha Krishna Ent Udhyog, (Leased Area: 2.3820 Ha). File No. 4967/Proposal No. SIA/UP/MIN/40210/2019**

SEIAA agreed with the recommendation of SEAC to close the file and discuss the matter after submission of online request on prescribed portal about availability of coordinator/FAE.

8. **Brick Earth Mining Project at Gata No.-6, 90/2, Village- Naushepur, Tehsil- Mat, District-Mathura, U.P., M/s R.B.S Ent Udhyog, (Leased Area: 3.283 Ha). File No. 4970/Proposal No. SIA/UP/MIN/40286/2019**

SEIAA agreed with the recommendation of SEAC to close the file and discuss the matter after submission of online request on prescribed portal about availability of coordinator/FAE.

9. **Khanda, Gitti/Boulders (Granite), Pahari Lal Morrum mine at Khasra/Gata No.- 714/2, Village- Gonda, Tehsil- Karvi, District- Chitrakoot, U.P. Shri Narendra Singh, Area 12,145 ha. File No. 4971/Proposal No. SIA/UP/MIN/40223/2019**

SEIAA noted that SEAC has recommended to grant EC to the above project along with all general and specific condition. SEIAA gone through file and documents and found that application is made for Khasra/Gata No.- 714/2 of 1.2145 ha whereas in DSR gata no. has been mentioned as 714 ha and lease area as 6.57 ha. Hence SEIAA opined that the project proponent shall submit the clarification regarding the above along with the relevant documents.

10. **"Building Stone (Khanda, Gitti & Boulder) Mine" at Gata No.-332, Khanda No.- 05, Village-Badokhar Khurd, Tehsil- Naraini, District- Banda, U.P., M/s Maa Vindhya wasini Stone Work, Leased Area -0.40 ha. File No. 4973/Proposal No. SIA/UP/MIN/40209/2019**

SEIAA noted that SEAC has recommended to grant EC to the above project along with all general and specific condition. SEIAA gone through file, documents and a letter of DMO Banda letter no. 1374/khanij-30 Banda dated 13/08/2019. SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC but the SEIAA replaces the specific conditions no-2 of annexure-2 as "If in future during the progressive mining this lease area becomes part of cluster i.e. area equal to or more than 5 ha., limited to B-1 category, then additional conditions based on the EIA conducted by the concerned lease holders shall be imposed and joint EMP shall be implemented. The lease holder shall mandatorily follow all the imposed conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per the law shall be initiated against the authority issuing the cluster certificate". And adding one condition:- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

RTM

*Handwritten signature*

RPS, *Handwritten initials* Page 3 of 9



11. "Building Stone (Khanda, Gitti & Boulder) Mining" at Gata No.-281, Khanda No.- 05, Village- Madaurakhurd, Tehsil- Moth, District- Jhansi, U.P., M/s Jai Ram Engineers Contractors, Leased Area -1.780 ha. File No. 4974/Proposal No. SIA/UP/MIN/40379/2019

SEIAA noted that SEAC has recommended to grant EC to the above project along with all general and specific condition. SEIAA gone through file and documents and found that the application is made for Gata No.-281, Khanda No.- 05 Village- Madaurakhurd, Tehsil- Moth, District- Jhansi. But is DSR Gata No.-281 is mentioned at 9 places with different lease area. Hence SEIAA opined that the project proponent should clarify the above and also submit the relevant documents in this regard.

12. Capacity Expansion of Sand Stone (Gitte-Pathhar, Khandas, Boulder) mine at Khasra No./Plot No.-2098, Khand No. - 15A, at Village-Bhatauti, Tehsil- Meja, District- Prayagraj, U.P., M/s Nitin Nishad. Area- 2.631 Ha. File No. 4949/Proposal No. SIA/UP/MIN/39197/2019


SEIAA noted that SEAC has recommended to issue ToR to the above project. SEIAA gone through file and document and found that in application and in LOI address of the lease is mentioned as Khasara No. 2098 Khand No. 51A whereas in DSR two Khasra no. i.e 2098/1 of 159.19 ha and 2098(Kasth) of 81.969 ha is mentioned. SEIAA opined that the project proponent should clarify the above along with EIA. If the area is above 100 ha then the case would be considered in MoEF&CC


The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-


1. All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
2. Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
3. MOU signed between the project proponent and the consultant should be submitted.
4. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
5. The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

13. "Building Stone (Khanda, Gitti & Boulder) Mining" at Araj No.-93/1, Khanda No.- 07, Village- Lakhanpura, Tehsil- & District- Lalitpur, U.P., Area -2.134 ha. File No. 4977/Proposal No. SIA/UP/MIN/39915/2019

SEIAA noted that SEAC has recommended to issue ToR to the above project. SEIAA gone through file and document and found that in DSR available in the secretariat which was downloaded through NIC website on 16/04/2019 does not contains the above lease area. But the project proponent has attached the copies of pages of DSR bearing signature of 2017. Hence SEIAA opined the project proponent should clarify the above and submit the relevant documents.









**14. Sand Mining Project at Yamuna River Bed at Gata No- 33, 34, 38, 39, 50, 51, 56, 57, Khnad No. S.P.- 1 & 2, Village- Salempur, Tehsil- Khaga, District- Fatehpur, U.P., (Leased Area- 30.36 Ha). File No. 4549/Proposal No. SIA/UP/MIN/29663/2018**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding two specific condition as follows:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

**15. Sand/Morrum Mining from Ken River bed at Khand No.-195/1, Village- Lahureta, Tehsil- Narani, District-Banda, U.P., M/s Katyayni Natural Resources Ltd. Sanctioned Lease Area: 33.00 ha. File No. 4962/4209/Proposal No. SIA/UP/MIN/39996/2019**

SEIAA noted that SEAC has recommended to grant EC to the above project along with all general and specific condition. SEIAA gone through file and documents and found that the application is made for Khand No.-195/1, Village- Lahureta, Tehsil-Narani, District-Banda whereas in DSR Khand no. is mentioned as part of 195/1. SEIAA also noted that minutes of public hearing is not available in the file. Hence SEIAA opined that the project proponent should clarify the exact address of the lease area and submit the relevant documents in this regard and Nodal Officer SEIAA should write and obtain the public hearing minutes from UPPCB.


**16. Extraction of Sand at Gata No.-286, Village-Katari Pariyar, Tehsil-Sadar, District-Unnao., M/s Shyam Enterprise, Mining Lease Area-26.0566 Ha. File No. 4964/4574/Proposal No. SIA/UP/MIN/40123/2018**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding two specific condition as follows:-


1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

**17. Sand/Morrum Mining along Ken River Bed in Gata No.- 62 and 63/1 (Block No.-29(as per Lol), Village-Khapatiha Kalan, Tehsil-Pailani, District- Banda, U.P., M/s Jai Shakti Realcon Pvt. Ltd., (Area- 17.0 Ha). File No. 4424/Proposal No. SIA/UP/MIN/28461/2018**

SEIAA gone through file and documents and noted that the project proponent has requested for the amendment of condition no. 36 of EC "Heavy machine such as excavator scooper etc should not be employed for mining purpose" be replaced with "mining operation be carried out under conditions of approved mining plan and subject to the conditions of EC" and point no (2), to allow them to use shorter, economical haul pathway in the EC granted vide letter dated 09/03/2019.









**Minutes of the 312<sup>th</sup> Meeting of the SEIAA held on 18/10/2019**

SEIAA gone through the SEAC recommendation which is as follows:-

1. The Concerned portion of Specific Condition no 39 of EC be replaced with "Mining operations will be strictly carried out as per approved mining plan & subject to the conditions of EC but machines like excavator cum loader used for sand mining shall not exceed 3 meter boom, length and 1 cubic meter bucket capacity. Machines of more than this capacity are not allowed for river bed sand mining because it will adversely affect environment and lead to overloading".
2. "The excavated mining material should be carried and transported in such a way that no obstruction to the free flow of channel water takes place. Prior permission for construction of haul road across the channel must be obtained from Irrigation Department & District Magistrate. A copy of permission should be submitted in SEIAA".

SEIAA opined that :-

1. Specific Condition no 36 of EC cannot be replaced/amended in the interest of the environment.
2. Prior permission for construction of haul road across the channel must be obtained from Irrigation Department & District Magistrate and a copy of which shall be submitted in SEIAA for the amendment of condition regarding alternate route.

**18. Bhedi Kharka Sand/Morrum Mining Khand No.- 23/21 over an area 24.291 ha near at Village-Bhedi Kharka, Tehsil- Sarila, District- Hamirpur, U.P., (Leased Area-24.291Ha). File No. 4585/ 4397/Proposal No. SIA/UP/MIN/30113/2018**

SEIAA agreed with the recommendation of the SEAC to discuss the matter after receipt of factual report. The matter will not be considered pending at SEIAA level.

**19. Sand/Morrum Mining from Ken Riverbed at Gata No. 165, 166 and 174, Block No. 20 at Village padohra Khadar, Tehsil Pailane, & District Banda, Uttar Pradesh. (Area 14.0 Ha). File No. 4428/Proposal No. SIA/UP/MIN/76021/2018**


SEIAA agreed with the recommendation of the SEAC to discuss the matter after receipt of factual report. The matter will not be consider pending at SEIAA level.

**20. Proposed Group Housing Project at Khasra No.- 68/1, 68/2, 69, 70M, 95M, 96, 97M, 100, at Village- Chhajarsi, Tehsil- Dari District- Gautam Budha Nagar, U.P., M/s Ramprastha Nxt Project Pvt. Ltd. File No. 4952/Proposal No. SIA/UP/MIS/112247/2019**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be

Page 6 of 9  




**Minutes of the 312<sup>th</sup> Meeting of the SEIAA held on 18/10/2019**


related to mitigation of Environmental Pollution and awareness for the same.

- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 9- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work


**With the permission of the Chairman**

1. निदेशक, भूतत्व एवं खनिकर्म निदेशालय, उ०प्र० के पत्रांक-968/एम०-21/NHAI-2/2017 दिनांक 07 सितम्बर, 2019 के विभिन्न एक्सप्रेसवे नेशनल/स्टेट हाईवे जनपद एवं ग्राम स्तरीय सड़कों के निर्माण एवं विभिन्न राजकीय परियोजनाओं के निर्माण हेतु तालाब, झील एवं नदी से मिट्टी/सिल्ट निकालने एवं उपयोग हेतु पर्यावरण स्वच्छता प्रमाण पत्र को आवश्यकता विषयक पृच्छा के सम्बन्ध में।

The SEIAA noted that the above matter regarding EC requirement in various expressway, National/State Highway District/villages roads and, other government projects was taken in its meeting dated 14/10/2019 wherein, SEIAA went through the note dated 11/10/2019 submitted by members and Chairman, SEAC regarding letter no. 968/M-21/NHAI-2/2017 dated 07 September 2019 of Director Geological and Mining UP and letter no. 1104/V.Sh.(Khanan)/2019 date 09/08/2019 of DM Lucknow noted that EC has been granted vide MoEF notification 141(a) annexure-9 point no. 5 which states that:- "Community works like desilting of village ponds or tanks, construction of village roads, ponds, bunds undertaken in Mahatma Gandhi National Rural Employment and Guarantee Schemes, other Government-sponsored schemes, and community efforts". After this notification, no other amendment regarding the above has been issued. Hence the above works do not require Environmental Clearance.









Minutes of the 312<sup>th</sup> Meeting of the SEIAA held on 18/10/2019

SEIAA reviewed the matter and came across Hon'ble National Green Tribunal Principal Bench, New Delhi order, passed in Executive Application No. 55/2018 IN Original Application No. 520/2016:Vikrant Tongad Versus Union of India Dated: 11.12.2018 and thus reviewed the matter in the light of the operative para of the aforesaid order wherein it is stated that:

*"...6. Since our attention has been drawn to letter dated 29.10.2018 issued by the State Environment Impact Assessment Authority, Kerala addressed to the District Environment Impact Assessment Authorities of various districts in Kerala that Notification dated 15.01.2016 having not being stayed, the same be followed. This interpretation is clearly contrary to the order of this Tribunal disapproving the Notification dated 15.01.2016 and requiring the same to be revised. The direction that 15.01.2016 should still be acted upon is clearly illegal and in violation of judgment of this Tribunal. The same will stand suspended till a fresh Notification is issued by the MoEF&CC as directed hereinabove.*

*7. This direction will apply to all the State Environment Impact Assessment Authorities/State Governments."*

SEIAA also noted that Ministry of Environment, Forest & Climate Change vide OM no. F.No. L-11011/175/2018-IA-II (M) dated: 12-12-2018 has issued the directions for only:-

- (i) Providing for EIA, EMP and therefore, Public consultation for all areas from 5 to 25 ha falling member Category B-2 at par with Category B-1 by SEAC/SEIAA as well as for cluster situation wherever it is not provided;
- (ii) Form-1M be made more comprehensive for areas of 0 to 5 ha by dispensing with the requirement for Public Consultation to be evaluated by SEAC for recommendation of grant EC by SEIAA instead of DEAC/DEIAA;
- (iii) If a cluster or an individual lease size exceeds 5 ha the EIA/EMP be made applicable in the process of grant of prior environmental clearance;
- (iv) EIA and/or EMP BE PREPARED FOR THE ENTIRE CLUSTER IN TERMS OF RECOMMENDATION 5 (SUPRA) of the Guidelines for the purpose of recommendations 6, 7 and 8 thereof;
- (v) Revise the procedure to also incorporate procedure with respect to annual rate of replenishment and timeframe for replenishment after mining closure in an area;
- (vi) The MoEF&CC to prepare guidelines for calculation of the cost of restitution of damage caused to mined-out areas along with the net present Value of Ecological Services forgone because of illegal or unscientific mining;

In the view of the above, SEIAA is of the opinion that Copies of Hon'able National Green Tribunal Principal Bench, New Delhi order, passed in Executive Application No. 55/2018 IN Original Application No. 520/2016:Vikrant Tongad Versus Union of India Dated: 11.12.2018 and Ministry of Environment, Forest & Climate Change Impact Assessment Division vide OM no. F.No. L-11011/175/2018-IA-II (M) dated: 12-12-2018 should be sent to MoEF&CC for clarification/guidance. Till then the decision of the SEIAA regarding the above matter taken in its meeting dated 14/10/2019 is kept in abeyance.

RTM

made by Bhaskar  
5/11/18

RPS, 5/11/18




Minutes of the 312<sup>th</sup> Meeting of the SEIAA held on 18/10/2019


2. Earth Excavation from Khasra/Gata No.- 1226, 1227, 1228, 1229, 1230, 1231, 1232 at Village-Kushalpur Vasaina, Tehsil & District- Unnao, U.P., (Leased Area: 0.759 Ha). File No. 4945/Proposal No. SIA/UP/MIN/ 39751/2019


SEIAA noted that the above project was granted EC in its meeting held on 16/10/2019. SEIAA is of the opinion that one more specific condition should be added- "The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work."

3. Excavation of Soil Mining at Khasra/Gata No.- 247, 249, 86, 90 & 91, Village-Devarakhurd, Tehsil & District-Unnao, U.P., (Area: 0.687 Ha) File No. 4946/Proposal No.SIA/UP/MIN/ 39755/2019

SEIAA noted that the above project was granted EC in its meeting held on 16/10/2019. SEIAA is of the opinion that one more specific condition should be added- "The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work."

  
(Shri Ashish Tiwari, IFS) 05.11.19  
Member-Secretary  
SEIAA

  
(Dr. (Smt.) Madhu Bhardwaj) 05/11/2019  
Member  
SEIAA

  
(Prof. Rana Pratap Singh) 05/11/19  
Chairman  
SEIAA