

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.in

Minutes of the 318th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 15 /11/2019

The meeting of 318th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 15/11/2019 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

General-

SEIAA noticed that sometimes the minutes of the public hearing submitted by UPPCB does not contain the copy of the public hearing notice published in two Newspapers. Hence SEIAA opined that nodal SEIAA shall write a reminder letter to UPPCB to ensure that photocopy of two newspaper cuttings containing notice for public hearing is sent with the public hearing minutes.

Agenda-A; Complaints/letters -

1. Sand Mining Project from Ganga River at Gata No.-293/1, 293/2, 394/6, 298/10, 299/1, 718/1, Village-Kachhla Kham, Tehsil & District- Badaun, U.P., Lease Area: 45.85 Ha, File No. 4649/4250/Proposal No. SIA/UP/MIN/30351/2018


SEIAA gone through the letter of Shri Vijay Sharma dated 02/11/2019 regarding submergence of lease area and opined that the factual report from DM/DMO shall be sought to consider the requested change.

Agenda-B; Replies-

1. Housing Project Entitled "Ajnara Fragrance" being Developed under Pradhan Mantri Awas Yojna at Khasra No.- 1239, 1249, 1250, 1266, 1267, Village- Noor Nagar, Ghazibad, U.P. By M/s Ajanara India Ltd. File No. 4975/Proposal No. SIA/UP/MIS/96763/2019

SEIAA noted that the above project was taken in its meeting dated 14/10/2019 in which SEIAA opined that the project proponent should submit maps approved by competent authority and also details about ultimate disposal of surplus/excess water. The project proponent has submitted his reply vide letter dated 31/10/2019. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar



power plant and solar electrification details within the project.

- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 9- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

2. Commercial Project at Plot No.- C3-E2, Sector-129, Noida, District- Gautam Buddha Nagar, U.P., M/s Adonis Buildtech Pvt. Ltd. File No. 4976/Proposal No. SIA/UP/MIS/113007/2019

SEIAA noted that the above project was taken in its meeting dated 14/10/2019 in which SEIAA opined that the project proponent should submit maps approved by competent authority and also details about ultimate disposal of surplus/excess water. The project proponent has submitted his reply vide letter dated 31/10/2019. After reviewing the reply SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar



Madam Broadway



power plant and solar electrification details within the project.




- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.
- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
- 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
- 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
- 9- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.

Agenda- C- Minutes of 424th SEAC Meeting Dated 10/10/2019

1. **Sand/Morrum Mining on Ken River Bed in Khand No./ Gata No.- 60 at Vill.-Sadikhadar, Teh.-Pailani, Banda, U.P., M/s S.G. Projects., Area:18.0 ha. File No. 5054/4565/Proposal No. SIA/UP/MIN/42855/2018**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC adding two specific condition as follows:-

1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work



2. Sand/Morrum Mining at Yumana River Bed at Khand No.-R-3, Gata No-34mi,54,55,97,96,56,53,35,95, 57, 58,52,51,92,91,59,60,50,89,90,62, 61,49,Vill.-Ranipur, Khaga, Fatepur, Shri Abhishek Singh., Area:34.41 ha. File No. 4605/Proposal No. SIA/UP/MIN/30429/2018

SEIAA noted that SEAC has recommended EC to the above project. SEIAA gone through file and documents and found that in the minutes of public hearing, photocopies of notices published in 2 Newspapers are not attached. Hence SEIAA opined that Nodal SEIAA shall obtain it from UPPCB.

3. Granite (Khanda, Gitti & Boulder) Mine at Gata No.-332, Khand No.- 01, Village- Badokhar Khurd, Tehsil- Naraini, District- Banda, U.P., Shri Kumwar Vinod Raja., Leased Area -1.61 ha. File No. 5062/Proposal No. SIA/UP/MIN/42088/2019

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

4. Sand Mining at Araj No.-9 Gha/2, Village-Khaira, Tehsil-Sadar, District-Mirzapur,U.P., M/s Shubham Udyog, Leased Area -5.0 ha. File No. 5063/Proposal No. SIA/UP/MIN/42971/2019

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.

[Signature]

[Signature]

[Signature]

- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

5. Building Stone (Sand Stone) Mine at Gata No./Araji No./Plot No.-1006, Village-Sariya, Tehsil- Chunar, District- Mirzapur,, Shri Digvijay Singh, M/s Aastha Traders., Area -1.01 ha. File No. 5064/Proposal No. SIA/UP/MIN/43031/2019


SEIAA noted that SEAC has recommended additional ToRs to the above project. SEIAA gone through the file and documents and found that the application is made for Gata No./Araji No./Plot No.-1006, Village-Sariya, Tehsil- Chunar, District- Mirzapur, Area -1.01 ha. Whereas in DSR this lease address is mentioned at many places with different lease areas. Hence SEIAA opined that the project proponent shall clarify the same and also submit the relevant documents with EIA. The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-


- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

6. Building Stone (Khanda, Gitti & Boulder) Mining at Gata No.-339, Khand No.- 19, Village-Daharra, Tehsil & Distt.- Mahoba, Shri Akeel Ahmad., Area -1.214 ha. File No. 5065/Proposal No. SIA/UP/MIN/43032/2019

SEIAA noted that SEAC has recommended additional ToRs to the above project. SEIAA gone through the file and documents and found that the application is made for at Gata No.-339, Khand No.- 19, Village-Daharra, Tehsil & Distt.- Mahoba, Area -1.214 ha. Whereas in DSR gata no. 339 of 3.5 ha is mentioned. Hence SEIAA opined that the project proponent shall clarify the same and also submit the relevant documents with EIA. The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.

 Madan Bhardwaj

 RPS

Minutes of the 318th Meeting of the SEIAA, UP held on 15/11/2019

- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

7. Building Stone (Sand Stone) Mine at Gata No./Araji No./Plot No.-1006, Village-Sariya, Tehsil- Chunar, District-Mirzapur., Shri Digvijay Singh, Area-0.809 ha. File No. 5066/Proposal No. SIA/UP/MIN/43035/2019

SEIAA noted that SEAC has recommended additional ToRs to the above project. SEIAA gone through the file and documents and found that the application is made for at Gata No./Araji No./Plot No.-1006, Village-Sariya, Tehsil- Chunar, District-Mirzapur., Area-0.809 ha. Whereas in DSR this lease address is mentioned at many places with different lease areas. Hence SEIAA opined that the project proponent shall clarify the same and also submit the relevant documents with EIA. The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

8. Building Stone (Sand Stone) Mine at Gata No./Araji No./Plot No.-1006, at Village-Sariya, Tehsil-Chunar, District- Mirzapur,U.P., Shri Digvijay Singh, Leased Area -0.809 ha. File No. 5068/Proposal No. SIA/UP/MIN/43058/2019

SEIAA noted that SEAC has recommended additional ToRs to the above project. SEIAA gone through the file and documents and found that the application is made for at Gata No./Araji No./Plot No.-1006, at Village-Sariya, Tehsil-Chunar, District- Mirzapur,U.P., Leased Area -0.809 ha. Whereas in DSR this lease address is mentioned at many places with

[Signature]

Madan Bhardwaj

RPS:ph

RPS:ph

different lease areas. Hence SEIAA opined that the project proponent shall clarify the same and also submit the relevant documents with EIA. The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.


9. Khanda, Gitti & Boulders Mining at Gata No.-93, Khand No.- 04, Gata NO. 93, at Village- Bari, Tehsil & District-Mahoba, U.P., M/s Harihar Minerals, Leased Area -1.012ha. File No. 5069/Proposal No. SIA/UP/MIN/42085/2019


The SEIAA agreed with recommendation of SEAC that the matter will be discussed only after submission of online request on prescribed online portal.


10. Khanda, Gitti Mining at Araj No.-02/1, Khand-02, Village- Lakhanpura, Tehsil & District- Lalitpur., Shri Lakshhmi Shankar, Area-2.550 ha. File No. 5070/Proposal No. SIA/UP/MIN/42654/2019

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.







11. Sand Stone Mine at Araj No. 428, Village-Dhuriya, Tehsil-Chunar, District-Mirzapur, U.P. Shri Ramendra Narayan Singh, Area -0.809 ha. File No. 5075/Proposal No. SIA/UP/MIN/42546/2019


SEIAA noted that SEAC has recommended additional ToRs to the above project. SEIAA gone through the file and documents and found that the application is made for Araj No. 428, Village-Dhuriya, Tehsil-Chunar, District-Mirzapur, Area -0.809 ha. Whereas in DSR Araj No. 428 has been mentioned at many places with different lease area. Hence SEIAA opined that the project proponent shall clarify the same and also submit the relevant documents with EIA. The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

12. Sand Stone Mine at Gata No./Araj No./Plot No.-188 Mi, at Village-Lahaura, Tehsil-Chunar, District- Mirzapur., Sri Mukesh Singh Leased Area -2.828 ha. File No. 5076/Proposal No. SIA/UP/MIN/43230/2019

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public



Madh Bhandari

RPS, ph

hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.

13. Sand Morrum mining at Khand No. K-1, Gata No. 364Mi, 366Mi, 367Mi, 390Mi, Vill:Kharka, Bhognipur, Kanpur Dehat., Sri Bishan Singh, area 16.3 ha. File No. 4159/Proposal No. SIA/UP/MIN/22652/2018

The SEIAA agreed with recommendation of SEAC that the matter will be discussed only after submission of online request on prescribed online portal.

14. Sand/Morrum Mining in Yamuna River Bed, Khand No.-04, Village-Jauharpur, Banda., M/s Radhika Construction, (Leased Area- 15.0 Ha). File No. 4409/Proposal No. SIA/UP/MIN/28383/2018

The SEIAA agreed with the recommendation of SEAC to defer the matter till online information is received. The matter will be discussed only after submission of online request on prescribed online portal.

15. Sand/Morrum Mining from Belan River bed, Zone No./Gata No./Khand No.-48, at Village - Bhagesar to Sipauwa & Bans to Amiliy, Tehsil-Koraon, District-Prayagraj, M/s Sweta Enterprises, Area - 4.00 ha. File No. 4740/Proposal No. SIA/UP/MIN/34402/2019

SEIAA agreed with the recommendation of the SEAC to discuss the matter after receiving online information on prescribed portal.

16. Brick Earth Mining at Gata No.-77 mi, 515 mi, 77 mi, Village- Jijola, Shamli, M/s Shri Balaji Brick Field. Area-2.164, File No. 4880/Proposal No. SIA/UP/MIN/32507/2019

SEIAA agreed with the recommendation of the SEAC to discuss the matter after receiving online information on prescribed portal.

17. Brick Earth Mining at Khasra No.-426, Village-Bhadrol, Tehsil-Koil, District- Aligarh, U.P., M/s Shanti Ent Udyog, (Area: 3.686 Ha). File No. 4888/Proposal No. SIA/UP/MIN/33924/2019

SEIAA agreed with the recommendation of the SEAC to discuss the matter after receiving online information on prescribed portal.


18. Ent Mining at Gata No-937, Village- Khediya, Sujatpur & Rainpur, District-Aligarh, U.P., Arae-2.731 Ha M/s Pyavali Ent Udyog. File No. 4890/Proposal No. SIA/UP/MIN/33908/2019

SEIAA agreed with the recommendation of the SEAC to discuss the matter after receiving online information on prescribed portal.

With the permission of the Chairman

1. Modernization of existing Common Effluent Treatment Plant (CETP) FOR Tannery Cluster at Village- Jajmau, Tehsil- Bilhaur, District- Kanpur Nagar, U.P., by M/s Jajmau Tannery Effluent Treatment Association File no- 4445

SEIAA noted that SEAC has recommended to exempt the project proposal for the public consultation and amend the terms of reference issued by SEIAA, U.P. vide letter no. 544/Parya/SEAC/4445/2018, dated 30/11/2018 as per above project details. SEIAA gone through the file and documents and opined that the following point should be added to issued ToR:-




modern shandury


RPS. jh


Minutes of the 318th Meeting of the SEIAA, UP held on 15/11/2019

1. Regarding the public hearing, reference shall be made to MoEF&CC and public hearing will be conducted as per directions of MoEF&CC which will be communicated later after clarification is received.

Rest all the contents of ToR letter no. 544/Parya/SEAC/4445/2018, dated 30/11/2018 shall remain the same.


(Shri Ashish Tiwari, IFS)
Member-Secretary
SEIAA


(Dr. (Smt.) Madhu Bhardwaj)
Member
SEIAA


(Prof. Rana Pratap Singh)
Chairman
SEIAA