

**PROCEEDINGS OF THE MEETING OF STATE LEVEL EXPERT APPRAISAL
COMMITTEE, ODISHA HELD ON 23RD JULY, 2018**

The SEAC met on 23rd July, 2018 at 03:00 PM in the Conference Hall of Odisha State Pollution Control Board, Bhubaneswar under the Chairmanship of Dr. B.K. Patnaik.

The following members were present in the meeting.


1. Dr. B. K. Patnaik	-	Chairman
2. Sri B.P. Singh	-	Member
3. Sri B.C. Prusty	-	Member
4. Sri S. Behera	-	Member
5. Dr. S. C. Nayak	-	Member
6. Sri A. C. Mohanty	-	Member
7. Dr. D. Swain	-	Member
8. Dr. R.C. Mohanty	-	Member
9. Prof. (Dr.) P.K. Mohanty	-	Member
10. Dr. S.K. Biswal	-	Member
11. Dr. D.K. Rout	-	Member

The following issues related to country liquor units were discussed:

A. POLICY MATTER ON COUNTRY LIQUOR PROPOSALS:

1. The MoEF&CC, Govt. of India had taken a meeting with SEIAA, Odisha on 30.05.2018 on the subject of clarification regarding disposal of Environmental Clearance applications of Mahua flower based country liquor manufacturing units. In this regard, the Chairman, SEAC had already written to the Chairman, SEIAA to advise the SEAC for processing of Environmental Clearance applications as per decision taken in the meeting. But, so far no communication has been received from SEIAA, Odisha. The members pointed out that SEIAA, Odisha may consider to request the MoEF&CC, Govt. of India to bring out guidelines for disposal of Environmental Clearance applications of Mahua flower based country liquor manufacturing units.
2. The Mahua flower based country liquor units now have been given industrial status as per order of the Hon'ble NGT. The Excise Rules of the State Govt. stipulates that such type of industry can be set up in any type of land. The land used for setting up of any industrial unit should be converted to industrial purpose.

Similarly, license issued to a country liquor unit is valid for one year and is subsequently renewed. Unless specifically denied, the license is


Secretary, SEAC

normally renewed in favour of the same license holder for next one year after the receipt of renewal application. Generally, the license is renewed for higher production capacity than the previous year. Hence, the proponent is required to obtain Environmental Clearance for higher production capacity every year.

After detailed discussion, the SEAC decided that the SEIAA may request the State Excise Department for necessary amendment in Excise Rules incorporating the provisions of conversion of land for industrial purpose as well as issue of Excise License with validity for a longer period i.e. minimum 5 years.

B. SCREENING AND SCOPING OF NEW COUNTRY LIQUOR PROPOSALS:


1. The SEAC in its meeting held on 19.06.2018 decided the following
 - (i) Proponents of country liquor units applied for Environmental Clearance after 19.06.2018 to be asked to come for presentation / discussion with following documents / information in addition to the documents and checklist as suggested earlier.
 - (a) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.
 - (b) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.
 - (ii) The data furnished in the application by the proponent to be cross checked on the basis of following material balance. Difference in material balance shall be explained by the project proponent.


For production of 1000 litre liquor:


- The amount of Mahua flower required = 886 kg
- The amount of rice husk required = 768 kg
- Generation of Mahua flower residue = 284 kg
- Generation of ash from rice husk fired Bhati = 236 kg
- The water requirement for process = 4517 litre
- The total water requirement including domestic = 5517 litre
- Generation of waste water = 2916 litre


2. The owners / representatives of the 25 country liquor units (New) attended the SEAC meeting with checklist and documents. The committee verified the documents furnished along with checklist of 25 nos. of country liquor proposals and found that the documents of all the 25 proposals have not been prepared as per above observation of the SEAC. Further, out of 25 proposals, 2 units are located within 5 kms from the boundary of Notified Wildlife Sanctuary and hence, these proposals are required to be appraised at MoEF&CC, Govt. of India as category A project. The case-wise proceedings and observations of the committee are detailed in Table as per **Annexure – I**. The recommendations of the committee are as follows:


No. of proposal	Recommendation of the committee
23	The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the information along with modified checklist and application.
02	The SEAC decided to return the proposal to SEIAA, Odisha with a request to ask the proponent to apply for EC to MoEF&CC, Govt. of India as category A project.



DR. B. K. PATNAIK
CHAIRMAN, SEAC



SRI B.P. SINGH
MEMBER, SEAC



SRI B.C. PRUSTY
MEMBER, SEAC



DR. S.K. BISWAL
MEMBER, SEAC



SRI S. BEHERA
MEMBER, SEAC



DR. S.C. NAYAK
MEMBER, SEAC


SRI A.C. MOHANTY
MEMBER, SEAC



PROF. (DR.) P.K. MOHANTY
MEMBER, SEAC



DR. D. SWAIN
MEMBER, SEAC


DR. R.C. MOHANTY
MEMBER, SEAC


DR. D.K. ROUT
MEMBER, SEAC

APPROVED


CHAIRMAN, SEAC


Secretary, SEAC

TABLE**DECISION ON COUNTRY LIQUOR PROPOSALS WHICH ARE GENERATING WASTE WATER LESS THAN 100 KLD IN THE SEAC MEETING HELD ON 23.07.2018**

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
1.	26139/436-IND2/06-2018	Sri Krushna Chandra Sahu M/s Tileimal Main Out Still Liquor Shop, At: Tileimal, Tahasil: Kantamal, Dist: Boudh	1.080	1.080	1.35	0.621	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated</p>




Secretary, SEAC


Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. The land agreement made with the land owner has not been signed by the 2nd party.</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Copy of the land agreement duly signed by both the parties.</p> <p>(v) Location of the unit in Google map.</p>

Secretary, SEAC


Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licensed production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
2.	26140/425-IND2/05-2018	Sri Krushna Chandra Sahu M/s Malikud Main Out Still Liquor Shop At:Malikud, Tahasil: Kantamal, Dist-Boudh	0.81	0.81	1.05	0.466	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water</p>


Secretary, SEAC


Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Location of the unit in Google map.</p>
3.	26141/426-IND2/05-2018	Sri Krushna Chandra Sahu M/s Kantamal Main Out Still Liquor Shop, at Kantamal, Tahasil: Kantamal, Dist- Boudh	1.89	1.89	2.25	1.086	<p>1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent.</p> <p>2. Process flow sheet has been furnished.</p> <p>3. Design and specification of O.S. (Pot) has been furnished.</p>	No	The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and


Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licensed production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished.</p> <p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018</p>


Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licensed production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							9. The unit is located at a distance of 100 meter from a hospital.		for production of 1 KLD country liquor. (iv) Location of the unit in Google map. (v) It should be relocated with a safe distance from the hospital.
4.	27800/456-IND2/06-2018	Smt. Manjula Dwibedi M/s Saharpada Main Out Still Liquor Shop, at Saharpada village, Tahasil: Saharpada, Dist-Keonjhar	0.810	0.810	0.4	0.220	1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of	No	The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application. (i) Details of Effluent Treatment Plant (ETP) for treatment of waste



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. Document related to ownership of land on which plant has been established has not been furnished. The documents which has been furnished not in the name of the proponent.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Location of the</p>



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
5.	27801/455-IND2/06-2018	Smt. Manjula Dwibedi M/s Tikira Main Out Still Liquor Shop, at Tikira village, Tahasil: Ghatagaon, Dist-Keonjhar	1.080	1.080	0.4	0.300	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State 	No	<p>unit in Google map.</p> <p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water</p>


 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Location of the unit in Google map.</p>
6.	27112/452-IND2/06-2018	<p>Sri Niroj Kumar Gupta</p> <p>M/s Ragdha Main Out Still Liquor Shop,</p> <p>At Ragdha village, Tahasil: Baripada,</p>	1.350	1.350	1.0	0.906	<p>1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent.</p> <p>2. Process flow sheet has been furnished.</p> <p>3. Design and specification of O.S. (Pot) has been</p>	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified</p>




Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
		Dist-Mayurbhanj					<p>furnished.</p> <p>4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished.</p> <p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Document related to ownership of land on which plant has been established has not</p>		<p>checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p>




Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>been furnished. The documents which has been furnished not in the name of the proponent.</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Location of the unit in Google map.</p>
7.	27517/451-IND2/06-2018	<p>Sri Niroj Kumar Gupta</p> <p>M/s Betnoti Main Out Still Liquor Shop,</p> <p>At Sathilo village, Tahasil: Betnoti ,</p> <p>Dist- Mayurbhanj</p>	2.430	2.430	2.0	2.012	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country</p>


 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Details of solid waste generated in the process and their treatment and disposal method.</p> <p>(iv) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(v) Location of the unit in Google map</p>



 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licensed production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
8.	27520/450-IND2/06-2018	Sri Niroj Kumar Gupta M/s Damodarpur Main Out Still Liquor Shop, At Damodarpur village, Tahasil: Baripada , Dist- Mayurbhanj	2.430	2.430	2.0	2.012	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance</p>




Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Location of the unit in Google map</p>
9.	27522/453-IND2/06-2018	<p>Sri Niroj Kumar Gupta</p> <p>M/s Swarupvilla Main Out Still Liquor Shop,</p> <p>At Swarupvilla village, Tahasil: Baripada ,</p> <p>Dist- Mayurbhanj</p>	1.890	1.890	1.5	1.209	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste</p>


 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licensed production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Location of the unit in Google map.</p>



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced producti on capacity in KLD (Approved capacity)	Produc tion capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
10.	27524/445-IND2/06-2018	Sri Upendra Singh M/s Kathasirsi Main Out Still Liquor Shop At Kathasirsi , Tahasil: Suliapada, Dist- Mayurbhanj	1.350	1.350	1.0	0.906	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018. 8. Inter- State boundary of West Bengal – 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance</p>



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							Jharkhand is at a distance of 8 Kms from the proposed plant area.		along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor. (iv) Location of the unit in Google map.
11.	27525/446-IND2/06-2018	Sri Rajesh Kumar Behera M/s Puruna Baripada Main Out Still Liquor Shop At Chuturi village, Tahasil: Gopabandhu Nagar, Dist- Mayurbhanj	0.810	0.810	0.6	0.6035	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 	No	The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application. (i) Details of Effluent Treatment Plant (ETP) for treatment of waste




Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018</p>		<p>water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Location of the unit in Google map.</p>



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
12.	27527/447-IND2/06-2018	Sri Parameswar Sahu M/s. Kendua main out still liquor shop. At: Kendua village, Tahasil: Samakhunta, Dist- Mayurbhanj	1.080	1.080	0.6	0.805	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018. 8. Similipal National Park is at a distance of 6.5 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance</p>



 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							km from the plant area.		along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor. (iv) Certificate from the concerned DFO about exact distance of boundary of Similipal National Park from the plant boundary. (v) Location of the unit in Google map.
13.	27655/448-IND2/06-2018	Sri Antaryami Behera M/s. Khunta main out still liquor shop. At surukuna village, Tahasil:	0.810	0.810	0.6	0.6035	1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished.	No	The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
		Khunta, Dist- Mayurbhanj					<p>3. Design and specification of O.S. (Pot) has been furnished.</p> <p>4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished.</p> <p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. The proponent has only furnished lease agreement without any supportive documents w.r.t ownership of land.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p> <p>9. Similipal National Park is at a distance of 13 km from the plant area.</p>		<p>information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1</p>


 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
									<p>KLD country liquor.</p> <p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Certificate from the concerned DFO about exact distance of boundary of Similipal National Park from the plant boundary.</p> <p>(vi) Location of the unit in Google map</p>
14.	27658/449-IND2/06-2018	<p>Sri Satyabrata Sahu</p> <p>M/s. Badasahi main out still liquor shop.</p> <p>at Badasahi village,</p> <p>Tahasil: Badasahi, Dist-Mayurbhanj</p>	1.350	1.350	1.0	0.906	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and</p>




Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished.</p> <p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Location of the</p>




Secretary, SEAC


Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							9. Information at sr. no. 8 (vii) of the checklist should be provided explicitly.		unit in Google map.
15.	27518/435-IND2/05-2018	Sri Madhab Patro M/s. Jangalpadu main out still liquor shop. At Jangalpadu , Tahasil: Parlakhemundi, Dist- Gajapati	0.474	0.474	0.60	0.178	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water</p>


 Secretary, SEAC


Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Location of the unit in Google map.</p>
16.	27669/437-IND2/06-2018	Sri Rajesh Kumar Sahu M/s. Sinapali main out still liquor shop. at Sinapali, Tahasil:Sinapal, Dist- Nuapada	1.080	1.080	2.4	0.486	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, 	No	The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.


Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>product and raw material storage area has been furnished.</p> <p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Land document has not been furnished.</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Document related to ownership of land /</p>


 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
									agreement with land owner. (v) Form – I should be signed. (vi) Location of the unit in Google map.
17.	27678/438-IND2/06-2018	Sri Rajesh Kumar Sahu M/s. Binapur main out still liquor shop. at Binapur, Tahasil: Boden, Dist- Nuapada	1.080	1.080	2.4	0.486	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated</p>


Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Document related to ownership of land on which plant has been established has not been furnished. The documents which has been furnished not in the name of the proponent.</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Location of the unit in Google map.</p>



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
18.	27679/439-IND2/06-2018	Sri Rajesh Kumar Sahu M/s. Hatibandha main out still liquor shop. At Hatibandha, Tahasil: Sinapali, Dist- Nuapada	0.810	0.810	21.3	0.214	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance</p>




Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Document related to ownership of land on which plant has been established has not been furnished. The documents which has been furnished not in the name of the proponent.</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Location of the unit in Google map.</p>
19.	27681/440-IND2/06-2018	Sri Rajesh Kumar Sahu M/s. Gorla main out still liquor shop. At Gorla , Tahasil:	0.540	0.540	2.1	0.314	<p>1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent.</p> <p>2. Process flow sheet has been furnished.</p> <p>3. Design and specification</p>	No	The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
		Sinapali, Dist- Nuapada					<p>of O.S. (Pot) has been furnished.</p> <p>4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished.</p> <p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Document related to ownership of land on which plant has been</p>		<p>with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p>


Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>established has not been furnished. The documents which has been furnished not in the name of the proponent.</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018</p>		<p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Location of the unit in Google map.</p>
20.	27684/441-IND2/06-2018	<p>Sri Rajesh Kumar Sahu</p> <p>M/s. Nilji main out still liquor shop.</p> <p>At Nilji ,</p> <p>Dist- Nuapada</p>	0.810	0.810	1.8	0.286	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated</p>



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Land documents has not been furnished.</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Location of the unit in Google map.</p>




Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced producti on capacity in KLD (Approved capacity)	Produc tion capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
21.	27687/442-IND2/06-2018	Sri Rajesh Kumar Sahu M/s. Gandabahali main out still liquor shop. At Gandabahali Tahasil: Khariyar, Dist- Nuapada	0.540	0.540	2.4	0.486	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance</p>



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Document related to ownership of land on which plant has been established has not been furnished. The documents which has been furnished not in the name of the proponent</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Location of the unit in Google map.</p>
22.	27688/443-IND2/06-2018	<p>M/s Shiv Prasad Sahu & Sons</p> <p>M/s. Sikarpai Main Out Still Liquor Shop</p> <p>at Sikarpai, Mouza-</p>	0.810	0.810	0.660	0.238	<p>1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent.</p> <p>2. Process flow sheet has been furnished.</p> <p>3. Design and specification of O.S. (Pot) has been</p>	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along</p>


 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
		Sikarpai, Tahasil-K.Singpur, Dist-Rayagada					<p>furnished.</p> <p>4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished.</p> <p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting</p>		<p>with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p> <p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p>



Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							held on 19.06.2018.		(iv) Location of the unit in Google map.
23.	27689/444-IND2/06-2018	M/s Shri Prasad Sahu & Sons Sungar Main Out Still Liquor Shop at Sungar, Mouza-Sungar, Tahasil-Kasipur, Dist-Rayagada	0.810	0.810	0.660	0.238	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State 	No	<p>The SEAC decided to return the application to SEIAA, Odisha with a request to ask the proponent to submit the following information along with modified checklist and application.</p> <p>(i) Details of Effluent Treatment Plant (ETP) for treatment of waste water generated from the country liquor units.</p> <p>(ii) Details of utilization of treated water to adopt Zero Liquid Discharge (ZLD) with water balance.</p>




Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Document related to ownership of land on which plant has been established has not been furnished. The documents which has been furnished not in the name of the proponent.</p> <p>9. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		<p>(iii) Corrected material balance along with modified checklist on the basis of material balance recommended by the SEAC in its meeting held on 19.06.2018 for production of 1 KLD country liquor.</p> <p>(iv) Document related to ownership of land / agreement with land owner.</p> <p>(v) Location of the unit in Google map.</p>
24.	22580/246-IND2/03-2018	Sri Dinesh Prasad Sahu M/s. Sahahbahal 'J' Main Out Still Liquor Shop at Sahajbahal,	1.254	1.254	1.5	0.808	<p>1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent.</p> <p>2. Process flow sheet has been furnished.</p> <p>3. Design and specification</p>	No	The SEAC decided to return the proposal to SEIAA, Odisha with a request to ask the proponent to apply for EC to MoEF&CC, Govt.




Secretary, SEAC


Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
		Tahasil: Jamankira, Dist-Sambalpur					<p>of O.S. (Pot) has been furnished.</p> <p>4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished.</p> <p>5. Copy of excise license of Competent Authority has been furnished.</p> <p>6. No forest land involved in project area.</p> <p>7. There is no protected areas i.e. National Park, Sanctuary, Habitat for Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p>		of India as category A project as Usha Kothi Wildlife Sanctuary is at a distance of within 5 km from the proposed location.



 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced producti on capacity in KLD (Approved capacity)	Produc tion capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							9. Usha Kothi Wild Life Sanctuary is at a distance of 3.0 kms from the plant area.		
25.	22560/243-IND2/03-2018	Sri Dinesh Prasad Sahu M/s. Khaliaguda Main Out Still Liquor Shop at Khaliaguda, Tahasil: Jamankira, Dist-Sambalpur	1.776	1.776	2.0	1.21	<ol style="list-style-type: none"> 1. Furnished filled in Form-I, pre-feasibility report and check list counter signed by Excise Superintendent. 2. Process flow sheet has been furnished. 3. Design and specification of O.S. (Pot) has been furnished. 4. Plant layout map indicating plant facilities, product and raw material storage area has been furnished. 5. Copy of excise license of Competent Authority has been furnished. 6. No forest land involved in project area. 7. There is no protected areas i.e. National Park, Sanctuary, Habitat for 	No	The SEAC decided to return the proposal to SEIAA, Odisha with a request to ask the proponent to apply for EC to MoEF&CC, Govt. of India as category A project as Usha Kothi Wildlife Sanctuary is at a distance of within 5 km from the proposed location.


 Secretary, SEAC

Sl. No.	SEIAA File No.	Name and address of the Country liquor project.	Licenced production capacity in KLD (Approved capacity)	Production capacity in KLD applied for EC	Waste water generation (in KLD) as per approved capacity	Solid waste generation (in TPD) as per approved capacity	Observation of the SEAC based on Form-I, Prefeasibility Report and Checklist	Whether general condition apply	Recommendation of the SEAC
							<p>Migratory Birds, Tiger Reserve, Protected Monuments, Inter-State boundary and critically polluted area as identified by CPCB etc. located within 5 km radius of the project area.</p> <p>8. Documents have not been prepared as per observation of the SEAC in its meeting held on 19.06.2018.</p> <p>9. Usha Kothi Wild Life Sanctuary is at a distance of 1.0 kms from the plant area</p>		


CHAIRMAN, SEAC


Secretary, SEAC