

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.in

### Minutes of the 373<sup>rd</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 09/06/2020

The meeting of 373<sup>rd</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 09/06/2020 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P.  
Member, SEIAA, U.P.  
Member Secretary, SEIAA, U.P.

Agenda-A: -Complaints/letters -NIL

Agenda-B:-Replies-NIL


Agenda-C:- Minutes of 465th SEAC Meeting Dated 20/05/2020

1. Revision & Expansion of Group Housing "Vilaasa" at Plot No.-GH-01B(2), Sector-ETA-2, Greater Noida.,M/s Yamuna Builtech Pvt. Ltd. File No. 5506/Proposal No. SIA/UP/MIS/49785/2019

SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.

2. Capacity expansion of DCM Shriram Ltd., Sugar Unit- Rapapur from 6500 TCD Sugar Mill along with 8.5 MW Cogeneration power plant to 12500 TCD along with 55 MW cogeneration power plant at Village- Munder, P.O.- Munder, Distt.-Hardoi, M/s DSCL Sugar Rapapur. File No. 5544/4175/Proposal No. SIA/UP/IND2/51404/2018

SEIAA noted that SEAC has recommended to grant EC to the above project, however noted that no comments have been made by SEAC regarding air/water pollution management like waste water generation, technical details regarding STP/ETP and discharge/ZLD etc. SEIAA also gone through file and documents and found that 2500 KLD of effluent is mentioned to be generated for which ETP of 2500 KL capacity is proposed and 2500 KLD of treated waste water is mentioned to be generated. The proposed ETP capacity is inadequate, which should be 20 percent more than the waste water generated. The waste water generation and treated waste water quantity also needs to be reviewed. ~~Justification of~~ 2500 KLD of waste water generated from ETP and 200 KLD of waste water generated from STP is being proposed to be used in gardening for justification of which necessary details regarding availability of land and feasibility report of treated waste water

 Madhu Bhardwaj

 RPS

use on it has not been submitted. Details of fly ash disposal is also not given. Hence SEIAA opined that project proponent shall submit the necessary details regarding above along with the relevant documents.

3. Residential Colony "R.S. City" at Arazi No.- 446 mi, 449, 450, 451, 452, 453, 456, 458 min, at Jhansi-Gwalor Highway, Village- Karari, District- Jhansi, U.P., M/s Radha Swami Infra Developers Pvt. Ltd. File No. 5551/4933/Proposal No. SIA/UP/MIS/51503/2019

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and noted that the project is situated in ground water depleted area, effluent is being proposed to be discharged to natural drain for which no details have been provided. The project proponent has not submitted structural stability certificate of the building. Hence SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water. Project proponent shall also submit intermediate and ultimate disposal of effluent along with a map <sup>point</sup> <sup>showing</sup> changing all natural drains surface water bodies and structural stability certificate.



4. "The Mixed-Use Project IT/ITES SEZ" at Plot No.-01, Sector- 143 A, District- Gautam Budha Nagar, U.P., M/s Urvasi Infrattech Pvt. Ltd. File No. 5557/4658/Proposal No. SIA/UP/MIS/50570/2019

SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and noted that salient feature of the project provided during the ToR presentation differs from salient feature presented during the EIA appraisal and 150 KLD of fresh water is being proposed for filter back wash and only 15 KLD of waste water is being generated. Water balance also needs a review. The project is proposed in ground water depleted area. Hence SEIAA opined that project proponent shall review and submit revised water balance and salient feature of the project along with clarification. SEIAA also opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water water balance to be reviewed

5. Bio Medical Waste Plant at Gata No.-295Mi, Village-FathepurVishnoi, Moradabad, U.P., M/s Sushila Bio Medical Waste Plant. File No. 4650/Proposal No. SIA/UP/MIS/30923/2019


SEIAA gone through file and documents and noted that machinery details like incinerator of 300kg/hr with ventury scrubber system, autoclave of 1500ltr/hr, shredder of 200kg/hr, ETP of 10 KLD should be added in the salient features of the project. SEIAA agreed with the recommendation of the SEAC to grant EC to the above project adding following specific condition:-


1. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
2. The unit shall strictly comply with the CPCB guidelines for setting up the Common Bio-Medical Waste Treatment Facility (CBWTF).
3. Proponent shall strictly comply the design criteria for incinerator, autoclave, shedder and all other requirements including bar-coding etc. as per the CPCB guidelines.
4. The unit shall strictly ensure mercury waste management at health care facility as per the CPCB guidelines.


 *Radha Swami Infra* 



5. The unit shall establish Standard Operating Procedure for waste collection, handling transportation, treatment and disposal as per Biomedical Waste Management Rules 2016.
  6. Zero Liquid Discharge (ZLD) status shall be maintained all the time.
  7. The project proponent shall comply with the Environmental standards notified by MoEF&CC for incinerators along with the technology/guidelines.
  8. The project proponent shall submit the schedule for training of various categories of employee involved in Bio-medical waste management at various levels of Bio-medical waste handling and treatment at Bio-Medical treatment facility within next 3 months to SEIAA U.P.
  9. Authorization from UPPCB under Bio-medical waste (Management and Handling) rule, 2016 shall be obtained.
  10. The unit shall develop 33% of plot area as a green belt within premises as per the CPCB guidelines.
  11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
  12. If the proposed project is situated in notified area of ground water extraction where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source.
6. Proposed Development of Shri Kashi Vishwanath Dham, Manikarnika Ghat and its Beautification at Varanasi, U.P. Shri Vishal Singh, CEO. File No. 5645/Proposal No. SIA/UP/MIS/ 150760/2020
- SEIAA noted that the above project was already taken by SEIAA. Hence no further action is required.
7. Common Biomedical Waste Treatment facility (CBWTF) at Khata No.-04, Arazi o.- 40,37,19/2, Vill.-Sonephool, Chandauli., M/s Environment Welfare Society. File No. 5485/Proposal No. SIA/UP/MIS/50649/2020
- SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.
8. Common Biomedical Waste Treatment Facility at Khasra No.-433 at Ambehta Chand, Tehsil-Rampur Maniharan, Saharanpur, U.P., M/s Greenlee Environmental Solutions. File No. 5507/Proposal No. SIA/UP/MIS/50972/2019
- The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-
- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.












- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
  - 3- MOU signed between the project proponent and the consultant should be submitted.
  - 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
  - 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
  - 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
9. Establish a New 100 KLD (RS/ENA/AA), MOLASSES BASED DISTILLERY ALONG WITH 4.0 mw Of Co-Generation Power Plant at Village-DhadaBujurg, Tehsil-Hata, P.O.-Sukrauli, District-Kushinagar., M/s Avadh Sugar & Energy Ltd. File No. 5509/Proposal No. SIA/UP/IND2/50862/2020

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
  - 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
  - 3- MOU signed between the project proponent and the consultant should be submitted.
  - 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
  - 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
10. Establishment of new Molasses based Distillery having Capacity: 100 KLD along with 7.0 MW co-gen power at Khasra No.- 108 in village Maslasia, 8, 46, 47, 49, 59, 60, 61, 62, 63, 65, 70, 72 in Village-Musallepur, Tehsil- Dhanaura, District- J.P. Nagar, U.P.,M/s Wave Industries Pvt. Ltd. File No. 5510/Proposal No. SIA/UP/IND2/ 50994/2020

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.



- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

**11. Establishment of new Molasses based Distillery having Capacity: 100 KLD along with 5.65 MW co-gen power at Khasra No.- 252, 607, 608/745, 239-241, 589, 591, 250, 597, 618, 594, 608, 585, 604, 243, 603, 595, 604, 243, 603, 595, 586, 590, 605, 615, 616, 617, 681, 685, 686, 251, 689, 692, 696, 695, 609, 699, 598, 700, 701, 678, 675, 668, 669, 242, 236-238, 234, 230 Village- Sikandarbad, Tehsil & District- Bijnor., M/s Bijnor Green Energy Pvt. Ltd. File No. 5616/Proposal No. SIA/UP/IND2/ 52446/2020**

The SEIAA agreed with the recommendation of the SEAC to issue the additional ToR;s to the title proposal for conducting EIA studies. The SEIAA also added the following points to TOR;-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.


**12. Sand Mining of Gorboro Riverbed at Gata No.- 373, 374, 382, 383, 384, 386, 387, 782, 800, 692 at Village-Navada, Tehsil-Mauranipur, District-Jhansi, U.P., M/s Sanika Construction, Leased Area -3.0 ha. File No. 5575/Proposal No. SIA/UP/MIN/ 147143/2020**


SEIAA noted that SEAC has recommended to grant the prior Environmental Clearance to the proposed project. SEIAA gone through the file and documents and found that the above lease area is not mentioned in DSR of Jhansi available with the Secretariat. Hence SEIAA opined that the project proponent shall submit the relevant documents.

**13. Badkala River Sand/Bajari/Boulder Mining at Khand No./Gata No.-8/1, 19, & 22, Village-HaiderpurHinduwalla, Tehsil- Behat, District-Saharanpur, U.P., Area: 4.20 Ha. File No. 5590/Proposal No. SIA/UP/MIN/ 147716/2020**

SEIAA agreed with the recommendations of the SEAC to close the file as the project proponent did not appear and open only after submission of online request on prescribed online portal.









**14. Sand Mining at Gata No.-57/4, Village-Motipur, Tehsil-Sadar, District-Gautam Buddha Nagar, U.P., (Leased Area: 1.2650 ha.). File No. 5592/Proposal No. SIA/UP/MIN/143635/2020**


SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.


**15. Sand Mining from Ganga Riverbed at Khand No.- 30, at Village- Paranipur- II (Bara Shiv Temple to High Tension Line Tower) & Imlauti, Tehsil- Meja/ Handiya, District- Prayagraj, U.P., M/s Mahip Construction Area -5.0 ha. File No. 5659/Proposal No. SIA/UP/MIN/153040/2020**


SEIAA agreed with the recommendation of SEAC that the matter shall be discussed after submission of online information on prescribed portal.

**16. Soil Mining at Gata no. 408, 491, 546, 547, 548, 634, 635 & 638, Village-Bakkas, Tehsil-Mohanlalganj, District-Lucknow, U.P., (Leased Area: 1.911 Ha) M/s Seema Enterprises. File No. 5615/Proposal No. SIA/UP/MIN/149387/2020**

SEIAA agreed with the recommendation of the SEAC that as per the provision laid down in EIA Notification 2006 (as amended thereof) read along with notification S.O. 1224(E) dated 28.03.2020 issued by MoEF&CC GOI and also order issued by Environment, forest & climate change section -7, Government of UP Lucknow vide no. 446/81-7-2020-39(parya)/2014 TC-1 dated 01.05.2020 regarding the proposals which do not require environment clearance. Under the point no. 6 of notification dated 28.03.2020, it has been elaborated that, "Extraction or sourcing or borrowing of ordinary earth for the linear projects such as roads, pipelines, etc." has been exempted from seeking environment clearance. Hence, they said proposal no. SIA/UP/MIN/149387/2020 has been exempted from seeking environment clearance provided that all the norms laid down in the aforesaid notifications.

  
(Shri Ashish Tiwari, IFS)  
Member-Secretary  
SEIAA

  
(Dr. (Smt.) Madhu Bhardwaj)  
Member  
SEIAA

  
(Prof. Rana Pratap Singh)  
Chairman  
SEIAA  
12/06/20