

State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

Minutes of the 619th Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 20.06.2022

The meeting of 619th State Level Environment Impact Assessment Authority, UP (SEIAA) was held on-line on 20.06.2022 at the Directorate of Environment. The following were present in the meeting:-

1. Dr. Rajiv Kumar Garg
2. Shri Paras Nath
3. Shri Ajay Kumar Sharma

- Chairman, SEIAA, U.P
Member, SEIAA, U.P
Member Secretary, SEIAA, U.P

Agenda A- Minutes of 657th SEAC-2 Meeting Dated 23/05/2022

1. **Stone, Khanda, Boulder, Ballast (Gitti), Mining at Araj No. /Plot No. 712, Khand No.-05, at Village – Chhikahra, Tehsil-Sadar, Mahoba., Shri Raj Kumar Sharma, M/s S.S. Infratech. Area 2.024 ha. File No. 6429/Proposal No. SIA/UP/MIN/64372/2021**

SEIAA agreed with the recommendations of the SEAC-2 to close/ delist the file as the project proponent did not appear and open only after submission of online request on prescribed online portal. A letter shall be send to DM, Mahoba to ensure that no mining activity is started until valid EC is obtained and in case mining has been carried out without valid EC then work should be stopped and legal action should be initiated against the PP.

2. **Stone (Sandstone) Mining at Arazi No.-36/6/5, Vill-Sonbarsa, Tehsil-Lalganj, Mirzapur Shri Sandeep Tiwari, Area- 0.809 ha. File No. 7063/Proposal No. SIA/UP/MIN/76386/2022**

SEIAA agreed with the recommendation of the SEAC-2 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 3- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 4- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.



- 5- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 6- KML file for the area and mining lease area should be provided.
- 7- Status of leases granted/to be granted in various mining khandas along with production since the formulation of DSR, duly certified by the competent authority should be submitted.
- 8- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 9- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 10- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 11- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 12- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 13- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 1,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 14- Project Proponent / Consultant has given an affidavit that the project area doesn't fall within the boundary of Critically Polluted Area (CPA). If the affidavit given by PP / Consultant is found to be false then ToR / EC will be cancelled and legal actions will be initiated against them. Further, certificate from concerned RO, UPSPCB that area doesn't attract CPA and a copy of the same should be submitted at the time of evaluation of EIA-EMP report by SEAC.
- 15- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management

plan for the rejuvenation and management of water bodies having a total surface area of not less than 5 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.

- 16- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.
- 17- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 18- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 19- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

3. Stone Gitti/Boulder (Dolostone) Mining at Arajai No. 5006ka, Vill – Billi Markundi, Tehsil – Obra, Dist – Sonbhadra Smt. Shri Ram Asrey Agrahari M/s Radhe Radhe Enterprises., Area – 3.40 Ha. File No. 7064/Proposal No. SIA/UP/MIN/76396/2022

SEIAA agreed with the recommendation of the SEAC-2 to issue additional ToR to the title proposal for conducting EIA studies. The SEIAA also added the following points to ToR-

- 1- For EIA preparation monitoring period will be after the date of issue of ToR.
- 2- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 3- The lease area its address and production per annum should match with as mentioned in DSR and Lol. In case there is any difference clarification/ amendment letter from competent authority shall be submitted along with EIA. EIA and public hearing shall be conducted as per the lease area its address and production per annum mentioned in DSR and Lol.
- 4- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 5- Plan for using the mine void for productive use in consultation with local administration and gram-panchayat.
- 6- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.
- 7- KML file for the area and mining lease area should be provided.
- 8- Status of leases granted/to be granted in various mining khands along with production since the formulation of DSR, duly certified by the competent authority should be submitted.

A

- 9- In case project proponent intends to temporarily store mined out material or any tools, equipments or other material outside mine lease area then NOC from competent authority for doing so should be submitted and details of such area and associated Environmental impacts should be included in EIA-EMP report. This should also be clearly mentioned during public hearing.
- 10- Road network to be used by the project should be clearly shown on Survey of India toposheet in 1:50,000 scale. In case road network involves forest road, permission should be obtained from Forest Department and a copy of the same should be submitted at the time of appraisal of EIA-EMP report.
- 11- The project proponent should clearly spell out whether it is a green field or brown field project. In case it is a brown field project and -
 - (i) If the earlier and present lease holder are same then compliance report of previous EC should be submitted.
 - (ii) If the earlier and present lease holder are different then environmental footprint of the site and mitigation measures should be included in EIA-EMP report.
- 12- In case of expansion / renewal of earlier EC, following information should be submitted
 - a. Status of compliance of earlier EC conditions by Integrated Regional Office, MoEFCC, GoI, Lucknow.
 - b. Copy of CTE and CTO issued by SPCB.
 - c. Status of submission of six-monthly compliance report to EC granted earlier
 - d. Court cases, if any.
- 13- Observations raised in public hearing, replies submitted by project proponent, suitable modifications carried out in EIA-EMP report.
- 14- Project Proponent should submit action plan for carrying out plantation at least @1,000 plants / ha of lease area. In this case, PP should prepare a plan, duly approved either by Forest Department or Horticulture Department, for planting at least 4,000 plants, either on government land or community land, within a periphery of 5 km from the boundary of the lease area along with provision for maintenance for 5 years. Survival of plants below Uttar Pradesh Forest Department's survival rate will be treated as violation of EC condition.
- 15- Project Proponent / Consultant has given an affidavit that the project area doesn't fall within the boundary of Critically Polluted Area (CPA). If the affidavit given by PP / Consultant is found to be false then ToR / EC will be cancelled and legal actions will be initiated against them. Further, certificate from concerned RO, UPSPCB that area doesn't attract CPA and a copy of the same should be submitted at the time of evaluation of EIA-EMP report by SEAC.
- 16- In consultation with District Environment Authority or an authority nominated by concerned DM, Project Proponent will prepare a conservation and management plan for the rejuvenation and management of water bodies having a total surface area of not less than 20 ha. Funds for the same will be kept in a separate bank account and six-monthly implementation status will be presented by the Project Proponent before the nominated authority in the district.
- 17- Number of mining projects are coming up in district. Department of Geology & Mines, GoUP to carry out regional EIA-EMP report including carrying capacity of



environmental components to assess the capacity to further bear the pollution load for such areas within a period of 1 year and submit the same to SEIAA, UP for evaluation.

- 18- Department of Geology & Mines, GoUP in consultation with UPSPCB will establish required number of CAAQMS in district within a period of one year and submit geo-referenced map of these stations along with data. Details of existing CAAQMS, if any, be submitted within a period of three months.
- 19- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 20- Project Proponent in consultation with UPSPCB will establish required number of CAAQMS within a period of one year and submit geo-referenced map of these stations along with data on six-monthly basis.

4. Stone Khanda, Gitti, Boulder & Red Morrum Mining at Gata No. 384, Vill.-Tooka, Tehsil-Rath, Hamirpur, Shri Jagdish Singh, Area: 0.701 Ha. File No. 7068/6177/Proposal No. SIA/UP/MIN/74920/2021

SEIAA noted that SEAC-2 has recommended to grant EC to the above project. SEIAA also gone through the complaint letter of Shri Gaurav Kumar Srivastva Allahabad received in the office via e-mail dated 20.06.2022. The complaint states that SEAC-1 had raised some queries regarding the monitoring period, so the consultant/PP presented the case in SEAC-2 with the same data and got it approved. Hence SEIAA opined that the complaint letter shall be sent to SEAC-1 for information and SEAC-2 for review/comments.

5. Stand-alone Grinding Unit with Cement Production Capacity of 5.0 MTPA (Line I - 2.5 MTPA and Line II - 2.5 MTPA) and D.G. Set of 2000 KVA (Line I - 2 x 500 KVA and Line II - 2 x 500 KVA) at Village: Nevada, Tehsil-Lalganj, Mirzapur, M/s. Dalmia Bharat Green Vision Ltd. File No. 6710/Proposal No. SIA/UP/IND/ 69198/2021

SEIAA agreed with the recommendation of the SEAC-2 to issue additional ToR to the title proposal for conducting EIA studies. SEIAA also added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.

A

- 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 6- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted.
- 7- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 8- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

6. **Proposed of Addition & Expansion of API Drugs & Intermediates at Khasra No.- C-24 to c-28, Plot No. C-24 To 28, UPSIDC Industrial Area, Meerut Road, Begraipur, Khatauli, Muzaffarnagar, Uttar Pradesh, M/s Magma Industries Limited. File No. 6810/Proposal No. SIA/UP/IND3/ 247678/2021**

SEIAA noted that SEAC-2 has recommended to grant EC to the above project. SEIAA gone through file and documents and found that proposed intermediates products are:

S.No	Product Name	Proposed Quantity/ TPM
1	Para- Aminophenol (PAP)	400
2	Para- Nitrochlorobenzene (PNCB)	1000
3	Meta- Nitrochlorobenzene (MNCB)	70
4	Ortho- Nitrochlorobenzene (ONCB)	350
5	Ortho Chloro aniline (OCA)	150
6	Meta Chloro aniline (MCA)	200
7	Para Chloro aniline (PCA)	200
8	Ortho Anisidene	150
9	Para Anisidene	150
10	Ortho Nitroanisole	150
11	Para Nitroanisole	150
12	10-Methoxyiminostilbene	30.0

SEIAA agreed with the recommendations of the SEAC-2 to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC-2. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- Guidelines issued by CAAQMS for NCR region regarding the use of DG sets during construction and operational phase should be followed.
- 2- Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.
- 3- The unit shall establish Standard Operating Procedure for waste collection including expired drugs, waste handling, transportation, treatment and disposal as per Biomedical Waste Management Rules 2016.
- 4- If the proposed project is situated in notified area of ground water extraction where creation of new wells for ground water extraction is not allowed then the permission from the competent authority must be taken and be submitted to SEIAA.

A

7. Proposed Development of Medical Device Park at Village- Rabbura & Muradgadi, Sector-28, Greater Noida, Uttar Pradesh, M/s Yamuna Expressway Industrial Development Authority. File No. 7076/Proposal No. SIA/UP/MIS/ 76666/2022

SEIAA agreed with the recommendation of the SEAC to issue additional ToR to the title proposal for conducting EIA studies. SEIAA also added following points to ToR-

- 1- All pages of technical documents/EIA/EMP etc. should be signed by the consultant and project proponent both.
- 2- Copy of all the analysis reports duly signed by analyst approved by NABL or MoEF&CC shall be annexed with the EIA report and original analysis reports should be presented at the time of presentation.
- 3- MOU signed between the project proponent and the consultant should be submitted.
- 4- A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 and submit along with EIA.
- 5- Public hearing shall be conducted as per EIA notification, 2006 (as amended).
- 6- Provision for charging of electric vehicles as per the guidelines of GoI / GoUP should be submitted.
- 7- Along with the EIA-EMP report, PP / consultant will also submit in tabular form as to how they have addressed entire ToR while preparing draft EIA-EMP report for PH. Further, PP / consultant will submit in tabular form as to how they have addressed issues raised during public hearing and have incorporated the same in final EIA-EMP report. A presentation to this effect should be made before SEAC at the time of EIA-EMP presentation.
- 8- SEIAA opined that the project proponent shall submit permission of CGWA or proposal for alternative source of fresh water.

Assistant Nodal/Nodal Officer

SEIAA, UP

MoM prepared by Secretariat in consultation with Chairman & Members on the basis of decisions taken by SEIAA during the meeting.



(Ajay Kumar Sharma)
Member-Secretary
SEIAA

(Paras Nath)
Member
SEIAA

(Dr. Rajiv Kumar Garg)
Chairman
SEIAA