

**Agenda of 230th Meeting of State Level Expert Appraisal Committee -1
(SEAC-1)**

Date: 27/10/2022 to 28/10/2022

Time: 10:00 AM Onwards

Venue: Meeting through Video conferencing.

Important Notice

1. All Project Proponent's and Consultants are requested to send Mobile Number, Name and email id's of two representatives of PP and two representatives of Consultants to book for Video Conferencing and sending required information.
2. The above information shall be sent on abhay.pimparkar@nic.in by **25th October, 2022.**
3. PP to ensure to deposit scrutiny fees as per important notice published on 10th November, 2020 by SEIAA on ec.ecmpcb.in website & includes details in the presentation of the project.
4. PP shall send hard copies of presentation, Form I/II, EMP & other relevant documents as well as documents mentioned in **Annexure -A** for sand ghat, Stone Quarry proposals along with **Annexure -B** i.e. Brief Information of Sand Ghat proposals & **Annexure -C** i.e. Brief Information of Stone Quarry proposals to Chairman & Expert Members of Committee by e-mail on mail I'ds & Hard copy (through Courier/Post) as mentioned below. **PP and Consultant ensure that documents will reach before 25th October, 2022 by 05.00 P.M. The information reached after the aforementioned time limit will not be considered as received and the proposal will be deferred.**
5. PP & Consultants are requested to send Hard Copies of EIA to all expert members & ensure that same should be reached before **25th October, 2022.**

Sr.	Name	Designation	Email ID	Submission Required
1.	Dr. Rakesh Kumar	Chairman	rakeshmee@rediffmail.com	Soft & Hard Copy
2.	Mr. Jeevan Patgaonkar	Vice Chairman	jeevanpatgaonkar@gmail.com	Soft & Hard Copy
3.	Mrs. Kavita Takale	Member	kavitatakale@yahoo.co.in	Soft Copy
4.	Mr. Kundan Deshmukh	Member	md@pbnagro.com	Soft Copy
5.	Mr. Chandrashekhar Marathe	Member	ccmarathe@gmail.com	Soft Copy
6.	Mr. Abhay Pimparkar	Member Secretary	abhay.pimparkar@nic.in	Soft & Hard Copy

6. Details of link for Video Conferencing will be communicated shortly.

NOTE

For speedy disposal of proposals, all Project Proponents & Consultants are hereby informed that the SEAC-1 decided to consider PPs absenteeism for single time only that to on medical ground. If PP remains absent for second time for any reason, the proposal will be out rightly rejected.

Annexure – A

Following documents must be submitted by email/ Hard copy to committee member as mentioned above –

A) For Sand Ghat Proposals:

1. Excel Sheet forwarded to all District & Annexure 'B' Attached.
2. Presentation of Point wise Compliance of Sand Mining Guidelines issued by MoEF & CC
3. KML file of Sand ghat.
4. Individual ghat wise PPT presentation.
5. Approved District Survey Report along with certificate of District Collector that DSR is prepared as per various guidelines issued by MOEF&CC.
6. Details of suggestion / objection received on District Survey Report along with Action Taken details .
7. Point wise Compliance of issues raised during Public Consultation along with time bound program for its implementation & financial provision in EMP.
8. Prefeasibility Report (including sand availability calculations, supply demand ratio, replenishment etc.)
9. Sand ghat wise approved mining plan with closure plan.
10. Sand ghat wise Environmental Management Plan for all Environmental Parameters.
11. Sand Ghat Site specific enforcement & monitoring plan as per guidelines stipulated in the Enforcement and Monitoring Guidelines for sand mining issued by MoEF&CC in January 2020.
12. Compliance of earlier Environmental Clearance (if applicable).
13. Information about any specific order passed by any Hon'ble court.

B) For Stone Quarry Proposals:

1. 7/12 in the name of PP including K prat documents.
2. TILR Survey Report.
3. KML File showing proposed project location.
4. Name in DSR and Approved mining plan.
5. Cluster certificate from DMO.
6. Where DMO visited the Stone Quarry site, report shall be submitted with observations and related maps if any.
7. NOC from Forest Department in case forest is within 500 m.
8. Eco Sensitive Area (ESA)/Eco Sensitive Zone (ESZ) applicability to the project site.
9. EMP with budget including CER duly signed by the Project Proponent.
10. Confirmation that there is no forest area, Residential/Public buildings, inhabited sites, Protected monuments, Heritage sites, National I State Highway, District Ro ads, Public Roads, Railway Lines/Area Ropeway or Ropeway trestle or station, Bridges, Dams, Reservoirs, River, Canals or Lakes or Tanks, or any other locations to be considered by States- within 200 m if blasting is involved.
11. Form 1M/Form 2.
12. Consistency Certificate from Accredited EIA Consultant.
13. GSDA NOC in case quarry involves hill cutting
14. Tehsildar site visit report for approach road
15. NOC from Gram Panchayat if common village road is proposed to be used.
16. Quarry layout showing area for parking, number of trucks that can be parked, rest/lunchroom, toilet facility for workers/truck drivers, store for tools and tackles.

17. Arrangement for storing of explosives at site and max quantity proposed to be used per day.
18. Availability of hospital/ambulance in case of accident.
19. Quantity of over burden and plan for utilization/disposal.
20. Length of approach road for tree plantation 250 m or actual, whichever is more. Trees to be planted on both sides at c/c 2 m. Tree plantation in 7.5 m safety zone in minimum two rows at c/c 2.0 m. Green belt development plan with budget. Commitment to implement in 1 year.
21. Plan for using renewable energy for illumination of office buildings, street lights, parking areas.
22. In case of any excavation carried out on site without obtaining prior Environment Clearance DMO site visit report indicating factual data regarding the same along with status of violation of EIA Notification, 2006 amended from time to time be submitted.

For Revalidation of stone quarrying proposals:

PP shall ensure to follow following procedure for revalidation of their earlier prior Environmental Clearance (EC):

1. Project Proponent shall submit following documents along with application for revalidation of EC
 - a) Copy of latest six monthly report submitted to the Competent Authority for their earlier prior Environmental Clearance along with undertaking that all earlier six monthly reports had been submitted in time.
 - b) Copy of valid Mining Lease document.
 - c) Copy of approved Mining Plan.
 - d) Recent photographs of the site
2. PP shall be present for the meeting along with their team and present status of compliance of each EC conditions with clear information on,
 - a) Conditions fully complied along with supporting documents, data, photographs, reports etc.
 - b) Conditions partly complied shall be presented along with proposed compliance plan including strict time lines and budgetary allocations if required.
 - c) Condition not complied shall be presented with reasons for non-compliance and proposed compliance plan including strict time lines and budgetary allocations if required.

C) For Sugar Industry Project:

- 1) PDF copy of presentation.
- 2) Form I/II, Pre -Feasibility Report.
- 3) KML file of project location
- 4) Executive Summary of Project.
- 5) Zero Liquid Discharge (ZLD) undertaking.
- 6) EMP along with bifurcation of expenditure for all environmental parameters.
- 7) Lay out plan to the scale showing internal roads with minimum six meter width and nine meter turning radius, separate entry/exit gates ,provision of cul-de-sac at dead ends of the internal roads if any, location of pollution control equipment, parking areas (with type of vehicles), 33% green belt preferably on periphery of the plot with their dimensions, raw material and finished product storage areas, rain water harvesting structures (locations with dimensions), storm water drain lines, along with index and area statement showing calculations for each area and cross sections of storm water drain and rain water harvesting pits etc.
- 8) Layout plan to scale showing contour levels, storm water drain lines and location of rain water harvesting facilities along with calculations. PP to consider 125 mm rain intensity in Mumbai / Konkan area and 100 mm in rest of the Maharashtra area for the purpose of calculations
- 9) Detailed ETP design including RO reject management calculations along with flow chart and capacities of individual units. Details of O &M budget for ETP.
- 10) Details of Chemical Compatibility Chart for all chemicals and finished products handled, stored on site.
- 11) Details of Fire mitigation measures proposed on site with Disaster Management Plan/ On-Site Emergency Response Plan.
- 12) Plan for using renewable energy for illumination of office buildings, street lights, parking areas.
- 13) Solid Waste Management Plan (Use/Reuse & Disposal of ETP sludge, Yeast sludge)
- 14) Detail plan for disposal of CO₂ & Methane generated.

D) Industry Project:

- 1) PDF copy of presentation.
- 2) Form I/II, Pre -Feasibility Report.
- 3) EIA / EMP Report.
- 4) KML file of project location.
- 5) Executive Summary of Project.
- 6) CETP permission.
- 7) EMP.
- 8) Lay out plan to the scale showing internal roads with minimum six meter width and nine meter turning radius, separate entry/exit gates ,provision of cul-de-sac at dead ends of the internal roads if any, location of pollution control equipment, parking areas (with type of vehicles), 33% green belt preferably on periphery of the plot with their dimensions, raw material and finished product storage areas, rain water harvesting structures (locations with dimensions), storm water drain lines, along with index and area statement showing calculations for each area and cross sections of storm water drain and rain water harvesting pits etc.
- 9) Layout plan to scale showing contour levels, storm water drain lines and location of rain water harvesting facilities along with calculations. PP to consider 125 mm rain intensity in Mumbai / Konkan area and 100 mm in rest of the Maharashtra area for the purpose of calculations
- 10) Detailed ETP design including RO reject management calculations along with flow chart and capacities of individual units. Details of O &M budget for ETP.
- 11) For API proposals detailed Chemical Compatibility Chart for all chemicals and finished products handled, stored on site.
- 12) Details of Fire mitigation measures proposed on site with Disaster Management Plan/ On-Site Emergency Response Plan.
- 13) Plan for using renewable energy for illumination of office buildings, street lights, parking areas.
- 14) Material balance calculations.
- 15) Process flow Diagram & Chemical reactions (Where necessary)
- 16) Any other documents necessary for appraisal not included in above list.

Annexure -B

Brief Information of Sand Ghats.

Sr. No.	Description	Detail of sand ghat
PARIVESH UID NUMBER OF SAND GHAT		
1	Name and address of proposed sand ghat	
2	Details of all corner Latitude/Longitude of the sand ghat	
3	Name of river Bed	
4	Total Area of sand ghat in Ha	
5	Area of sand ghat (Length x Width x Depth) and Quantity of sand available in the ghat in Brass as approved in the Mining Plan	
6	Life of Sand Ghat (In Years)	
7	Details of cluster formation in the periphery of 500 meter radius of the proposed sand ghat	
8	Whether earlier Environmental Clearance is granted to the sand ghat (Yes/No) If yes, Pl. provide EC No. & Date. (Submit copy of certified compliance of earlier EC obtained from the Regional Office of MoEF&CC, Nagpur)	
9	Whether District Survey Report (DSR) is prepared as per various guidelines issued by MoEF&CC in 2016 and 2020 etc. (Yes/No)	
10	Date of District Survey Report published on the District Web Site.	
11	Details of suggestion/objection received on the DSR and action taken report on the same. (pl. attach report if necessary)	

12	Date of Public Hearing conducted for the sand ghat.(Pl. attached Public Hearing report along with proposed action plan to comply and implement the issues raised during Public Hearing)	
13	Amount of funds reserved for the compliance of issues raised in the Public Hearing (In Rs. Lakhs)	
14	Details of approach road (Length & Width in meters from sand ghat to the sand storage depot or main road)	
15	Details of Green Belt Development (Pl. mention No. of trees)	Along the both sides of the approach road:
		Along the river bank:
16	Details of Environmental Management Plan	Capital Investment (Rs. Lakhs)
		Recurring Investment (Rs.Lakhs)
17	Details of any sensitive structure in the periphery of 1 KM from the proposed sand ghat	

(Sd/-)

District Mining Officer,

....., District.

Annexure -C (For Stone Quarry/Sugar & Other Industry)

Sr.No.	Particulars Required	Details
1	Name of the project & Address along with all corner latitude and longitude	
2	Type of Organization (Private /Government/Semi Government etc.)	
3	Correspondence Address and contact details of Project Proponent	
4	Type of project (ToR/EC/Amendment in ToR/Amendment in EC/ Revalidation/ Expansion/Process change etc.)	
5	Category of project as per EIA Notificaiton 2006 amended from time to time (Pl. mention category A,B,B1,B2 etc. whichever is applicable)	
6	If earlier ToR is obtained pl. mention details (ToR letter No. & Date, SEAC/EAC Meeting No.)	
7	If earlier EC is obtained pl. mention EC Number &Date	
8	Whether the proposal is a violation case (yes/no)	
9	Applicability of CRZ clearance (yes /no)	
10	Whether General /Specific Conditions are applicable to the project (Yes/No) If yes pl. give details	
11	Whether Scrutiny fees paid as per SEIAA guidelines (Yes/No); If yes pl give payment details	
12	Name of accredited Environmental Consultant & address along with Accreditation No. & Validity	
13	Name of layout plan approving Authority	

14	Estimated cost of Project (in Rs. Lakhs)																																												
15	Area of project (in Sq.m.)																																												
16	Whether 33% green belt is provided (Yes/No)																																												
17	Area of Green Belt & No. of trees in the proposed project in Sq.m. (Pl. provide 2000 trees per hectare of green belt area)																																												
18	Width of internal roads and turning radius																																												
19	Details of proposed construction	Total Built-up Area (in Sq.m)																																											
		No. of Buildings & its height in mtrs.																																											
20	List of Raw materials & Storage Details (Pl. add on in the list if necessary)																																												
	<table border="1"> <thead> <tr> <th>Sr. No</th> <th>Name of Raw material</th> <th>Consumption MT/M</th> <th>Maximum Storage Details</th> <th>Hazard category</th> <th>Proposed precaution to prevent accident</th> <th>Remarks</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Sr. No	Name of Raw material	Consumption MT/M	Maximum Storage Details	Hazard category	Proposed precaution to prevent accident	Remarks																																					
Sr. No	Name of Raw material	Consumption MT/M	Maximum Storage Details	Hazard category	Proposed precaution to prevent accident	Remarks																																							
21	Production Details																																												
	<table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Name of product</th> <th>Existing capacity MT/M</th> <th>Proposed capacity MT/M</th> <th>Total capacity MT/M</th> <th>Name of Product approving authority (like FDA of pharmaceuticals etc.)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Sr. No.	Name of product	Existing capacity MT/M	Proposed capacity MT/M	Total capacity MT/M	Name of Product approving authority (like FDA of pharmaceuticals etc.)																																						
Sr. No.	Name of product	Existing capacity MT/M	Proposed capacity MT/M	Total capacity MT/M	Name of Product approving authority (like FDA of pharmaceuticals etc.)																																								

22	<p>Water Consumption & Effluent generation (All units in CMD)</p> <p>i) Source & Qty of water requirement (in CMD) :</p> <p>ii) Water supply permission obtained (Yes/No) & approving Authority :</p> <table border="1" data-bbox="258 333 1406 875"> <thead> <tr> <th rowspan="2">Particulars</th> <th colspan="3">Consumption (CMD)</th> <th colspan="3">Loss (CMD)</th> <th colspan="3">Effluent generation (CMD)</th> </tr> <tr> <th>Existing</th> <th>Proposed</th> <th>Total</th> <th>Existing</th> <th>Proposed</th> <th>Total</th> <th>Existing</th> <th>Proposed</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>Industrial Process</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Industrial cooling</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Boiler</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Domestic Purpose</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Green Belt</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>other (specify if any)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Particulars	Consumption (CMD)			Loss (CMD)			Effluent generation (CMD)			Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	Industrial Process										Industrial cooling										Boiler										Domestic Purpose										Green Belt										other (specify if any)									
Particulars	Consumption (CMD)			Loss (CMD)			Effluent generation (CMD)																																																																									
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total																																																																							
Industrial Process																																																																																
Industrial cooling																																																																																
Boiler																																																																																
Domestic Purpose																																																																																
Green Belt																																																																																
other (specify if any)																																																																																
23	Quantity of sewage generation (in CMD)																																																																															
24	Details of Sewage Treatment and Disposal of treated sewage:																																																																															
25	<p>Detail of Effluent Generation (unit CMD)</p> <table border="1" data-bbox="258 1218 1406 1480"> <thead> <tr> <th>Particulars</th> <th>Existing</th> <th>Proposed</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>a)Qty. of Effluent generation: (CMD)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>b)Qty. of high TDS/COD effluent: (CMD)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>c)Qty. of low TDS/COD effluent: (CMD)</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Particulars	Existing	Proposed	Total	a)Qty. of Effluent generation: (CMD)				b)Qty. of high TDS/COD effluent: (CMD)				c)Qty. of low TDS/COD effluent: (CMD)																																																																		
Particulars	Existing	Proposed	Total																																																																													
a)Qty. of Effluent generation: (CMD)																																																																																
b)Qty. of high TDS/COD effluent: (CMD)																																																																																
c)Qty. of low TDS/COD effluent: (CMD)																																																																																
26	Whether Zero liquid Discharge Effluent Treatment is proposed (Yes/No)																																																																															
27	Brief Description of Effluent Treatment scheme																																																																															
28	Qty of treated effluent proposed to be sent to CETP (pl. mention Name of CETP and its membership Details)																																																																															

34	Brief Note on Air Pollution Control equipment's																						
35	Stack Details (Also include process vent details)																						
Sr. No.	Section /Unit	Source pollutions	Stack No.	Stack height	Height form ground	Internal Diameter (inch)	Temperature of exhaust gas																
36	Energy a) Source of power Supply : b) Maximum Demand (KVA) : c) whether DG sets will be provided (Yes/No): if yes : <table border="1" data-bbox="256 1077 1402 1312"> <thead> <tr> <th data-bbox="256 1077 408 1167">Sr. No.</th> <th colspan="2" data-bbox="408 1077 970 1167">No. of DG Sets</th> <th data-bbox="970 1077 1402 1167">Capacity</th> </tr> <tr> <td></td> <th data-bbox="408 1167 687 1218">Existing</th> <th data-bbox="687 1167 970 1218">Proposed</th> <td></td> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> d) Please Mention if high tension line is passing through the plot : Yes/No If yes, pl. give details of safety measures adopted:							Sr. No.	No. of DG Sets		Capacity		Existing	Proposed									
Sr. No.	No. of DG Sets		Capacity																				
	Existing	Proposed																					
37	Details of use of renewable energy with budget allocation i) Total Energy Demand ----- KVA ii) Proposed renewable energy source capacity ----- KVA iii) Proposed Budget (in Rs. Lakhs): iv) Timeline for implementation:																						

38	Details of public hearing (if applicable) i) Place of public hearing : ii) Date of public hearing: Please fill following details				
Sr. No.	Issue raised during public hearing	Applicant plan for its compliance/ implementation	Budget allocation for implementation	Specific timeline of compliance	

39	EMP (Please mention specific items proposed in EMP along with specific timeline for its implementation) Construction Phase					
Sr.No.	Attribute	Specific measure	Budget in (Rs lakh)	Remark		
१	Air					
२	Water					
३	Noise					
४	Soil					
५	Solid waste					
६	Hazardous waste					
७	Fuel &					
Operation Phase						
Sr. No.	Attributes	Specific measures	Budget in Rs. lakh	Time line for 1/5 implement	Responsibility	Remarks
above 1 to 8 Colum						
9	Rain water harvesting					
10	implementation of recommendation of LCA					
11	Implementation recommendation HA20P/Risk Assessment					
12	Any other please specify					

40	Other Relevant Information : (Pl. provide brief note on proposed project)	
41	Details of skill development program within Organization	
42	Details of environmental Monitoring Cell (Pl. provide organogram with educated Qualification and experience)	
43	Details of court cases if pending in any Hon'ble court	

**Signature of Project
Proponent**

Agenda

Sr.	Name of Proposal	SEIAA St. No.	Category	Date	Time
1.	Environmental Clearance For Proposed new project for manufacturing of Chemical Intermediates, Pharma Intermediates & Specialty Chemicals Total Capacity of Products 1104.95 TPM located at Plot No.: F-34 & 35, MIDC Jalgaon, District Jalgaon, Maharashtra 425003 by M/s. SRI SRI RADHA KRISHNA CHEMICALS PRIVATE LIMITED	69515	EC EIA	<u>27/10/2022</u>	10.00 A.M. Onwards
2.	Environment Clearance for Regularization of existing rolling mills for the production of CR coils & Sheets (180000 TPA); Galvanised/Galume Coils & Sheets (360000 TPA); Colour Coated (Repainted) Coils & Sheets (120000 TPA); Pipes & Tubes (120000 TPA); API pipes (285000 TPA); Captive Power Plant (24 MW) located at Village - Savroli, Po. Sajgaon, Tehsil - Khalapur, District - Raigad, Maharashtra - 410 203 by M/s. TATA Steel Ltd.	68047	EC EIA		
3.	Environmental Clearance For Tembhurdoh Dolomite mine located at Survey No. 202, Tembhurdoh, Tal. Saoner, Dist. Nagpur by Ashish Ramesh Belorkar	290278	EC B2		
4.	Environmental Clearance of Parseoni Manganese Ore Block, proposed production capacity 29,737 TPA, area 44 Ha, Village – Parseoni & Pallora, Taluka – Parseoni, District – Nagpur by M/s Universal Impex	51515	Compliance (ToR)		
LUNCH					
5.	Environmental Clearance For Proposed expansion project for manufacturing of synthetic organics chemicals Total Capacity of Products 11679.00 TPA 5(f) Category – B1, At Plot No.: C-39, Survey No. 85/1, MIDC Lote Parshuram Industrial Area, Khed, Ratnagiri, Maharashtra by M/s. PRIVI ORGANICS LIMITED	82252	EC EIA		
6.	Environment Clearance for Proposed manufacturing facility of Ethyl Acetate (60TPD) at Plot no. C57, Indapur industrial area, MIDC Tal. Indapur, Dist. Pune by M/s. Laxmi Power Ethanol & Organics LLP	69967	EC EIA		
7.	Environment Clearance for Expansion of Sugar unit from 2500 TCD to 7500 TCD, Molasses Based Distillery from 20 KLPD to 100 KLPD and New 38 MW Cogeneration Unit At Gut No. 21/1 to 21/6, Kumathe, Post-Tikekarwadi, Tal. North Solapur, Dist. Solapur by M/s. Shree Siddheshwar Sahakari Sakhar Karkhana Ltd.	62878	Compliance		
8.	Environmental Clearance For Proposed Establishment of Synthetic Organic Chemicals (Aroma chemicals) manufacturing facility at Plot No- B-7/2, MIDC Mahad, Tal. Mahad, Dist. Raigad, Maharashtra by Prigiv Specialties Private Limited	81886	EC EIA	<u>28/10/2022</u>	10.00 A.M. Onwards
9.	Environmental Clearance For Proposed Modernization cum expansion project for Sugar (4000 TCD to 7500 TCD of sugar), Proposed Distillery (45 KLPD) and Expansion of Cogen plant (15 MW to 28 MW) At Mohannagar, At/ Post- Arag, Tal- Miraj, Dist- Sangli, Maharashtra by M/S. Mohanrao Shinde Sahakari Sakhar Karkhana Ltd.	77209	EC EIA		

10.	Environmental Clearance for Establishment of 30 KLPD Distillery at Gat No. 165, 168A, 168C Vasant Nagar, Pargaon, Tal.: Washi, Dist.: Osmanabad, Maharashtra By Bhimashankar Sugar Mills Ltd., (BSML).	62118	Compliance		
11.	Environmental Clearance for proposed API Manufacturing industries located at Gut No. 1065, 1066, 1069, Golegaon Road, Off Alandi Markal Road, Markal, Khed, Pune by M/S Deccan Nutraceuticals Pvt. Ltd.	248631	Compliance		
LUNCH					
12.	Environmental Clearance For Expansion Of Resin Manufacturing Unit At Plot No.F-38,Ranjangaon Midc, Teshil - Shirur, Dist – Pune By M/S Reichhold India Pvt.Ltd.	73808	EC EIA		
13.	Environmental Clearance For Proposed Development of a Scientific Landfill At Bheemwadi Village Tuppa, Nanded-Waghala by Guru Ramdas Constructions, Nanded	61703	Compliance		
14.	Environmental Clearance for Stone Quarry(Area 4.85 Ha) (Mine lease area : 3.50 Ha), at Gut No. 137 & 140/1, Village Umbrale Bk, Taluka- Dindori , Dist.- Nashik By M/S. Bholeshankar Metal Partners By Khanderao Chakor & Narayan Kashiyani	76489	Compliance (ToR)		
