

Minutes of the

251st MEETING

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Date: 15.11.2017

**MINUTES OF THE 251st MEETING OF THE STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY HELD ON 15.11.2017**

Agenda No.	Description	File No.	Minutes
a)	Confirmation of the minutes of the 250 th meeting of the Authority held on 13.11.2017		The minutes of the 250 th Meeting of the Authority held on 13.11.2017 was confirmed.
b)	The Action taken on the decisions of the 250 th meeting of the Authority held on 13.11.2017		The Member Secretary tabled the action taken report on the decisions of the 250 th meeting and discussed.
1.	To consider the proposal for the grant of ToR for the proposed expansion of Steel Melting Plant and Rolling Mill for the production of 76,000 TPA of Re-rolled products/structurals and 83,000 TPA of MS Billets by M/s. Kanishk Steel Industries Limited located at Plot No. B 27, SICOT Industrial Complex, Peddikuppam Village, Gummidipoondi Taluk, Tiruvallur District	6430	Discussed in detail, the Authority decided to recommend the proposal for the grant of ToR with Public Hearing. The proponent should furnish the details/particulars in respect of the following additional ToR in the EIA report, in addition to the standard ToR: <ol style="list-style-type: none"> 1. Study should include Energy efficiency, climatic mitigation measures, disaster management plan, safety measures and shall also include impact on migratory birds, fish in the ponds, ponds (including Pulicut lake), heritage building, esthetic surrounding the area, etc. . 2. EIA study shall include likely increase in the ambient temperature through modeling and Air quality modeling. 3. Baseline study shall include 24 samples (twice/ week) for the ambient air quality survey.
2.	To consider the proposal for the grant of Environmental Clearance for the proposed construction of Villa, Apartment, Club House and Golf course- "CLOVER GREENS" by M/s. Hill Ridge Estates Pvt. Ltd at S.F.No. (Annexure) of Sevaganapally & Koosthanapally Village, Hosur	5193	Discussed in detail, the Authority decided to call for the following details: <ol style="list-style-type: none"> 1. Details of the alternate source for fresh water requirement shall be furnished, if the fresh water of 351 KLD is not met from ponds and


MEMBER SECRETARY


MEMBER


CHAIRMAN

Taluk, Krishnagiri District, Tamil Nadu –
Category “B”-8(a) Building and constructions.

private sources.


2. Water availability in each pond (Month wise) considering the worst rainfall year shall be furnished.
3. Details of number of visitors for the golf course.
4. During the rains, no water is required for gardening and golf course maintenance. Hence furnish details on how you are going to manage the excess treated sewage.
5. STP has to be modular type either 2 or 3 nos, to ensure uninterrupted supply for the project.
6. Details of bio-diversity, fauna, flora, fish population, avi fauna, etc in and around the project site, as per the Wildlife Act, 1972 the schedule may be included.
7. It is mentioned in the form 1, item no 3.1 & 3.2 presence of bush vegetation and wild shrubs. Give details of such plant.
8. The green belt plan with the planting cost for 5 years may be indicated.
9. It is to be clarified whether grass cutting from golf course is included in solid waste calculation. If not, furnish the


MEMBER SECRETARY



MEMBER


CHAIRMAN


			<p>updated solid waste management plan.</p> <p>10. Regarding the golf course, the following details are required:</p> <ol style="list-style-type: none"> Maintenance cost Type of grass in golf course Bio diversity available <p>11. From where the external sewage is bought from, details of MoU signed shall be furnished.</p> <p>12. Will the Golf Course affect the agricultural activity in the surrounding areas.</p> <p>13. The EMP shall be revised with details of cost for manpower, power requirement, services and consumables.</p>
3.	To consider Exemption of Public Hearing for the consideration of grant of EC submitted by M/s Indian Oil Corporation Limited, for the Proposed Augmentation of LPG Bottling Capacity and LPG Bulk Storage Capacity from 1000 MT to 1900 MT by installing 3 X 300 MT Mounded Storage Units at S.No. 376/2 of Kulathur Village, Srirangam Taluk, Thiruchirapalli District.	4008	<p>Discussed in detail, the Authority decided to recommend for the issue of EC subject to the following additional conditions along with usual terms and conditions:</p> <ol style="list-style-type: none"> The Project Proponent shall construct collection pond of capacity of 15000 KL considering the contour of the site. Storm water management design and study shall be made by engaging the services of the reputed institutions. STP of capacity 7 KLD shall be established as committed. An environmental plan with long



MEMBER SECRETARY


MEMBER


CHAIRMAN

		<p>term perspectives shall be drawn with financial cost.</p> <ol style="list-style-type: none">5. There shall not be any threat to the biodiversity due to the proposed activity.6. The present land use surrounding the project site shall not be disturbed at any point of time.7. The existing land use shall not be altered due to the proposed expansion project and shall be consistent with the surroundings.8. The green belt area shall be planted with indigenous native trees.9. Natural vegetation listed particularly the trees shall not be removed during the construction/operation phase. In case any trees are likely to be disturbed, shall be replanted.10. During the construction and operation phase, there should be no disturbance to the aquatic ecosystem within and outside the area.11. The plant shall conduct Ambient Air Quality Monitoring, twice in a week (104 times in a year), for the parameters laid down in CPCB.12. The activities in no way result climate changes. All measures to be taken for climate mitigation.
--	--	---


MEMBER SECRETARY


MEMBER


CHAIRMAN


			<p>13. The natural water bodies within the premises should be protected and water conserved.</p> <p>14. The EMP Cost shall be deposited in a nationalized bank by opening separate account and head wise expense statement shall be furnished to TNPCB with a copy to SEIAA annually.</p>
4.	To consider the proposal for the grant of Environmental Clearance for the proposed quarrying of Rough Stone by M/s. Shri Ponguru Blue Metal Mines over an extent of 6.97.5 Ha at S.F.No. 147/1, 147/2, 148 (part) and 161/1 of Thenkarai kottai Village, Pappireddipatti Taluk, Dharmapuri District.	6450	<p>Discussed in detail, the Authority decided to recommend the project for the issue of EC with imposing the following condition:</p> <p>1. The EMP Cost shall be deposited in a nationalized bank by opening separate account and head wise expense statement shall be furnished to TNPCB with a copy to SEIAA annually.</p>
5.	To consider the proposal for the grant of Environmental Clearance for the proposed quarrying of Ordinary Stone and Gravel by Thiru C. Lakshmanan over an extent of 6.22.5 Ha at S.F.No. 237/1A, 237/1B, 237/4, 237/5, 295/1, 295/4A, 295/4B, 296/1A, etc of Keelaramanathi Village, Kamuthi Taluk, Ramanathapuram District.	6446	<p>Discussed in detail, the Authority decided to recommend the project for the issue of EC with imposing the following condition:</p> <p>1. The EMP Cost shall be deposited in a nationalized bank by opening separate account and head wise expense statement shall be furnished to TNPCB with a copy to SEIAA annually.</p>
6.	To consider the proposal for the grant of ToR for the proposed expansion of Additional Storage of 3 x 300 MT Mounded storage vessel at Bharat Petroleum Tuticorin LPG Filling Plant by M/s. Bharat Petroleum Corporation Limited., at S.No: 387/3, 394/1, 397/1, 398/1, 402/1, 401, 403/2, 399/1B, 400, 404/2, 388/1C, 468/2C, 396/1, 406/1, 406/3, 406/2A, 405/1B, 1609/1B,	6426	<p>Discussed in detail, the Authority decided to recommend for the issue of ToR along with Public Hearing along with additional ToR:</p> <p>1. The PP shall propose STP as the disposal of sewage through septic tank is not agreeable.</p> <p>2. The PP shall provide sanitary</p>


MEMBER SECRETARY



MEMBER


CHAIRMAN

	1610/3B2, Milavittan (part-1) Village, Thoothukudi Taluk, Thoothukudi District, Tamilnadu.		<p>facilities for the transportation staffs like drivers cleanness, etc.,</p> <p>3. The EMP cost shall be deposited in a Nationalised bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.</p> <p>4. Storm water management and Rain water harvesting shall be studied engaging the services of reputed institutions.</p>
7.	Pendency of EC applications appraised by SEAC and to be placed to SEIAA.	-	The SEIAA decided to place the files appraised by SEAC in SEIAA Meeting by priority basis. This will enable clearance of subjects based on priority of file as cleared by SEAC. The list may please be placed in every SEIAA meetings along with the draft schedule and agenda in future.
8.	Discussion on the Hon'ble National Green Tribunal, Southern Zone, M.A.No.134 of 2017 & 135 of 2017 in Application No. 139 of 2017 filed by M/s. Gem Granites and Application No.140 of 2017 filed by M/s. Imperial Granites represented by Thiru. S.R. Asaithampi, Chennai order dated: 07.11.2017.	-	The Authority decided to request the Member Secretary, to contact the MoEF & CC and obtain further specific orders to comply the court directions. The Member Secretary may also contact the SEIAA counsel at Delhi and ^{for} prepare an appeal in Hon'ble National Green Tribunal, Principal Bench, New Delhi.


MEMBER SECRETARY


MEMBER


CHAIRMAN 15/11/17