

# State Level Environment Impact Assessment Authority, Uttar Pradesh

## Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.com

### Minutes of the 403<sup>rd</sup> Meeting of the State Level Environment Impact Assessment Authority, UP (SEIAA) held on 17/09/2020

The meeting of 403<sup>rd</sup> State Level Environment Impact Assessment Authority, UP (SEIAA) was held on 17/09/2020 at the Directorate of Environment. The following were present in the meeting:-

1. Prof. Rana Pratap Singh
2. Dr. (Smt.) Madhu Bhardwaj
3. Sri Ashish Tiwari

Chairman, SEIAA, U.P.  
Member, SEIAA, U.P.  
Member Secretary, SEIAA, U.P.

Agenda-A: -Complaints/letters –NIL

Agenda-B:-Replies- Nil

Agenda-C:- Minutes of 487<sup>th</sup> SEAC Meeting Dated 28/08/2020

1. Expansion of "Candor Tech Space", IT/ITES, SEZ, Plot No.- 20-21, Sector- 135, Noida Distt.- G.B. Nagar, U.P., M/s Seaview Developers Pvt. Ltd. File No. 5766/5690/Proposal No. SIA/UP/MIS/55411/2018

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

- 1- The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project.
- 2- The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
- 3- The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
- 4- The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
- 5- The project proponent shall submit within the next 3 months the details of segregation plan of MSW.

*FTM*

*Madhu Bhardwaj*

*RPS. jh*

*28/09/20*



- 6- The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge. Under any circumstances untreated sewage shall not be reused or discharged to municipal sewer line.
  - 7- The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
  - 8- The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to and water harvesting pits and carbon sequestration parks / designed ecosystems.
  - 9- The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
  - 10- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
  - 11- If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
  - 12- All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
  - 13- If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
2. Expansion of existing molasses based distillery from 45 KLD TO 65.3 KLD (RS/ENA/AA) along with power plant from 1.4 MW TO 2 MW at Khasra No.-634, 634 M, 633, 631, 627, 626, 624 partly, 622, Village-Rohana Mill, Block-Charthawal, Tehsil & District- Muzaffarnagar., M/s Indian Potash Ltd. File No. 5764/5646/Proposal No. SIA/UP/IND2/52832/2017

SEIAA agreed with the recommendation of the SEAC to grant EC to the above project adding following additional conditions:-

1. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
2. The project proponent shall ensure that the distillery shall be on ZLD basis with incineration of spent wash in slop boiler. As proposed treated waste water should be completely recycled /reused and ZLD should be achieved. Under no circumstances treated waste water and effluent shall be discharged to any drain/sewer line/ inland surface water/Nala etc.

*[Signature]*

*Madan Bhardwaj*

*RPS: jh*



3. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.

**3. Establish a 100 KLD (RS/RNA/Ethanol) Molasses based Distillery along with 4 MW of Co-Generation of Power at Village-Sujanpur, Ranet Chouraha Tehsil-Bisauli, District-Badaun, U.P., M/s Yadu Sugar Ltd. File No. 5768/Proposal No. SIA/UP/IND2/54305/2018**

SEIAA agreed with the recommendation of the SEAC to grant EC to the above project adding following additional conditions:-

1. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
2. The project proponent shall ensure that the distillery shall be on ZLD basis with incineration of spent wash in slop boiler. As proposed treated waste water should be completely recycled /reused and ZLD should be achieved. Under no circumstances treated waste water and effluent shall be discharged to any drain/sewer line/ inland surface water/Nala etc.
3. Directions/suggestions given during public hearing and commitment made by the project proponent should be strictly complied.

**4. Revision and Expansion of Group Housing Project "Devika Gold Homz" at Plot No.- GH-06C, Sector-01, Greater Noida, Gautam Budh Nagar, U.P. M/s Devika Gold Homz Pvt. Ltd. File No. 5617/Proposal No. SIA/UP/MIS/52465/2019**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-

1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, GoI. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.

*Koti*

*Wardh Bhardwaj*

*RPS*



7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
  8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
  9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
  10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.
  11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
  12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
  13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
5. Cement Grinding Unit of 3,60,000 MTPA at Plot No.-b-10, Ramnagar Industrial Area-I, Village-Patana, Tehsil-Mughal Sarai, Chandauli, U.P., M/s Chunar Churk Cement Ltd. File No. 5740/Proposal No. SIA/UP/IND/ 55067/2020
- SEIAA agreed with the recommendation of the SEAC adding one condition:-
1. Public hearing shall be conducted as per EIA notification, 2006 (as amended).
6. Cement Industry having production capacity  $150 \times 1 = 150$  TPD or 45,000 tons per annum at Village- Mai, Post- Rampur, Tehsil- Mariyahu, District-Jaunpur, U.P., M/s J.P. Cement & Chemicals. File No. 5751/Proposal No. SIA/UP/IND/55362/2020
- SEIAA agreed with the recommendation of the SEAC to close the file.
7. Establishment of New Tannery Unit Of Capacity 1750 hides per day (Raw Hide to finished Leather) at Gata No-1698, 1726, 1729, 1735, 1736 & 1739, Vill-Banthar, District-Unnao, U.P., M/s Model Exims (India) Pvt Ltd. File No. 5127/ 3479/Proposal No. SIA/UP/IND/44735/2019
- SEIAA noted that SEAC has recommended to grant EC to the above project. SEIAA gone through file and documents and found that separate treatment for high salt bearing effluent by evaporation method is being proposed. ETP of 986 KLD capacity has been

*[Signature]*

*Madh Bhandari*

*RPS:ph*





proposed for the treatment of effluent and 853.7 KLD of treated waste water has been proposed to be disposed in nearby drain but the ultimate disposal point is not mentioned. SEIAA opined that project proponent shall submit proposal using state of art/latest technology for the treatment of waste water to achieve ZLD.

**8. Affordable Housing Project at Sector-22 D, Yamuna Expressway Industrial Development Authority, G.B. Nagar, U.P., M/s Yamuna Expressway (YEIDA). File No. 2301**

SEIAA agreed with the recommendations of the SEAC to grant the prior Environmental Clearance to the proposed project along with all the general and specific conditions as suggested by the SEAC. In addition to the conditions imposed by SEAC the SEIAA added following additional specific conditions:-


1. If the proposed project falls in Critically Polluted Areas (CPAs), Severely Polluted Areas (SPAs) the provision of the mechanism framed regarding compliance of Hon'ble NGT order in OA 1038/2018 dated 19-08-2019 by MoEF& CC, Govt. Of India vide letter dated 31-10-2019 shall be followed in letter and spirit.
2. All the additional conditions for grant of Consent to Establish (CTE)/Consent to Operate (CTO) related to Pollution mitigation measures as prescribed in the office memorandum of MoEF&CC, Gol. dated 31.10.2019 and as deemed fit by UP Pollution Control Board in the consent orders shall be followed by Project Proponent.
3. The project proponent shall submit the details of solar power plant and solar electrification details within the project within the next 3 months.
4. The project proponent shall ensure to plant broad leave trees and their maintenance. The CPCB guidelines in this regard shall be followed.
5. The project proponent shall submit the details on quantification of year wise CER activities along with cost and other details within the next 3 months. The CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
6. The project proponent shall submit the details of estimated construction waste generated during the construction period and its management plan within the next 3 months.
7. The project proponent shall submit the details of segregation plan of MSW within the next 3 months.
8. The project proponent shall ensure that waste water is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. To reuse the water for irrigation, sprinkler and drip irrigation system shall be installed and maintained with the proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharged. Under any circumstances untreated sewage shall not be reused or discharged to the municipal sewer line.
9. The project proponent will ensure that a proper dust control management is practiced during the construction phase and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules.
10. The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which E.C is granted in addition to the water harvesting pits and carbon sequestration parks / designed ecosystems.


 


RPS



11. The project proponent shall obtain the forest clearance and permission of Central and State Government as per law under the provisions of Forest (conservation) Act, 1980 before the start of work.
  12. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
  13. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
9. Revision & Expansion of Group Housing "Palm Olympia" at Plot No.-GH-02, Sector-16C, Greater Noida, U.P., M/s Sam India Abhimanyu Housing. File No. 5771/Proposal No. SIA/UP/NCP/55779/2020
- SEIAA instructed Nodal SEIAA to put up the case along with the earlier/old file since it is a case of revision cum expansion.
10. कॉमन बायो-मेडिकल वेस्ट फैक्ट्री ऑपरेटर्स एसोसिएशन व 02 अन्य बनाम यूनियन ऑफ इण्डिया व 04 अन्य के सम्बन्ध में अप्पर सेक्रेटरी, इन्वायरमेंट डिपार्टमेंट के पत्र, दिनांक 13.03.2020 व 23.07.2020 पर समिति द्वारा विचार-विमर्श।
- SEIAA agreed with the recommendations of the SEAC to dispose off the case as decision has already been taken.
11. Building Stone, Khanda, Gitti & Boulder at Araj No.-626, Sr. No.-16, Village-Bhuili-I, Chaunar, Mirzapur., M/s Pan Zurex LLP, (Leased Area-1.01 ha.), File No. 4751/Proposal No. SIA/UP/MIN/34472/2019
- SEIAA noted the recommendations of the SEAC to grant environmental clearance. SEIAA gone thru file and documents and found that mining plan has not been submitted and that only cover page of mining plan is available in the file. Hence SEIAA opined that project proponent shall submit the above document.
12. Building Stone, Gitti & Boulder at Araj No.-626, Sr. No.-17, at Village- Bhuili-II, Chaunar, Mirzapur, U.P., (Leased Area -0.909 ha.), M/s Euphoria Mines and Minerals. File No. 4760/Proposal No. SIA/UP/MIN/34463/2019\
- SEIAA noted the recommendations of the SEAC to grant environmental clearance. SEIAA gone thru file and documents and found that mining plan has not been submitted and that only cover page of mining plan is available in the file. Hence SEIAA opined that project proponent shall submit the above document.

  
(Shri Ashish Tiwari, IFS)  
Member-Secretary  
SEIAA

  
(Dr. (Smt.) Madhu Bhardwaj)  
Member  
SEIAA

  
(Prof. Rana Pratap Singh)  
Chairman  
SEIAA